

India - The Reproductive and Child Health Programme, District Level Household Survey (DLHS-2)

International Institute for Population Sciences

Report generated on: August 10, 2015

Visit our data catalog at: <http://nada.vm-host.net/index.php>

Overview

Identification

ID NUMBER

ind-iips-dlhs2-2004-v01

Version

VERSION DESCRIPTION

v2.1: Edited, anonymous dataset for public distribution

Overview

ABSTRACT

RCH round 2 survey was completed during 2002-04 in 593 districts as per the 2001 Census. In DLHS-RCH, information about RCH has been collected using a slightly modified questionnaire. In Round II, some new dimensions, such as test of cooking salt to assess the consumption of salt fortified with iodine, collection of blood of children, adolescents and pregnant women to assess the level of anaemia, and measurement of weight of children to assess the nutritional status, were incorporated. The separate report has been brought out on "Nutritional Status of Children and Prevalence of Anaemia among Children, Adolescents girls and pregnant women in India" using these information.

The main focus of the DLHS-RCH has been on the following aspects:

- Coverage of ANC & immunization services
- Proportion of safe deliveries
- Contraceptive prevalence rates
- Unmet need for family planning
- Awareness about RTI/ STI and HIV/AIDS
- Utilization of government health services and users' satisfaction.

For the purpose of conducting DLHS-RCH, all the states and the union territories were grouped into 16 regions. A total of twelve research organizations including Population Research Centres (PRCs) were involved in conducting the survey in 16 regions with International Institute for Population Sciences (IIPS) as the nodal agency.

Coverage

GEOGRAPHIC COVERAGE

National coverage

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation
International Institute for Population Sciences	

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
Centre for Global Health Research	CGHR	St. Michael's Hospital; University of Toronto	production of metadata

DDI DOCUMENT VERSION

Version 1.0. This is the very first version of this DDI document

DDI DOCUMENT ID

ind-cgchr-dlhs2-2004-v01

Sampling

No content available

Questionnaires

Overview

DLHS-RCH2 Household Survey Questionnaire
DLHS-RCH2 Women Survey Questionnaire
DLHS-RCH2 Husband Survey Questionnaire
DLHS-RCH2 Village Survey Questionnaire
DLHS-RCH2 Health Survey Questionnaire

All questionnaires are provided in English and in PDF format.

Data Collection

Data Collection Dates

Start	End	Cycle
2002-01-01	2004-01-01	N/A

Data Collection Mode

Face-to-face [f2f]

Data Processing

No content available

Data Appraisal

No content available

File Description

Variable List

CHC

Content

Cases 1625

Variable(s) 554

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1	srno	Serial number	contin	numeric	
V2	h1	State name	discrete	character	
V3	sc	state code	discrete	numeric	
V4	h2	District name	discrete	character	
V5	dc	District code	contin	numeric	
V6	h3	Tehsil	discrete	character	
V7	tc	Tehsil code	contin	numeric	
V8	h4	Block	discrete	character	
V9	bc	Block code	contin	numeric	
V10	h5	type of hospital	discrete	numeric	
V11	hfc	Health facility code	discrete	numeric	
V12	h6	Functioning year	contin	numeric	
V13	h7	Functioning year in this building	contin	numeric	
V14	h8	Facility designated as First Referral Unit (FRU)	discrete	numeric	
V15	h9	Post Partum Centre attached to this hospital	discrete	numeric	
V16	h10a	Designation of the respondent	discrete	numeric	
V17	h10b	Designation of the respondent	discrete	numeric	
V18	h10c	Designation of the respondent	discrete	numeric	
V19	h11	Population Covered	discrete	numeric	
V20	h12a	Date	contin	numeric	
V21	h12b	Month	contin	numeric	
V22	h12c	Year	contin	numeric	
V23	h13	Compound Wall/Fencing	discrete	numeric	
V24	h14	Source of water supply	discrete	numeric	
V25	h15	Overhead tank and pump exist	discrete	numeric	
V26	h16	Pump in working condition	discrete	numeric	
V27	h17	Overhead tank capacity; in adequate	discrete	numeric	
V28	h18a	Water supply in Operation theatre	discrete	numeric	

ID	Name	Label	Type	Format	Question
V29	h18b	Water supply in Laboratory	discrete	numeric	
V30	h18c	Water supply in Toilet	discrete	numeric	
V31	h19	Electricity available in all parts	discrete	numeric	
V32	h20	Regular supply of electricity	discrete	numeric	
V33	h21	Availability of generator	discrete	numeric	
V34	h22	Capacity adequate generator	discrete	numeric	
V35	h23	Generator currently functioning	discrete	numeric	
V36	h24	Fuel for generator is available	discrete	numeric	
V37	h25	Sewage	discrete	numeric	
V38	h26	Waste segregated as infectious or non-infectious	discrete	numeric	
V39	h27	Mode of disposal of infectious waste	discrete	numeric	
V40	h28	Mode of disposal of non-infectious waste	discrete	numeric	
V41	h29	Mode of disposal waste	discrete	numeric	
V42	h30	Mode of disposing biological waste	discrete	numeric	
V43	h31	Ownership	discrete	numeric	
V44	h32	Building requires repairs	discrete	numeric	
V45	h33	Minor repair quickly arranged	discrete	numeric	
V46	h34a	Maintenance	discrete	numeric	
V47	h34b	Year	contin	numeric	
V48	h35	Labour room	discrete	numeric	
V49	h36	Required additional labour room	discrete	numeric	
V50	h37	OT	discrete	numeric	
V51	h38	Require additional OT	discrete	numeric	
V52	h39a	No. of staff quarter available for Incharge	discrete	numeric	
V53	h39b	No. of staff quarter occupied for Incharge	discrete	numeric	
V54	h40a	No. of staff quarter available for Onstetrician/Gynecologist	discrete	numeric	
V55	h40b	No. of staff quarter occupied for Onstetrician/Gynecologist	discrete	numeric	
V56	h41a	No. of staff quarter available for Pediatrician	discrete	numeric	
V57	h41b	No. of staff quarter occupied for Pediatrician	discrete	numeric	
V58	h42a	No. of staff quarter available for Duty Doctor (RMO)	discrete	numeric	
V59	h42b	No. of staff quarter occupied for Duty Doctor (RMO)	discrete	numeric	
V60	h43a	No. of staff quarter available for Anesthesiologist	discrete	numeric	
V61	h43b	No. of staff quarter occupied for Anesthesiologist	discrete	numeric	
V62	h44a	No. of staff quarter available for Others	contin	numeric	
V63	h44b	No. of staff quarter occupied for Others	discrete	numeric	
V64	h45a	No. of staff quarter available for Staff Nurse	contin	numeric	
V65	h45b	No. of staff quarter occupied for Staff Nurse	contin	numeric	
V66	h46a	No. of staff quarter available for Pharmacist	discrete	numeric	
V67	h46b	No. of staff quarter occupied for Pharmacist	discrete	numeric	
V68	h47a	No. of staff quarter available for X-ray technician	discrete	numeric	

ID	Name	Label	Type	Format	Question
V69	h47b	No. of staff quarter occupied for X-ray technician	discrete	numeric	
V70	h48a	No. of staff quarter available for Laboratory technician	discrete	numeric	
V71	h48b	No. of staff quarter occupied for Laboratory technician	discrete	numeric	
V72	h49a	No. of staff quarter available for Others	contin	numeric	
V73	h49b	No. of staff quarter occupied for Others	discrete	numeric	
V74	h50a	No. of staff quarter available for Ambulance driver	discrete	numeric	
V75	h50b	No. of staff quarter occupied for Ambulance driver	discrete	numeric	
V76	h51a	No. of staff quarter available for Attendent	contin	numeric	
V77	h51b	No. of staff quarter occupied for Attendent	discrete	numeric	
V78	h52	Telephone	discrete	numeric	
V79	h53	STD facility	discrete	numeric	
V80	h54	Personal Computer	discrete	numeric	
V81	h55	E-mail	discrete	numeric	
V82	h56	NIC terminal	discrete	numeric	
V83	h57	Other	discrete	numeric	
V84	h58	hospital accessible by all weather	discrete	numeric	
V85	h59a	Availability of OPD	discrete	numeric	
V86	h59b	Cleanliness in OPD	discrete	numeric	
V87	h60a	Availability of OT	discrete	numeric	
V88	h60b	Cleanliness in OT	discrete	numeric	
V89	h61a	Availability of Rooms	discrete	numeric	
V90	h61b	Cleanliness in Rooms	discrete	numeric	
V91	h62a	Availability of Wards	discrete	numeric	
V92	h62b	Cleanliness in Wards	discrete	numeric	
V93	h63a	Availability of Toilet	discrete	numeric	
V94	h63b	Cleanliness in Toilet	discrete	numeric	
V95	h64	Cleanliness in premises compound	discrete	numeric	
V96	h65a	Garbage dump	discrete	numeric	
V97	h65b	Cattle shed	discrete	numeric	
V98	h65c	Stagnant pool	discrete	numeric	
V99	h65d	Polluting industry	discrete	numeric	
V100	h66a	No. of Ambulance available	discrete	numeric	
V101	h66b	No. of Ambulance off the road	discrete	numeric	
V102	h66c	No. of Ambulance on the road	discrete	numeric	
V103	h66d	No. of Ambulance, No POL	discrete	numeric	
V104	h66e	No. of Ambulance waiting for repair	discrete	numeric	
V105	h66f	No. of Ambulance having lack of driver	discrete	numeric	
V106	h66g	Since when Ambulance 1 off the road	contin	numeric	
V107	h66h	Since when Ambulance 2 off the road	contin	numeric	
V108	h66i	Since when Ambulance 3 off the road	discrete	numeric	

ID	Name	Label	Type	Format	Question
V109	h67a	No. of Jeep available	discrete	numeric	
V110	h67b	No. of Jeep off the road	discrete	numeric	
V111	h67c	No. of Jeep on the road	discrete	numeric	
V112	h67d	No. of Jeep, No POL	discrete	numeric	
V113	h67e	No. of Jeep waiting for repair	discrete	numeric	
V114	h67f	No. of Jeep having lack of driver	discrete	numeric	
V115	h67g	Since when Jeep 1 off the road	contin	numeric	
V116	h67h	Since when Jeep 2 off the road	contin	numeric	
V117	h67i	Since when Jeep 3 off the road	contin	numeric	
V118	h68a	No. of Car available	discrete	numeric	
V119	h68b	No. of Car off the road	discrete	numeric	
V120	h68c	No. of Car on the road	discrete	numeric	
V121	h68d	No. of Car, No POL	discrete	numeric	
V122	h68e	No. of Car waiting for repair	discrete	numeric	
V123	h68f	No. of Car having lack of driver	discrete	numeric	
V124	h68g	Since when Car 1 off the road	contin	numeric	
V125	h68h	Since when Car 2 off the road	discrete	numeric	
V126	h68i	Since when Car 3 off the road	discrete	numeric	
V127	h69a	No. of Other Vehicles available	discrete	numeric	
V128	h69b	No. of Other Vehicles off the road	discrete	numeric	
V129	h69c	No. of Other Vehicles on the road	discrete	numeric	
V130	h69d	No. of Other Vehicles, No POL	discrete	numeric	
V131	h69e	No. of Other Vehicles waiting for repair	discrete	numeric	
V132	h69f	No. of Other Vehicles having lack of driver	discrete	numeric	
V133	h69g	Since when Other Vehicles 1 off the road	contin	numeric	
V134	h69h	Since when Other Vehicles 2 off the road	discrete	numeric	
V135	h69i	Since when Other Vehicles 3 off the road	discrete	numeric	
V136	h70	Allocation of money to hospital sufficient for POL	discrete	numeric	
V137	h71	Allocation of money to hospital sufficient for repair	discrete	numeric	
V138	h72a	Number of Doctor in-charge post sanctioned	discrete	numeric	
V139	h72b	Number of Doctor in-charge post filled	discrete	numeric	
V140	h72c	Number of Doctor in-charge available	discrete	numeric	
V141	h72d	Post I Vaccant Since when	contin	numeric	
V142	h72e	Post II Vaccant Since when	contin	numeric	
V143	h72f	Post III Vaccant Since when	discrete	numeric	
V144	h73a	Number of obstetrician/gynecologist post sanctioned	discrete	numeric	
V145	h73b	Number of obstetrician/gynecologistpost Filled	discrete	numeric	
V146	h73c	Number of obstetrician/gynecologist Available	discrete	numeric	
V147	h73d	Post I Vaccant Since when	contin	numeric	
V148	h73e	Post II Vaccant Since when	contin	numeric	

ID	Name	Label	Type	Format	Question
V149	h73f	Post III Vaccant Since when	contin	numeric	
V150	h74a	Number of pediatrician post Sanctioned	discrete	numeric	
V151	h74b	Number of pediatrician post Filled	discrete	numeric	
V152	h74c	Number of pediatrician post Available	discrete	numeric	
V153	h74d	Post I Vaccant Since when	contin	numeric	
V154	h74e	Post II Vaccant Since when	contin	numeric	
V155	h74f	Post III Vaccant Since when	discrete	numeric	
V156	h75a	Number of anesthesiologist post sanctioned	discrete	numeric	
V157	h75b	Number of anesthesiologist post filled	discrete	numeric	
V158	h75c	Number of anesthesiologist post available	discrete	numeric	
V159	h75d	Post I Vaccant Since when	contin	numeric	
V160	h75e	Post II Vaccant Since when	contin	numeric	
V161	h75f	Post III Vaccant Since when	discrete	numeric	
V162	h76a	Number of STD officer (specialist RTI/STI) post Sanctioned	discrete	numeric	
V163	h76b	Number of STD officer (specialist RTI/STI) post filled	discrete	numeric	
V164	h76c	Number of STD officer (specialist RTI/STI) post available	discrete	numeric	
V165	h76d	Post I Vaccant Since when	contin	numeric	
V166	h76e	Post II Vaccant Since when	discrete	numeric	
V167	h76f	Post III Vaccant Since when	discrete	numeric	
V168	h77a	Number of pathologist post sanctioned	discrete	numeric	
V169	h77b	Number of pathologist post filled	discrete	numeric	
V170	h77c	Number of pathologist post available	discrete	numeric	
V171	h77d	Post I Vaccant Since when	contin	numeric	
V172	h77e	Post II Vaccant Since when	contin	numeric	
V173	h77f	Post III Vaccant Since when	discrete	numeric	
V174	h78a	Number of surgeon post sanctioned	discrete	numeric	
V175	h78b	Number of surgeon post filled	discrete	numeric	
V176	h78c	Number of surgeon post available	discrete	numeric	
V177	h78d	Post I Vaccant Since when	contin	numeric	
V178	h78e	Post II Vaccant Since when	contin	numeric	
V179	h78f	Post III Vaccant Since when	discrete	numeric	
V180	h79a	General duty doctor (male) post sanctioned	discrete	numeric	
V181	h79b	General duty doctor (male) post filled	discrete	numeric	
V182	h79c	General duty doctor (male) post available	discrete	numeric	
V183	h79d	Post I Vaccant Since when	contin	numeric	
V184	h79e	Post II Vaccant Since when	contin	numeric	
V185	h79f	Post III Vaccant Since when	contin	numeric	
V186	h80a	General duty doctor (female) post sanctioned	discrete	numeric	
V187	h80b	General duty doctor (female) post filled	discrete	numeric	
V188	h80c	General duty doctor (female) post Available	contin	numeric	

ID	Name	Label	Type	Format	Question
V189	h80d	Post I Vaccant Since when	contin	numeric	
V190	h80e	Post II Vaccant Since when	contin	numeric	
V191	h80f	Post III Vaccant Since when	discrete	numeric	
V192	h81a	Number of staff nurse post sanctioned	contin	numeric	
V193	h81b	Number of staff nurse post filled	contin	numeric	
V194	h81c	Number of staff nurse post available	contin	numeric	
V195	h82a	Number of ANM post sanctioned	contin	numeric	
V196	h82b	Number of ANM post filled	contin	numeric	
V197	h82c	Number of ANM post available	contin	numeric	
V198	h83a	Number of Mid- wife post sanctioned	discrete	numeric	
V199	h83b	Number of Mid- wife post filled	discrete	numeric	
V200	h83c	Number of Mid- wife post available	discrete	numeric	
V201	h84a	Number of phramascist/compounder post sanctioned	contin	numeric	
V202	h84b	Number of phramascist/compounder post filled	contin	numeric	
V203	h84c	Number of phramascist/compounder post available	contin	numeric	
V204	h85a	Number of lab assistants post sanctioned	discrete	numeric	
V205	h85b	Number of lab assistants post filled	discrete	numeric	
V206	h85c	Number of lab assistants post available	discrete	numeric	
V207	h86a	Number of Radiographer post sanctioned	discrete	numeric	
V208	h86b	Number of Radiographer post filled	discrete	numeric	
V209	h86c	Number of Radiographer post available	discrete	numeric	
V210	h87a	Number of computer /clerk post sanctioned	discrete	numeric	
V211	h87b	Number of computer /clerk post filled	discrete	numeric	
V212	h87c	Number of computer /clerk post available	discrete	numeric	
V213	h88a	Number of public health nurse (PHN) post sanctioned	contin	numeric	
V214	h88b	Number of public health nurse (PHN) post filled	contin	numeric	
V215	h88c	Number of public health nurse (PHN) post available	contin	numeric	
V216	h89a	Number of health assistant (Male) post sanctioned	contin	numeric	
V217	h89b	Number of health assistant (Male) post filled	contin	numeric	
V218	h89c	Number of health assistant (Male) post available	contin	numeric	
V219	h90a	Number of health assistant (female) post sanctioned	contin	numeric	
V220	h90b	Number of health assistant (female) post filled	contin	numeric	
V221	h90c	Number of health assistant (female) post available	contin	numeric	
V222	h91a	Number of MPW (Male) post sanctioned	contin	numeric	
V223	h91b	Number of MPW (Male) post filled	contin	numeric	
V224	h91c	Number of MPW (Male) post available	contin	numeric	
V225	h92a	Number of MPW (Female) post sanctioned	contin	numeric	
V226	h92b	Number of MPW (Female) post filled	contin	numeric	
V227	h92c	Number of MPW (Female) post available	contin	numeric	
V228	h93a	Number of post Sanctioned(Group C /categories III staff)	contin	numeric	

ID	Name	Label	Type	Format	Question
V229	h93b	Number of post filled (Group C /categories III staff)	contin	numeric	
V230	h93c	Number of post available (Group C /categories III staff)	contin	numeric	
V231	h94a	Number of post Sanctioned(Group C /categories IV staff)	contin	numeric	
V232	h94b	Number of post filled (Group C /categories IV staff)	contin	numeric	
V233	h94c	Number of post available (Group C /categories IV staff)	contin	numeric	
V234	h95a	Number of post Sanctioned(Others)	discrete	numeric	
V235	h95b	Number of post filled (Others)	discrete	numeric	
V236	h95c	Number of post available (Others)	discrete	numeric	
V237	h96	Availability of emergency call forAnesthetist	discrete	numeric	
V238	h97	Availability of emergency call for Gynecologist	discrete	numeric	
V239	h98	Availability of emergency call for OT nurses available	discrete	numeric	
V240	h99	Availability of emergency call for OT attendant available	discrete	numeric	
V241	h100a	Number of doctor Trained in male sterilization	discrete	numeric	
V242	h100b	Availability of trained doctor for male sterilization	discrete	numeric	
V243	h101a	Number of doctor Trained in tubectomy	discrete	numeric	
V244	h101b	Availability of trained doctor for tubectomy	discrete	numeric	
V245	h102a	Number of doctor Trained in Mini- laproscopy	discrete	numeric	
V246	h102b	Availability of trained doctor for laproscopy	discrete	numeric	
V247	h103a	Number of doctor Trained in MTP	discrete	numeric	
V248	h103b	Availability of trained doctor for MTP	discrete	numeric	
V249	h104a	Number of doctor Trained in RTI/STI	discrete	numeric	
V250	h104b	Availability of trained doctor for RTI/STI	discrete	numeric	
V251	h105a	Number of doctor Trained in new born care	discrete	numeric	
V252	h105b	Availability of trained doctor for new born care	discrete	numeric	
V253	h106a	Number of doctor Trained in RCH foundation skill training (10days)	discrete	numeric	
V254	h106b	Availability of trained doctor for RCH skilled	discrete	numeric	
V255	h107a	Availability of facility for gynecology/obsterict OPDGynecology/Obstetric OPD	discrete	numeric	
V256	h107b	Boards/Name Plates	discrete	numeric	
V257	h107c	Adequate working space	discrete	numeric	
V258	h107d	Privacy during examination	discrete	numeric	
V259	h107e	Facility for counseling	discrete	numeric	
V260	h107f	Separate toilet with running waste	discrete	numeric	
V261	h107g	Facilities for sterilizing instruments	discrete	numeric	
V262	h107h	Specialist (male doctor)	discrete	numeric	
V263	h107i	Specialist (female doctor)	discrete	numeric	
V264	h108a	Availability of facility for RTI/STI	discrete	numeric	
V265	h108b	Boards/Name Plates	discrete	numeric	
V266	h108c	Adequate working space	discrete	numeric	
V267	h108d	Privacy during examination	discrete	numeric	
V268	h108e	Facility for counseling	discrete	numeric	

ID	Name	Label	Type	Format	Question
V269	h108f	Separate toilet with running water	discrete	numeric	
V270	h108g	Facilities for sterilizing instruments	discrete	numeric	
V271	h108h	Specialist (male doctor)	discrete	numeric	
V272	h108i	Specialist (female doctor)	discrete	numeric	
V273	h109	Formal system of referral and reverse referral exists	discrete	numeric	
V274	h110	WARDS/BEDSNumber of wards	contin	numeric	
V275	h111	Number of beds	contin	numeric	
V276	h112	Number of female wards (including maternity wards and gynec wards)	contin	numeric	
V277	h113	Number of beds for females	contin	numeric	
V278	h114	Number of maternity cases admitted during last three months	contin	numeric	
V279	h115	Number of normal deliveries	contin	numeric	
V280	h116	Number of caesarian	contin	numeric	
V281	h117	Number of complicated non-caesarian delivery	contin	numeric	
V282	h118	Average number of days women stay in hospital After normal delivery	contin	numeric	
V283	h119	Average number of days women stay in hospital After caesarian delivery	contin	numeric	
V284	h120	Average number of days women stay in hospital After complicated non-caesarian delivery	contin	numeric	
V285	h121	Total number of pediatrics beds	contin	numeric	
V286	h122	Number of children in pediatrics beds during last three months	contin	numeric	
V287	h123	Average number of days a bed in pediatric ward is occupied during last three months	contin	numeric	
V288	h124	No. Of cases referred to higher facilities during last three months	contin	numeric	
V289	h125	No. of referred cases handled during last three months	contin	numeric	
V290	h126	No. of booked maternity cases during last three months	contin	numeric	
V291	h127	Separate aseptic labour room	discrete	numeric	
V292	h128	Where conduct deliveries	discrete	numeric	
V293	h129	Labour room clean and well lit	discrete	numeric	
V294	h130	Provision for new born care	discrete	numeric	
V295	h131	ORT corner in pediatric ward	discrete	numeric	
V296	h132	ORT corner in OPD	discrete	numeric	
V297	h133	Adequate equipments available in Test Laboratory	discrete	numeric	
V298	h134	Adequate chemicals available in Test Laboratory	discrete	numeric	
V299	h135	Laboratory maintained orderly manner	discrete	numeric	
V300	h136a	Routine blood/urine/stool	discrete	numeric	
V301	h136b	Malaria	discrete	numeric	
V302	h136c	Blood group	discrete	numeric	
V303	h136d	RTI/STI	discrete	numeric	
V304	h136e	Hematology	discrete	numeric	
V305	h136f	Biochemistry	discrete	numeric	
V306	h136g	Pathology	discrete	numeric	
V307	h136h	Microbiology culture facilities	discrete	numeric	

ID	Name	Label	Type	Format	Question
V308	h137	No. Of Operation theatre	discrete	numeric	
V309	h138a	OT used only for obstetric/gynecological purpose	discrete	numeric	
V310	h138b	If more than one OT ask (whether of the OT is exclusively use for ----- purpose?)	discrete	numeric	
V311	h139	OT has enough space	discrete	numeric	
V312	h140	OT fitted with air condition	discrete	numeric	
V313	h141	Air condition working	discrete	numeric	
V314	h142	Generator available for OT	discrete	numeric	
V315	h143	Emergency light available in OT	discrete	numeric	
V316	h144	Fumigation done regularly	discrete	numeric	
V317	h145	Days of sterilization displayed on the public notice on O.T	discrete	numeric	
V318	h146a	Boyles apparatus available in Operation Theatre	discrete	numeric	
V319	h146b	Boyles apparatus is working in Operation Theatre	discrete	numeric	
V320	h147a	E M O machine available in Operation Theatre	discrete	numeric	
V321	h147b	E M O machine is working in Operation Theatre	discrete	numeric	
V322	h148a	Cardiac monitor for OT available in Operation Theatre	discrete	numeric	
V323	h148b	Cardiac monitor is working in Operation Theatre	discrete	numeric	
V324	h149a	Defibrillator for OT available in Operation Theatre	discrete	numeric	
V325	h149b	Defibrillator is working in Operation Theatre	discrete	numeric	
V326	h150a	Ventilator for OT available in Operation Theatre	discrete	numeric	
V327	h150b	Ventilator is working in Operation Theatre	discrete	numeric	
V328	h151a	Horizontal high pressure sterilizer available	discrete	numeric	
V329	h151b	Horizontal high pressure sterilizer is working	discrete	numeric	
V330	h152a	Vertical high pressure sterilizer 2/3 drum capacity available	discrete	numeric	
V331	h152b	Vertical high pressure sterilizer 2/3 drum working	discrete	numeric	
V332	h153a	Shadow less lamp ceiling track mounted available	discrete	numeric	
V333	h153b	Shadow less lamp ceiling track mounted working	discrete	numeric	
V334	h154a	Shadow less lamp pedestal for minor OT Available	discrete	numeric	
V335	h154b	Shadow less lamp pedestal is working	discrete	numeric	
V336	h155a	OT care/fumigation apparatus available	discrete	numeric	
V337	h155b	OT care/fumigation apparatus is working	discrete	numeric	
V338	h156a	Glows and dusting machine available	discrete	numeric	
V339	h156b	Glows and dusting machine is working	discrete	numeric	
V340	h157a	Oxygen cylinder 660 Liters. Available	discrete	numeric	
V341	h157b	Oxygen cylinder is working	discrete	numeric	
V342	h158a	Nitrous oxide cylinder 1780 liters available	discrete	numeric	
V343	h158b	Nitrous oxide cylinder 1780 is working	discrete	numeric	
V344	h159a	Hydraulic operation table available	discrete	numeric	
V345	h159b	Hydraulic operation table is working	discrete	numeric	
V346	h160a	X-ray machine available	discrete	numeric	
V347	h160b	X-ray machine is working	discrete	numeric	

ID	Name	Label	Type	Format	Question
V348	h161a	ECG machine available	discrete	numeric	
V349	h161b	ECG machine is working	discrete	numeric	
V350	h162a	Ultrasound available	discrete	numeric	
V351	h162b	Ultrasound is working	discrete	numeric	
V352	h163a	Cold chain equipments available in walk-in coolers	discrete	numeric	
V353	h163b	How many walk-in coolers	contin	numeric	
V354	h163c	No. of Walk-in coolers in working condition	contin	numeric	
V355	h163d	Temperature maintained in walk-in coolers	discrete	numeric	
V356	h163ea	If not in working order since when (in months)1st item	contin	numeric	
V357	h163eb	If not in working order since when (in months)2nd item	contin	numeric	
V358	h164a	Walk-in freezers available	discrete	numeric	
V359	h164b	How many Walk-in freezers available	contin	numeric	
V360	h164c	No. of Walk-in freezers in working condition	contin	numeric	
V361	h164d	Temperature maintained in Walk-in freezers	discrete	numeric	
V362	h164ea	If not in working order since when(in months)1st item	contin	numeric	
V363	h164eb	If not in working order since when(in months) 2nd item	contin	numeric	
V364	h165a	Ice line freezer available	discrete	numeric	
V365	h165b	How many Ice line freezer available	contin	numeric	
V366	h165c	No. of Ice line freezer in working condition	contin	numeric	
V367	h165d	Temperature maintained Ice line freezer	discrete	numeric	
V368	h165ea	If not in working order since when (in months)1st item	contin	numeric	
V369	h165eb	If not in working order since when (in months) 2nd item	contin	numeric	
V370	h166a	Deep freezer available	discrete	numeric	
V371	h166b	How many Deep freezer available	contin	numeric	
V372	h166c	No. of Deep freezer in working condition	contin	numeric	
V373	h166d	Temperature maintained in Deep freezer	discrete	numeric	
V374	h166ea	If not in working order since when (in months)1st item	contin	numeric	
V375	h166eb	If not in working order since when (in months) 2nd item	contin	numeric	
V376	h167a	Refrigerator available	discrete	numeric	
V377	h167b	How many Refrigerator available	contin	numeric	
V378	h167c	No. of Refrigerator in working condition	contin	numeric	
V379	h167d	Temperature maintained in Refrigerator	discrete	numeric	
V380	h167ea	If not in working order since when (in months)1st item	contin	numeric	
V381	h167eb	If not in working order since when (in months) 2nd item	contin	numeric	
V382	h168	Hospital linked with district blood bank	discrete	numeric	
V383	h169	Established and regular blood supply available	discrete	numeric	
V384	h170a	Present stock of lubricated Nirodh pices	contin	numeric	
V385	h170b	Experience of stock out of lubricated Nirodh pices	discrete	numeric	
V386	h171a	Present stock of Oral pills cycles	contin	numeric	
V387	h171b	Experience of stock out of Oral pills cycles	discrete	numeric	

ID	Name	Label	Type	Format	Question
V388	h172a	Present stock of IUDs	contin	numeric	
V389	h172b	Experience of stock out of IUDs	discrete	numeric	
V390	h173a	Present stock of tubal ring	contin	numeric	
V391	h173b	Experience of stock out of tubal ring	discrete	numeric	
V392	h174a	Present stock of DPT	contin	numeric	
V393	h174b	Experience of stock out of DPT	discrete	numeric	
V394	h175a	Present stock of OPV	contin	numeric	
V395	h175b	Experience of stock out of OPV	discrete	numeric	
V396	h176a	Present stock of TT	contin	numeric	
V397	h176b	Experience of stock out of TT	discrete	numeric	
V398	h177a	Present stock of BCG	contin	numeric	
V399	h177b	Experience of stock out of BCG	discrete	numeric	
V400	h178a	Present stock of Measels	contin	numeric	
V401	h178b	Experience of stock out of Measels	discrete	numeric	
V402	h179a	Present stock of DT	contin	numeric	
V403	h179b	Experience of stock out of DT	discrete	numeric	
V404	h180a	Present Stock of IFA tablet large	contin	numeric	
V405	h180b	Experience of stock out of IFA tablet large	discrete	numeric	
V406	h181a	Present Stock of IFA large	contin	numeric	
V407	h181b	Experience of stock out of IFA large	discrete	numeric	
V408	h182a	Present Stock of Vitamine A	contin	numeric	
V409	h182b	Experience of stock out of Vit.A	discrete	numeric	
V410	h183a	Present Stock of ORS	contin	numeric	
V411	h183b	Experience of stock out of ORS	discrete	numeric	
V412	h184a	Present stock of Contromisol tab. paediatric	contin	numeric	
V413	h184b	Experience of stock out of Contromisonal tab	discrete	numeric	
V414	h185a	Present stock of RTI/STI	contin	numeric	
V415	h185b	Experience of stock out of RTI/STI	discrete	numeric	
V416	h186a	Present stock of life essential drugs i	contin	numeric	
V417	h186b	Experience of stock out of essential drugs	discrete	numeric	
V418	h187a	Present stock of Life saving drugs	contin	numeric	
V419	h187b	Experience of stock out of life saving drugs	discrete	numeric	
V420	h188a	Present stock of Laboratory reagent	contin	numeric	
V421	h188b	Experience of stock out of laboratory reagent	discrete	numeric	
V422	h189a	Present stock x-ray film	contin	numeric	
V423	h189b	Experience of stock out x-ray film	discrete	numeric	
V424	h190	Condition of storage of drugs	discrete	numeric	
V425	h191	OPV send for testing	discrete	numeric	
V426	h192	What was the result	discrete	numeric	
V427	h193a	supply of standered surgical set- kit E	discrete	numeric	

ID	Name	Label	Type	Format	Question
V428	h193b	standered surgical set- kit E it is in use	discrete	numeric	
V429	h194a	supply of standered surgical set- kit F	discrete	numeric	
V430	h194b	standered surgical set- kit F it is in use	discrete	numeric	
V431	h195a	supply of standered surgical set- kit H	discrete	numeric	
V432	h195b	standered surgical set- kit H it is in use	discrete	numeric	
V433	h196a	supply of standered surgical set- kit J	discrete	numeric	
V434	h196b	standered surgical set- kit J it is in use	discrete	numeric	
V435	h197a	supply of standered surgical set- kit K	discrete	numeric	
V436	h197b	standered surgical set- kit K it is in use	discrete	numeric	
V437	h198a	supply of standered surgical set- kit L	discrete	numeric	
V438	h198b	standered surgical set- kit L it is in use	discrete	numeric	
V439	h199a	supply of IUD insertion- kit G	discrete	numeric	
V440	h199b	IUD insertion- kitG it is in use	discrete	numeric	
V441	h200a	supply of kit-I	discrete	numeric	
V442	h200b	kit-I it is in use	discrete	numeric	
V443	h201a	supply of equipment kit-M	discrete	numeric	
V444	h201b	equipment kit-M it is in use	discrete	numeric	
V445	h202a	supply of equipment for Neo-natal resuscitation kit-N	discrete	numeric	
V446	h202b	equipment for Neo-natal resuscitation kit-N it is in use	discrete	numeric	
V447	h203a	supply of side laboratory test-Blood transfusion kit-O	discrete	numeric	
V448	h203b	side laboratory test-Blood transfusion kit-O it is in use	discrete	numeric	
V449	h204a	supply of Donar-Blood transfusion kit-P	discrete	numeric	
V450	h204b	Donar-Blood transfusion kit-P it is in use	discrete	numeric	
V451	h205a	supply of New born care equipment kit	discrete	numeric	
V452	h205b	New born care equipment kit it is in use	discrete	numeric	
V453	h206a	supply of Emergency obstetric care drug kit	discrete	numeric	
V454	h206b	Emergency obstetric care drug kit it is in use	discrete	numeric	
V455	h207a	supply of consumable items for RTI-STI kit	discrete	numeric	
V456	h207b	consumable items for RTI-STI kit it is in use	discrete	numeric	
V457	h208	Store room to keep drugs, vaccines, contraceptives and equipments	discrete	numeric	
V458	h209	Store room damp	discrete	numeric	
V459	h210	Store room has proper lighting	discrete	numeric	
V460	h211	Size of store room sufficient for keeping stock	discrete	numeric	
V461	h212	How are Thermo labile drugs stored	discrete	numeric	
V462	h213	Thermo labile drugs stored room is damp	discrete	numeric	
V463	h214	Stock registers maintained	discrete	numeric	
V464	h215	Expiry date drugs register maintained	discrete	numeric	
V465	h216	Number of days Ante-natal clinics available	contin	numeric	
V466	h217	Number of days Post-natal clinics available	contin	numeric	
V467	h218	Number of days Immunization sessions available	contin	numeric	

ID	Name	Label	Type	Format	Question
V468	h219a	special counter available for obtaining easily Oral pills	discrete	numeric	
V469	h219b	special counter available for obtaining easily Condom	discrete	numeric	
V470	h219c	special counter available for obtaining easily ORS Packets	discrete	numeric	
V471	h220a	A counter functioning regularly (OP)	discrete	numeric	
V472	h220b	B counter functioning regularly (Condom)	discrete	numeric	
V473	h220c	C counter functioning regularly (ORS)	discrete	numeric	
V474	h221	Accommodation facility for families of admitted patients	discrete	numeric	
V475	h222	Cooking facility	discrete	numeric	
V476	h223a	Number of ANC examined at OPD	contin	numeric	
V477	h223b	Number of ANC cases admitted	contin	numeric	
V478	h224a	Number of post natal care examined at OPD	contin	numeric	
V479	h224b	Number of post natal cases admitted	contin	numeric	
V480	h225	Total number of deliveries conducted	contin	numeric	
V481	h226	Total number of Normal deliveries	contin	numeric	
V482	h227a	Number of complicated deliveries, direct admission	contin	numeric	
V483	h227b	Number of complicated deliveries Referred	contin	numeric	
V484	h227c	Total number of complicated deliveries	contin	numeric	
V485	h228a	Number of caesarian deliveries direct admission	contin	numeric	
V486	h228b	Number of caesarian deliveries referred	contin	numeric	
V487	h228c	Total Number of caesarian deliveries	contin	numeric	
V488	h229	Number of MTP cases	contin	numeric	
V489	h230a	Number of Vasectomy	contin	numeric	
V490	h230b	Number of No scalpel vasectomy	contin	numeric	
V491	h231a	Number of Tubectomy cases	contin	numeric	
V492	h231b	Number of Laparoscopic cases	contin	numeric	
V493	h231c	Number of Mini-lap cases	contin	numeric	
V494	h232	No. Of Patients, examined in OPD	contin	numeric	
V495	h233	No. Of in-patients examined during calendar year to last quarter	contin	numeric	
V496	h234a	No. Of patients examined during calendar year to last quarter All patients	contin	numeric	
V497	h234b	No. Of patients examined during calendar year to last quarter Gynecology	contin	numeric	
V498	h234c	No. Of patients examined during calendar year to last quarter Pediatrics	contin	numeric	
V499	h234d	No. Of patients examined during calendar year to last quarter Surgical	contin	numeric	
V500	h234e	No. Of patients examined during calendar year to last quarter Medical	contin	numeric	
V501	h235	Total No. Of beds	contin	numeric	
V502	h236a	Number of Gyane operation	contin	numeric	
V503	h236b	Number of Obstetric operation	contin	numeric	
V504	h236c	Number of Surgery operation	contin	numeric	
V505	h237	No. Of caesarian sections performed	contin	numeric	
V506	h238	No. Of MTP's performed	contin	numeric	
V507	h239	No. Of male sterilization performed	contin	numeric	

ID	Name	Label	Type	Format	Question
V508	h240	No. Of female sterilization performed	contin	numeric	
V509	h241	No. Of IUD insertion done	contin	numeric	
V510	h242a	Number of children treated for Pneumonia	contin	numeric	
V511	h242b	Number of children treated for Acute gastroenteritis	contin	numeric	
V512	h242c	Number of children treated for Other emergencies treated	contin	numeric	
V513	h243	No. Of cases provided emergency obst. Care	contin	numeric	
V514	h244	No. Of cases provided surgical emergency	contin	numeric	
V515	h245	No. Of cases provided medical emergency care	contin	numeric	
V516	h246a	Number of lab test performed Routine test	contin	numeric	
V517	h246b	Number of lab test performed Malaria test	contin	numeric	
V518	h246c	Number of lab test performed Bio-chemistry test	contin	numeric	
V519	h246d	Number of lab test performed Hematology test	contin	numeric	
V520	h246e	Number of lab test performed STI/RTI test	contin	numeric	
V521	h247	No. Of ECG's performed	contin	numeric	
V522	h248	No. Of X-rays done	contin	numeric	
V523	h249a	Number of in-service training programme conducted for Doctors	contin	numeric	
V524	h249b	Number of in-service training programme conducted for Paramedical	contin	numeric	
V525	h250	No. of workshops/seminars held	contin	numeric	
V526	h251a	Number of Maternity bed	contin	numeric	
V527	h251b	Number of Pediatric bed	contin	numeric	
V528	h252a	Number of children admitted for diarrhea (under age 5years)Male	contin	numeric	
V529	h252b	Number of children admitted for diarrhea (under age 5years)Female	contin	numeric	
V530	h252c	Number of children admitted for diarrhea (under age 5years) Total	contin	numeric	
V531	h253a	Number of children treated at OPDMale	contin	numeric	
V532	h253b	Number of children treated at OPD Female	contin	numeric	
V533	h253c	Number of children treated at OPD Total	contin	numeric	
V534	h254a	Total number of children Male	contin	numeric	
V535	h254b	Total number of children Female	contin	numeric	
V536	h254c	Total number of children Total	contin	numeric	
V537	h255a	Number of children admitted for pneumonia (under age 5years)Male	contin	numeric	
V538	h255b	Number of children admitted for pneumonia (under age 5years) Female	contin	numeric	
V539	h255c	Number of children admitted for pneumonia (under age 5years) Total	contin	numeric	
V540	h256a	Number of children treated at OPD Male	contin	numeric	
V541	h256b	Number of children treated at OPD Female	contin	numeric	
V542	h256c	Number of children treated at OPD Total	contin	numeric	
V543	h257a	Total number of children Male	contin	numeric	
V544	h257b	Total number of children Female	contin	numeric	
V545	h257c	Total number of children	contin	numeric	
V546	h258a	Total number of cases admitted for RTI/STIMale	contin	numeric	
V547	h258b	Total number of cases admitted for RTI/STI Female	contin	numeric	

ID	Name	Label	Type	Format	Question
V548	h258c	Total number of cases admitted for RTI/STI	contin	numeric	
V549	h259a	Total number of RTI/STI cases treated at OPDMale	contin	numeric	
V550	h259b	Total number of RTI/STI cases treated at OPD Female	contin	numeric	
V551	h259c	Total number of RTI/STI cases treated at OPD	contin	numeric	
V552	h260a	Total number of casesMale	contin	numeric	
V553	h260b	Total number of cases Female	contin	numeric	
V554	h260c	Total number of cases	contin	numeric	

HH_R2_ind

Content

Cases 620107

Variable(s) 1058

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V626	state	State code	contin	numeric	
V627	s_name	State name	discrete	character	
V628	dist	District code	contin	numeric	
V629	d_name	District name	discrete	character	
V630	psu	PSU code	contin	numeric	
V631	tal	Tehsil code	contin	numeric	
V632	srv	Serial number of village	contin	numeric	
V633	hh_pk	Case Identification	contin	numeric	
V634	hhst	Result of Household interview	discrete	numeric	
V635	srhh	Serial number of household	contin	numeric	
V636	newi	Number of eligible women interviewed	discrete	numeric	
V637	nhi	Number of husband interviewed	discrete	numeric	
V638	lnrhh	Line number of respondent of household schedule	contin	numeric	
V639	visits	Number of visits	discrete	numeric	
V640	type	Place of residence	discrete	numeric	
V641	hp01		contin	numeric	
V642	hm01		contin	numeric	
V643	hf01		contin	numeric	
V644	lineno		discrete	numeric	
V645	h101\$1	Line number of household head	discrete	numeric	
V646	h102\$1	Head of the household	discrete	numeric	
V647	h103\$1	Usual resident	discrete	numeric	
V648	h104\$1	Duration of away from household	discrete	numeric	
V649	h105\$1	Duration of stay of visitor	contin	numeric	
V650	h106\$1	Sex of household head	discrete	numeric	
V651	h107\$1	Age of household head	contin	numeric	
V652	h108\$1	Marital Status of household head	discrete	numeric	
V653	h109\$1	Can read and write	discrete	numeric	

ID	Name	Label	Type	Format	Question
V654	h110\$1	Years of schooling	contin	numeric	
V655	edu\$1		discrete	numeric	
V656	h111\$1	Suffer from Blindness	discrete	numeric	
V657	h112\$1	Suffer from Tuberculosis	discrete	numeric	
V658	h113\$1	Suffer from Malaria	discrete	numeric	
V659	h007\$1		discrete	numeric	
V660	h017\$1		discrete	numeric	
V661	h0117\$1		discrete	numeric	
V662	h101\$2	Line number of respondent	discrete	numeric	
V663	h102\$2	Relationship to head	discrete	numeric	
V664	h103\$2	Usual resident	discrete	numeric	
V665	h104\$2	Duration of away from household	discrete	numeric	
V666	h105\$2	Duration of stay of visitor	contin	numeric	
V667	h106\$2	Sex of household member	discrete	numeric	
V668	h107\$2	Age of household member	contin	numeric	
V669	h108\$2	Marital Status of household member	discrete	numeric	
V670	h109\$2	Can read and write	discrete	numeric	
V671	h110\$2	Years of schooling	contin	numeric	
V672	edu\$2		discrete	numeric	
V673	h111\$2	Suffer from Blindness	discrete	numeric	
V674	h112\$2	Suffer from Tuberculosis	discrete	numeric	
V675	h113\$2	Suffer from Malaria	discrete	numeric	
V676	h007\$2		discrete	numeric	
V677	h017\$2		discrete	numeric	
V678	h0117\$2		discrete	numeric	
V679	h101\$3	Line number of respondent	discrete	numeric	
V680	h102\$3	Relationship to head	discrete	numeric	
V681	h103\$3	Usual resident	discrete	numeric	
V682	h104\$3	Duration of away from household	discrete	numeric	
V683	h105\$3	Duration of stay of visitor	contin	numeric	
V684	h106\$3	Sex of household member	discrete	numeric	
V685	h107\$3	Age of household member	contin	numeric	
V686	h108\$3	Marital Status of household member	discrete	numeric	
V687	h109\$3	Can read and write	discrete	numeric	
V688	h110\$3	Years of schooling	contin	numeric	
V689	edu\$3		discrete	numeric	
V690	h111\$3	Suffer from Blindness	discrete	numeric	
V691	h112\$3	Suffer from Tuberculosis	discrete	numeric	
V692	h113\$3	Suffer from Malaria	discrete	numeric	
V693	h007\$3		discrete	numeric	

ID	Name	Label	Type	Format	Question
V694	h017\$3		discrete	numeric	
V695	h0117\$3		discrete	numeric	
V696	h101\$4	Line number of respondent	discrete	numeric	
V697	h102\$4	Relationship to head	discrete	numeric	
V698	h103\$4	Usual resident	discrete	numeric	
V699	h104\$4	Duration of away from household	discrete	numeric	
V700	h105\$4	Duration of stay of visitor	contin	numeric	
V701	h106\$4	Sex of household member	discrete	numeric	
V702	h107\$4	Age of household member	contin	numeric	
V703	h108\$4	Marital Status of household member	discrete	numeric	
V704	h109\$4	Can read and write	discrete	numeric	
V705	h110\$4	Years of schooling	contin	numeric	
V706	edu\$4		discrete	numeric	
V707	h111\$4	Suffer from Blindness	discrete	numeric	
V708	h112\$4	Suffer from Tuberculosis	discrete	numeric	
V709	h113\$4	Suffer from Malaria	discrete	numeric	
V710	h007\$4		discrete	numeric	
V711	h017\$4		discrete	numeric	
V712	h0117\$4		discrete	numeric	
V713	h101\$5	Line number of respondent	discrete	numeric	
V714	h102\$5	Relationship to head	discrete	numeric	
V715	h103\$5	Usual resident	discrete	numeric	
V716	h104\$5	Duration of away from household	discrete	numeric	
V717	h105\$5	Duration of stay of visitor	contin	numeric	
V718	h106\$5	Sex of household member	discrete	numeric	
V719	h107\$5	Age of household member	contin	numeric	
V720	h108\$5	Marital Status of household member	discrete	numeric	
V721	h109\$5	Can read and write	discrete	numeric	
V722	h110\$5	Years of schooling	contin	numeric	
V723	edu\$5		discrete	numeric	
V724	h111\$5	Suffer from Blindness	discrete	numeric	
V725	h112\$5	Suffer from Tuberculosis	discrete	numeric	
V726	h113\$5	Suffer from Malaria	discrete	numeric	
V727	h007\$5		discrete	numeric	
V728	h017\$5		discrete	numeric	
V729	h0117\$5		discrete	numeric	
V730	h101\$6	Line number of respondent	discrete	numeric	
V731	h102\$6	Relationship to head	discrete	numeric	
V732	h103\$6	Usual resident	discrete	numeric	
V733	h104\$6	Duration of away from household	discrete	numeric	

ID	Name	Label	Type	Format	Question
V734	h105\$6	Duration of stay of visitor	contin	numeric	
V735	h106\$6	Sex of household member	discrete	numeric	
V736	h107\$6	Age of household member	contin	numeric	
V737	h108\$6	Marital Status of household member	discrete	numeric	
V738	h109\$6	Can read and write	discrete	numeric	
V739	h110\$6	Years of schooling	contin	numeric	
V740	edu\$6		discrete	numeric	
V741	h111\$6	Suffer from Blindness	discrete	numeric	
V742	h112\$6	Suffer from Tuberculosis	discrete	numeric	
V743	h113\$6	Suffer from Malaria	discrete	numeric	
V744	h007\$6		discrete	numeric	
V745	h017\$6		discrete	numeric	
V746	h0117\$6		discrete	numeric	
V747	h101\$7	Line number of respondent	discrete	numeric	
V748	h102\$7	Relationship to head	discrete	numeric	
V749	h103\$7	Usual resident	discrete	numeric	
V750	h104\$7	Duration of away from household	discrete	numeric	
V751	h105\$7	Duration of stay of visitor	contin	numeric	
V752	h106\$7	Sex of household member	discrete	numeric	
V753	h107\$7	Age of household member	contin	numeric	
V754	h108\$7	Marital Status of household member	discrete	numeric	
V755	h109\$7	Can read and write	discrete	numeric	
V756	h110\$7	Years of schooling	contin	numeric	
V757	edu\$7		discrete	numeric	
V758	h111\$7	Suffer from Blindness	discrete	numeric	
V759	h112\$7	Suffer from Tuberculosis	discrete	numeric	
V760	h113\$7	Suffer from Malaria	discrete	numeric	
V761	h007\$7		discrete	numeric	
V762	h017\$7		discrete	numeric	
V763	h0117\$7		discrete	numeric	
V764	h101\$8	Line number of respondent	discrete	numeric	
V765	h102\$8	Relationship to head	discrete	numeric	
V766	h103\$8	Usual resident	discrete	numeric	
V767	h104\$8	Duration of away from household	discrete	numeric	
V768	h105\$8	Duration of stay of visitor	contin	numeric	
V769	h106\$8	Sex of household member	discrete	numeric	
V770	h107\$8	Age of household member	contin	numeric	
V771	h108\$8	Marital Status of household member	discrete	numeric	
V772	h109\$8	Can read and write	discrete	numeric	
V773	h110\$8	Years of schooling	contin	numeric	

ID	Name	Label	Type	Format	Question
V774	edu\$8		discrete	numeric	
V775	h111\$8	Suffer from Blindness	discrete	numeric	
V776	h112\$8	Suffer from Tuberculosis	discrete	numeric	
V777	h113\$8	Suffer from Malaria	discrete	numeric	
V778	h007\$8		discrete	numeric	
V779	h017\$8		discrete	numeric	
V780	h0117\$8		discrete	numeric	
V781	h101\$9	Line number of respondent	discrete	numeric	
V782	h102\$9	Relationship to head	discrete	numeric	
V783	h103\$9	Usual resident	discrete	numeric	
V784	h104\$9	Duration of away from household	discrete	numeric	
V785	h105\$9	Duration of stay of visitor	contin	numeric	
V786	h106\$9	Sex of household member	discrete	numeric	
V787	h107\$9	Age of household member	contin	numeric	
V788	h108\$9	Marital Status of household member	discrete	numeric	
V789	h109\$9	Can read and write	discrete	numeric	
V790	h110\$9	Years of schooling	contin	numeric	
V791	edu\$9		discrete	numeric	
V792	h111\$9	Suffer from Blindness	discrete	numeric	
V793	h112\$9	Suffer from Tuberculosis	discrete	numeric	
V794	h113\$9	Suffer from Malaria	discrete	numeric	
V795	h007\$9		discrete	numeric	
V796	h017\$9		discrete	numeric	
V797	h0117\$9		discrete	numeric	
V798	h101\$10	Line number of respondent	discrete	numeric	
V799	h102\$10	Relationship to head	discrete	numeric	
V800	h103\$10	Usual resident	discrete	numeric	
V801	h104\$10	Duration of away from household	discrete	numeric	
V802	h105\$10	Duration of stay of visitor	contin	numeric	
V803	h106\$10	Sex of household member	discrete	numeric	
V804	h107\$10	Age of household member	contin	numeric	
V805	h108\$10	Marital Status of household member	discrete	numeric	
V806	h109\$10	Can read and write	discrete	numeric	
V807	h110\$10	Years of schooling	contin	numeric	
V808	edu\$10		discrete	numeric	
V809	h111\$10	Suffer from Blindness	discrete	numeric	
V810	h112\$10	Suffer from Tuberculosis	discrete	numeric	
V811	h113\$10	Suffer from Malaria	discrete	numeric	
V812	h007\$10		discrete	numeric	
V813	h017\$10		discrete	numeric	

ID	Name	Label	Type	Format	Question
V814	h0117\$10		discrete	numeric	
V815	h101\$11	Line number of respondent	discrete	numeric	
V816	h102\$11	Relationship to head	discrete	numeric	
V817	h103\$11	Usual resident	discrete	numeric	
V818	h104\$11	Duration of away from household	discrete	numeric	
V819	h105\$11	Duration of stay of visitor	contin	numeric	
V820	h106\$11	Sex of household member	discrete	numeric	
V821	h107\$11	Age of household member	contin	numeric	
V822	h108\$11	Marital Status of household member	discrete	numeric	
V823	h109\$11	Can read and write	discrete	numeric	
V824	h110\$11	Years of schooling	contin	numeric	
V825	edu\$11		discrete	numeric	
V826	h111\$11	Suffer from Blindness	discrete	numeric	
V827	h112\$11	Suffer from Tuberculosis	discrete	numeric	
V828	h113\$11	Suffer from Malaria	discrete	numeric	
V829	h007\$11		discrete	numeric	
V830	h017\$11		discrete	numeric	
V831	h0117\$11		discrete	numeric	
V832	h101\$12	Line number of respondent	discrete	numeric	
V833	h102\$12	Relationship to head	discrete	numeric	
V834	h103\$12	Usual resident	discrete	numeric	
V835	h104\$12	Duration of away from household	discrete	numeric	
V836	h105\$12	Duration of stay of visitor	contin	numeric	
V837	h106\$12	Sex of household member	discrete	numeric	
V838	h107\$12	Age of household member	contin	numeric	
V839	h108\$12	Marital Status of household member	discrete	numeric	
V840	h109\$12	Can read and write	discrete	numeric	
V841	h110\$12	Years of schooling	contin	numeric	
V842	edu\$12		discrete	numeric	
V843	h111\$12	Suffer from Blindness	discrete	numeric	
V844	h112\$12	Suffer from Tuberculosis	discrete	numeric	
V845	h113\$12	Suffer from Malaria	discrete	numeric	
V846	h007\$12		discrete	numeric	
V847	h017\$12		discrete	numeric	
V848	h0117\$12		discrete	numeric	
V849	h101\$13	Line number of respondent	discrete	numeric	
V850	h102\$13	Relationship to head	discrete	numeric	
V851	h103\$13	Usual resident	discrete	numeric	
V852	h104\$13	Duration of away from household	discrete	numeric	
V853	h105\$13	Duration of stay of visitor	contin	numeric	

ID	Name	Label	Type	Format	Question
V854	h106\$13	Sex of household member	discrete	numeric	
V855	h107\$13	Age of household member	contin	numeric	
V856	h108\$13	Marital Status of household member	discrete	numeric	
V857	h109\$13	Can read and write	discrete	numeric	
V858	h110\$13	Years of schooling	contin	numeric	
V859	edu\$13		discrete	numeric	
V860	h111\$13	Suffer from Blindness	discrete	numeric	
V861	h112\$13	Suffer from Tuberculosis	discrete	numeric	
V862	h113\$13	Suffer from Malaria	discrete	numeric	
V863	h007\$13		discrete	numeric	
V864	h017\$13		discrete	numeric	
V865	h0117\$13		discrete	numeric	
V866	h101\$14	Line number of respondent	discrete	numeric	
V867	h102\$14	Relationship to head	discrete	numeric	
V868	h103\$14	Usual resident	discrete	numeric	
V869	h104\$14	Duration of away from household	discrete	numeric	
V870	h105\$14	Duration of stay of visitor	contin	numeric	
V871	h106\$14	Sex of household member	discrete	numeric	
V872	h107\$14	Age of household member	contin	numeric	
V873	h108\$14	Marital Status of household member	discrete	numeric	
V874	h109\$14	Can read and write	discrete	numeric	
V875	h110\$14	Years of schooling	contin	numeric	
V876	edu\$14		discrete	numeric	
V877	h111\$14	Suffer from Blindness	discrete	numeric	
V878	h112\$14	Suffer from Tuberculosis	discrete	numeric	
V879	h113\$14	Suffer from Malaria	discrete	numeric	
V880	h007\$14		discrete	numeric	
V881	h017\$14		discrete	numeric	
V882	h0117\$14		discrete	numeric	
V883	h101\$15	Line number of respondent	discrete	numeric	
V884	h102\$15	Relationship to head	discrete	numeric	
V885	h103\$15	Usual resident	discrete	numeric	
V886	h104\$15	Duration of away from household	discrete	numeric	
V887	h105\$15	Duration of stay of visitor	contin	numeric	
V888	h106\$15	Sex of household member	discrete	numeric	
V889	h107\$15	Age of household member	contin	numeric	
V890	h108\$15	Marital Status of household member	discrete	numeric	
V891	h109\$15	Can read and write	discrete	numeric	
V892	h110\$15	Years of schooling	discrete	numeric	
V893	edu\$15		discrete	numeric	

ID	Name	Label	Type	Format	Question
V894	h111\$15	Suffer from Blindness	discrete	numeric	
V895	h112\$15	Suffer from Tuberculosis	discrete	numeric	
V896	h113\$15	Suffer from Malaria	discrete	numeric	
V897	h007\$15		discrete	numeric	
V898	h017\$15		discrete	numeric	
V899	h0117\$15		discrete	numeric	
V900	h101\$16	Line number of respondent	discrete	numeric	
V901	h102\$16	Relationship to head	discrete	numeric	
V902	h103\$16	Usual resident	discrete	numeric	
V903	h104\$16	Duration of away from household	discrete	numeric	
V904	h105\$16	Duration of stay of visitor	contin	numeric	
V905	h106\$16	Sex of household member	discrete	numeric	
V906	h107\$16	Age of household member	contin	numeric	
V907	h108\$16	Marital Status of household member	discrete	numeric	
V908	h109\$16	Can read and write	discrete	numeric	
V909	h110\$16	Years of schooling	contin	numeric	
V910	edu\$16		discrete	numeric	
V911	h111\$16	Suffer from Blindness	discrete	numeric	
V912	h112\$16	Suffer from Tuberculosis	discrete	numeric	
V913	h113\$16	Suffer from Malaria	discrete	numeric	
V914	h007\$16		discrete	numeric	
V915	h017\$16		discrete	numeric	
V916	h0117\$16		discrete	numeric	
V917	h101\$17	Line number of respondent	discrete	numeric	
V918	h102\$17	Relationship to head	discrete	numeric	
V919	h103\$17	Usual resident	discrete	numeric	
V920	h104\$17	Duration of away from household	discrete	numeric	
V921	h105\$17	Duration of stay of visitor	contin	numeric	
V922	h106\$17	Sex of household member	discrete	numeric	
V923	h107\$17	Age of household member	contin	numeric	
V924	h108\$17	Marital Status of household member	discrete	numeric	
V925	h109\$17	Can read and write	discrete	numeric	
V926	h110\$17	Years of schooling	contin	numeric	
V927	edu\$17		discrete	numeric	
V928	h111\$17	Suffer from Blindness	discrete	numeric	
V929	h112\$17	Suffer from Tuberculosis	discrete	numeric	
V930	h113\$17	Suffer from Malaria	discrete	numeric	
V931	h007\$17		discrete	numeric	
V932	h017\$17		discrete	numeric	
V933	h0117\$17		discrete	numeric	

ID	Name	Label	Type	Format	Question
V934	h101\$18	Line number of respondent	discrete	numeric	
V935	h102\$18	Relationship to head	discrete	numeric	
V936	h103\$18	Usual resident	discrete	numeric	
V937	h104\$18	Duration of away from household	discrete	numeric	
V938	h105\$18	Duration of stay of visitor	contin	numeric	
V939	h106\$18	Sex of household member	discrete	numeric	
V940	h107\$18	Age of household member	contin	numeric	
V941	h108\$18	Marital Status of household member	discrete	numeric	
V942	h109\$18	Can read and write	discrete	numeric	
V943	h110\$18	Years of schooling	contin	numeric	
V944	edu\$18		discrete	numeric	
V945	h111\$18	Suffer from Blindness	discrete	numeric	
V946	h112\$18	Suffer from Tuberculosis	discrete	numeric	
V947	h113\$18	Suffer from Malaria	discrete	numeric	
V948	h007\$18		discrete	numeric	
V949	h017\$18		discrete	numeric	
V950	h0117\$18		discrete	numeric	
V951	h101\$19		discrete	numeric	
V952	h102\$19		discrete	numeric	
V953	h103\$19		discrete	numeric	
V954	h104\$19		contin	numeric	
V955	h105\$19		contin	numeric	
V956	h106\$19		discrete	numeric	
V957	h107\$19		contin	numeric	
V958	h108\$19		discrete	numeric	
V959	h109\$19		discrete	numeric	
V960	h110\$19		discrete	numeric	
V961	edu\$19		discrete	numeric	
V962	h111\$19		discrete	numeric	
V963	h112\$19		discrete	numeric	
V964	h113\$19		discrete	numeric	
V965	h007\$19		discrete	numeric	
V966	h017\$19		discrete	numeric	
V967	h0117\$19		discrete	numeric	
V968	h101\$20		discrete	numeric	
V969	h102\$20		discrete	numeric	
V970	h103\$20		discrete	numeric	
V971	h104\$20		contin	numeric	
V972	h105\$20		contin	numeric	
V973	h106\$20		discrete	numeric	

ID	Name	Label	Type	Format	Question
V974	h107\$20		contin	numeric	
V975	h108\$20		discrete	numeric	
V976	h109\$20		discrete	numeric	
V977	h110\$20		discrete	numeric	
V978	edu\$20		discrete	numeric	
V979	h111\$20		discrete	numeric	
V980	h112\$20		contin	numeric	
V981	h113\$20		discrete	numeric	
V982	h007\$20		discrete	numeric	
V983	h017\$20		discrete	numeric	
V984	h0117\$20		discrete	numeric	
V985	h101\$21		discrete	numeric	
V986	h102\$21		discrete	numeric	
V987	h103\$21		discrete	numeric	
V988	h104\$21		contin	numeric	
V989	h105\$21		contin	numeric	
V990	h106\$21		discrete	numeric	
V991	h107\$21		contin	numeric	
V992	h108\$21		discrete	numeric	
V993	h109\$21		discrete	numeric	
V994	h110\$21		contin	numeric	
V995	edu\$21		discrete	numeric	
V996	h111\$21		discrete	numeric	
V997	h112\$21		discrete	numeric	
V998	h113\$21		discrete	numeric	
V999	h007\$21		discrete	numeric	
V1000	h017\$21		discrete	numeric	
V1001	h0117\$21		discrete	numeric	
V1002	h101\$22		discrete	numeric	
V1003	h102\$22		discrete	numeric	
V1004	h103\$22		discrete	numeric	
V1005	h104\$22		contin	numeric	
V1006	h105\$22		contin	numeric	
V1007	h106\$22		discrete	numeric	
V1008	h107\$22		contin	numeric	
V1009	h108\$22		discrete	numeric	
V1010	h109\$22		discrete	numeric	
V1011	h110\$22		contin	numeric	
V1012	edu\$22		discrete	numeric	
V1013	h111\$22		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1014	h112\$22		discrete	numeric	
V1015	h113\$22		discrete	numeric	
V1016	h007\$22		discrete	numeric	
V1017	h017\$22		discrete	numeric	
V1018	h0117\$22		discrete	numeric	
V1019	h101\$23		discrete	numeric	
V1020	h102\$23		discrete	numeric	
V1021	h103\$23		discrete	numeric	
V1022	h104\$23		contin	numeric	
V1023	h105\$23		contin	numeric	
V1024	h106\$23		discrete	numeric	
V1025	h107\$23		contin	numeric	
V1026	h108\$23		discrete	numeric	
V1027	h109\$23		discrete	numeric	
V1028	h110\$23		discrete	numeric	
V1029	edu\$23		discrete	numeric	
V1030	h111\$23		contin	numeric	
V1031	h112\$23		discrete	numeric	
V1032	h113\$23		discrete	numeric	
V1033	h007\$23		discrete	numeric	
V1034	h017\$23		discrete	numeric	
V1035	h0117\$23		discrete	numeric	
V1036	h101\$24		discrete	numeric	
V1037	h102\$24		discrete	numeric	
V1038	h103\$24		discrete	numeric	
V1039	h104\$24		contin	numeric	
V1040	h105\$24		contin	numeric	
V1041	h106\$24		discrete	numeric	
V1042	h107\$24		contin	numeric	
V1043	h108\$24		discrete	numeric	
V1044	h109\$24		discrete	numeric	
V1045	h110\$24		discrete	numeric	
V1046	edu\$24		discrete	numeric	
V1047	h111\$24		discrete	numeric	
V1048	h112\$24		discrete	numeric	
V1049	h113\$24		discrete	numeric	
V1050	h007\$24		discrete	numeric	
V1051	h017\$24		discrete	numeric	
V1052	h0117\$24		discrete	numeric	
V1053	h101\$25		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1054	h102\$25		discrete	numeric	
V1055	h103\$25		discrete	numeric	
V1056	h104\$25		contin	numeric	
V1057	h105\$25		contin	numeric	
V1058	h106\$25		discrete	numeric	
V1059	h107\$25		contin	numeric	
V1060	h108\$25		discrete	numeric	
V1061	h109\$25		discrete	numeric	
V1062	h110\$25		discrete	numeric	
V1063	edu\$25		discrete	numeric	
V1064	h111\$25		discrete	numeric	
V1065	h112\$25		discrete	numeric	
V1066	h113\$25		discrete	numeric	
V1067	h007\$25		discrete	numeric	
V1068	h017\$25		discrete	numeric	
V1069	h0117\$25		discrete	numeric	
V1070	h101\$26		discrete	numeric	
V1071	h102\$26		discrete	numeric	
V1072	h103\$26		discrete	numeric	
V1073	h104\$26		contin	numeric	
V1074	h105\$26		contin	numeric	
V1075	h106\$26		discrete	numeric	
V1076	h107\$26		contin	numeric	
V1077	h108\$26		discrete	numeric	
V1078	h109\$26		discrete	numeric	
V1079	h110\$26		discrete	numeric	
V1080	edu\$26		discrete	numeric	
V1081	h111\$26		discrete	numeric	
V1082	h112\$26		discrete	numeric	
V1083	h113\$26		discrete	numeric	
V1084	h007\$26		discrete	numeric	
V1085	h017\$26		discrete	numeric	
V1086	h0117\$26		discrete	numeric	
V1087	h101\$27		discrete	numeric	
V1088	h102\$27		discrete	numeric	
V1089	h103\$27		discrete	numeric	
V1090	h104\$27		contin	numeric	
V1091	h105\$27		contin	numeric	
V1092	h106\$27		discrete	numeric	
V1093	h107\$27		contin	numeric	

ID	Name	Label	Type	Format	Question
V1094	h108\$27		discrete	numeric	
V1095	h109\$27		discrete	numeric	
V1096	h110\$27		discrete	numeric	
V1097	edu\$27		discrete	numeric	
V1098	h111\$27		discrete	numeric	
V1099	h112\$27		discrete	numeric	
V1100	h113\$27		discrete	numeric	
V1101	h007\$27		discrete	numeric	
V1102	h017\$27		discrete	numeric	
V1103	h0117\$27		discrete	numeric	
V1104	h101\$28		discrete	numeric	
V1105	h102\$28		discrete	numeric	
V1106	h103\$28		discrete	numeric	
V1107	h104\$28		contin	numeric	
V1108	h105\$28		contin	numeric	
V1109	h106\$28		discrete	numeric	
V1110	h107\$28		contin	numeric	
V1111	h108\$28		discrete	numeric	
V1112	h109\$28		discrete	numeric	
V1113	h110\$28		discrete	numeric	
V1114	edu\$28		discrete	numeric	
V1115	h111\$28		discrete	numeric	
V1116	h112\$28		discrete	numeric	
V1117	h113\$28		discrete	numeric	
V1118	h007\$28		discrete	numeric	
V1119	h017\$28		discrete	numeric	
V1120	h0117\$28		discrete	numeric	
V1121	h101\$29		discrete	numeric	
V1122	h102\$29		discrete	numeric	
V1123	h103\$29		discrete	numeric	
V1124	h104\$29		contin	numeric	
V1125	h105\$29		contin	numeric	
V1126	h106\$29		discrete	numeric	
V1127	h107\$29		contin	numeric	
V1128	h108\$29		discrete	numeric	
V1129	h109\$29		discrete	numeric	
V1130	h110\$29		discrete	numeric	
V1131	edu\$29		discrete	numeric	
V1132	h111\$29		discrete	numeric	
V1133	h112\$29		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1134	h113\$29		discrete	numeric	
V1135	h007\$29		discrete	numeric	
V1136	h017\$29		discrete	numeric	
V1137	h0117\$29		discrete	numeric	
V1138	h101\$30		discrete	numeric	
V1139	h102\$30		discrete	numeric	
V1140	h103\$30		discrete	numeric	
V1141	h104\$30		contin	numeric	
V1142	h105\$30		contin	numeric	
V1143	h106\$30		discrete	numeric	
V1144	h107\$30		contin	numeric	
V1145	h108\$30		discrete	numeric	
V1146	h109\$30		discrete	numeric	
V1147	h110\$30		discrete	numeric	
V1148	edu\$30		discrete	numeric	
V1149	h111\$30		discrete	numeric	
V1150	h112\$30		discrete	numeric	
V1151	h113\$30		discrete	numeric	
V1152	h007\$30		discrete	numeric	
V1153	h017\$30		discrete	numeric	
V1154	h0117\$30		discrete	numeric	
V1155	h101\$31		discrete	numeric	
V1156	h102\$31		discrete	numeric	
V1157	h103\$31		discrete	numeric	
V1158	h104\$31		contin	numeric	
V1159	h105\$31		contin	numeric	
V1160	h106\$31		discrete	numeric	
V1161	h107\$31		contin	numeric	
V1162	h108\$31		discrete	numeric	
V1163	h109\$31		discrete	numeric	
V1164	h110\$31		discrete	numeric	
V1165	edu\$31		discrete	numeric	
V1166	h111\$31		discrete	numeric	
V1167	h112\$31		discrete	numeric	
V1168	h113\$31		discrete	numeric	
V1169	h007\$31		discrete	numeric	
V1170	h017\$31		discrete	numeric	
V1171	h0117\$31		discrete	numeric	
V1172	h101\$32		discrete	numeric	
V1173	h102\$32		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1174	h103\$32		discrete	numeric	
V1175	h104\$32		contin	numeric	
V1176	h105\$32		contin	numeric	
V1177	h106\$32		discrete	numeric	
V1178	h107\$32		contin	numeric	
V1179	h108\$32		discrete	numeric	
V1180	h109\$32		discrete	numeric	
V1181	h110\$32		discrete	numeric	
V1182	edu\$32		discrete	numeric	
V1183	h111\$32		discrete	numeric	
V1184	h112\$32		discrete	numeric	
V1185	h113\$32		discrete	numeric	
V1186	h007\$32		discrete	numeric	
V1187	h017\$32		discrete	numeric	
V1188	h0117\$32		discrete	numeric	
V1189	h101\$33		discrete	numeric	
V1190	h102\$33		discrete	numeric	
V1191	h103\$33		discrete	numeric	
V1192	h104\$33		contin	numeric	
V1193	h105\$33		contin	numeric	
V1194	h106\$33		discrete	numeric	
V1195	h107\$33		contin	numeric	
V1196	h108\$33		discrete	numeric	
V1197	h109\$33		discrete	numeric	
V1198	h110\$33		discrete	numeric	
V1199	edu\$33		discrete	numeric	
V1200	h111\$33		discrete	numeric	
V1201	h112\$33		discrete	numeric	
V1202	h113\$33		discrete	numeric	
V1203	h007\$33		discrete	numeric	
V1204	h017\$33		discrete	numeric	
V1205	h0117\$33		discrete	numeric	
V1206	h101\$34		discrete	numeric	
V1207	h102\$34		discrete	numeric	
V1208	h103\$34		discrete	numeric	
V1209	h104\$34		contin	numeric	
V1210	h105\$34		contin	numeric	
V1211	h106\$34		discrete	numeric	
V1212	h107\$34		contin	numeric	
V1213	h108\$34		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1214	h109\$34		discrete	numeric	
V1215	h110\$34		discrete	numeric	
V1216	edu\$34		discrete	numeric	
V1217	h111\$34		discrete	numeric	
V1218	h112\$34		discrete	numeric	
V1219	h113\$34		discrete	numeric	
V1220	h007\$34		discrete	numeric	
V1221	h017\$34		discrete	numeric	
V1222	h0117\$34		discrete	numeric	
V1223	h101\$35		discrete	numeric	
V1224	h102\$35		discrete	numeric	
V1225	h103\$35		discrete	numeric	
V1226	h104\$35		discrete	numeric	
V1227	h105\$35		contin	numeric	
V1228	h106\$35		discrete	numeric	
V1229	h107\$35		contin	numeric	
V1230	h108\$35		discrete	numeric	
V1231	h109\$35		discrete	numeric	
V1232	h110\$35		discrete	numeric	
V1233	edu\$35		discrete	numeric	
V1234	h111\$35		discrete	numeric	
V1235	h112\$35		discrete	numeric	
V1236	h113\$35		discrete	numeric	
V1237	h007\$35		discrete	numeric	
V1238	h017\$35		discrete	numeric	
V1239	h0117\$35		discrete	numeric	
V1240	h101\$36		discrete	numeric	
V1241	h102\$36		discrete	numeric	
V1242	h103\$36		discrete	numeric	
V1243	h104\$36		discrete	numeric	
V1244	h105\$36		contin	numeric	
V1245	h106\$36		discrete	numeric	
V1246	h107\$36		contin	numeric	
V1247	h108\$36		discrete	numeric	
V1248	h109\$36		discrete	numeric	
V1249	h110\$36		discrete	numeric	
V1250	edu\$36		discrete	numeric	
V1251	h111\$36		discrete	numeric	
V1252	h112\$36		discrete	numeric	
V1253	h113\$36		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1254	h007\$36		discrete	numeric	
V1255	h017\$36		discrete	numeric	
V1256	h0117\$36		discrete	numeric	
V1257	h101\$37		discrete	numeric	
V1258	h102\$37		discrete	numeric	
V1259	h103\$37		discrete	numeric	
V1260	h104\$37		discrete	numeric	
V1261	h105\$37		contin	numeric	
V1262	h106\$37		discrete	numeric	
V1263	h107\$37		contin	numeric	
V1264	h108\$37		discrete	numeric	
V1265	h109\$37		discrete	numeric	
V1266	h110\$37		discrete	numeric	
V1267	edu\$37		discrete	numeric	
V1268	h111\$37		discrete	numeric	
V1269	h112\$37		discrete	numeric	
V1270	h113\$37		discrete	numeric	
V1271	h007\$37		discrete	numeric	
V1272	h017\$37		discrete	numeric	
V1273	h0117\$37		discrete	numeric	
V1274	h101\$38		discrete	numeric	
V1275	h102\$38		discrete	numeric	
V1276	h103\$38		discrete	numeric	
V1277	h104\$38		discrete	numeric	
V1278	h105\$38		contin	numeric	
V1279	h106\$38		discrete	numeric	
V1280	h107\$38		contin	numeric	
V1281	h108\$38		discrete	numeric	
V1282	h109\$38		discrete	numeric	
V1283	h110\$38		discrete	numeric	
V1284	edu\$38		discrete	numeric	
V1285	h111\$38		discrete	numeric	
V1286	h112\$38		discrete	numeric	
V1287	h113\$38		discrete	numeric	
V1288	h007\$38		discrete	numeric	
V1289	h017\$38		discrete	numeric	
V1290	h0117\$38		discrete	numeric	
V1291	h101\$39		discrete	numeric	
V1292	h102\$39		discrete	numeric	
V1293	h103\$39		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1294	h104\$39		discrete	numeric	
V1295	h105\$39		contin	numeric	
V1296	h106\$39		discrete	numeric	
V1297	h107\$39		contin	numeric	
V1298	h108\$39		discrete	numeric	
V1299	h109\$39		discrete	numeric	
V1300	h110\$39		discrete	numeric	
V1301	edu\$39		discrete	numeric	
V1302	h111\$39		discrete	numeric	
V1303	h112\$39		discrete	numeric	
V1304	h113\$39		discrete	numeric	
V1305	h007\$39		discrete	numeric	
V1306	h017\$39		discrete	numeric	
V1307	h0117\$39		discrete	numeric	
V1308	h101\$40		discrete	numeric	
V1309	h102\$40		discrete	numeric	
V1310	h103\$40		discrete	numeric	
V1311	h104\$40		discrete	numeric	
V1312	h105\$40		contin	numeric	
V1313	h106\$40		discrete	numeric	
V1314	h107\$40		contin	numeric	
V1315	h108\$40		discrete	numeric	
V1316	h109\$40		discrete	numeric	
V1317	h110\$40		discrete	numeric	
V1318	edu\$40		discrete	numeric	
V1319	h111\$40		discrete	numeric	
V1320	h112\$40		discrete	numeric	
V1321	h113\$40		discrete	numeric	
V1322	h007\$40		discrete	numeric	
V1323	h017\$40		discrete	numeric	
V1324	h0117\$40		discrete	numeric	
V1325	h101\$41		discrete	numeric	
V1326	h102\$41		discrete	numeric	
V1327	h103\$41		discrete	numeric	
V1328	h104\$41		discrete	numeric	
V1329	h105\$41		discrete	numeric	
V1330	h106\$41		discrete	numeric	
V1331	h107\$41		contin	numeric	
V1332	h108\$41		discrete	numeric	
V1333	h109\$41		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1334	h110\$41		discrete	numeric	
V1335	edu\$41		discrete	numeric	
V1336	h111\$41		discrete	numeric	
V1337	h112\$41		discrete	numeric	
V1338	h113\$41		discrete	numeric	
V1339	h007\$41		discrete	numeric	
V1340	h017\$41		discrete	numeric	
V1341	h0117\$41		discrete	numeric	
V1342	h101\$42		discrete	numeric	
V1343	h102\$42		discrete	numeric	
V1344	h103\$42		discrete	numeric	
V1345	h104\$42		discrete	numeric	
V1346	h105\$42		discrete	numeric	
V1347	h106\$42		discrete	numeric	
V1348	h107\$42		discrete	numeric	
V1349	h108\$42		discrete	numeric	
V1350	h109\$42		discrete	numeric	
V1351	h110\$42		discrete	numeric	
V1352	edu\$42		discrete	numeric	
V1353	h111\$42		discrete	numeric	
V1354	h112\$42		discrete	numeric	
V1355	h113\$42		discrete	numeric	
V1356	h007\$42		discrete	numeric	
V1357	h017\$42		discrete	numeric	
V1358	h0117\$42		discrete	numeric	
V1359	h101\$43		discrete	numeric	
V1360	h102\$43		discrete	numeric	
V1361	h103\$43		discrete	numeric	
V1362	h104\$43		discrete	numeric	
V1363	h105\$43		discrete	numeric	
V1364	h106\$43		discrete	numeric	
V1365	h107\$43		discrete	numeric	
V1366	h108\$43		discrete	numeric	
V1367	h109\$43		discrete	numeric	
V1368	h110\$43		discrete	numeric	
V1369	edu\$43		discrete	numeric	
V1370	h111\$43		discrete	numeric	
V1371	h112\$43		discrete	numeric	
V1372	h113\$43		discrete	numeric	
V1373	h007\$43		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1374	h017\$43		discrete	numeric	
V1375	h0117\$43		discrete	numeric	
V1376	h101\$44		discrete	numeric	
V1377	h102\$44		discrete	numeric	
V1378	h103\$44		discrete	numeric	
V1379	h104\$44		discrete	numeric	
V1380	h105\$44		discrete	numeric	
V1381	h106\$44		discrete	numeric	
V1382	h107\$44		discrete	numeric	
V1383	h108\$44		discrete	numeric	
V1384	h109\$44		discrete	numeric	
V1385	h110\$44		discrete	numeric	
V1386	edu\$44		discrete	numeric	
V1387	h111\$44		discrete	numeric	
V1388	h112\$44		discrete	numeric	
V1389	h113\$44		discrete	numeric	
V1390	h007\$44		discrete	numeric	
V1391	h017\$44		discrete	numeric	
V1392	h0117\$44		discrete	numeric	
V1393	h101\$45		discrete	numeric	
V1394	h102\$45		discrete	numeric	
V1395	h103\$45		discrete	numeric	
V1396	h104\$45		discrete	numeric	
V1397	h105\$45		discrete	numeric	
V1398	h106\$45		discrete	numeric	
V1399	h107\$45		discrete	numeric	
V1400	h108\$45		discrete	numeric	
V1401	h109\$45		discrete	numeric	
V1402	h110\$45		discrete	numeric	
V1403	edu\$45		discrete	numeric	
V1404	h111\$45		discrete	numeric	
V1405	h112\$45		discrete	numeric	
V1406	h113\$45		discrete	numeric	
V1407	h007\$45		discrete	numeric	
V1408	h017\$45		discrete	numeric	
V1409	h0117\$45		discrete	numeric	
V1410	h101\$46		discrete	numeric	
V1411	h102\$46		discrete	numeric	
V1412	h103\$46		discrete	numeric	
V1413	h104\$46		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1414	h105\$46		discrete	numeric	
V1415	h106\$46		discrete	numeric	
V1416	h107\$46		discrete	numeric	
V1417	h108\$46		discrete	numeric	
V1418	h109\$46		discrete	numeric	
V1419	h110\$46		discrete	numeric	
V1420	edu\$46		discrete	numeric	
V1421	h111\$46		discrete	numeric	
V1422	h112\$46		discrete	numeric	
V1423	h113\$46		discrete	numeric	
V1424	h007\$46		discrete	numeric	
V1425	h017\$46		discrete	numeric	
V1426	h0117\$46		discrete	numeric	
V1427	h114	Religion of Household Head	discrete	numeric	
V1428	h115	Caste or tribe of household head	discrete	numeric	
V1429	h116	Source of drinking water	discrete	numeric	
V1430	h117	Type of house	discrete	numeric	
V1431	h118	Type of toilet facility	discrete	numeric	
V1432	h119	Source of lighting	discrete	numeric	
V1433	h120	Type of fuel for cooking	discrete	numeric	
V1434	h121a	Household owing fan	discrete	numeric	
V1435	h121b	Household owing Radio-Transistor	discrete	numeric	
V1436	h121c	Household owing Sewing machine	discrete	numeric	
V1437	h121d	Household owing Television	discrete	numeric	
V1438	h121e	Household owing Telephone	discrete	numeric	
V1439	h121f	Household owing Bicycle	discrete	numeric	
V1440	h121g	Household owing Motor cycle-scooter	discrete	numeric	
V1441	h121h	Household owing car-jeep	discrete	numeric	
V1442	h121i	Household owing Tractor	discrete	numeric	
V1443	sli	Household standard of living index	discrete	numeric	
V1444	h122	Marriage of usual residents since 1999	discrete	numeric	
V1445	h123ab	Number of marriage of boys	discrete	numeric	
V1446	h123ag	Number of marriage of girls	discrete	numeric	
V1447	h123at	Total Number of marriages	discrete	numeric	
V1448	mar\$1	Line number of marriage	discrete	numeric	
V1449	h123bb\$1	Age at marriage of boy	contin	numeric	
V1450	h123bg\$1	Age at marriage of girl	contin	numeric	
V1451	mar\$2	Line number of marriage	discrete	numeric	
V1452	h123bb\$2	Age at marriage of boy	contin	numeric	
V1453	h123bg\$2	Age at marriage of girl	contin	numeric	

ID	Name	Label	Type	Format	Question
V1454	mar\$3	Line number of marriage	discrete	numeric	
V1455	h123bb\$3	Age at marriage of boy	contin	numeric	
V1456	h123bg\$3	Age at marriage of girl	contin	numeric	
V1457	mar\$4	Line number of marriage	discrete	numeric	
V1458	h123bb\$4	Age at marriage of boy	contin	numeric	
V1459	h123bg\$4	Age at marriage of girl	contin	numeric	
V1460	h124	Deaths of usual residents since 1999	discrete	numeric	
V1461	h125m	Number of death of male	discrete	numeric	
V1462	h125f	Number of death of female	discrete	numeric	
V1463	h125t	Total number of deaths	discrete	numeric	
V1464	death\$1		discrete	numeric	
V1465	h126\$1	Line number of death	discrete	numeric	
V1466	h127\$1	Sex	discrete	numeric	
V1467	h128u\$1	Unit code	discrete	numeric	
V1468	h128ad\$1	Age at death	contin	numeric	
V1469	h129m\$1	Date of death - Month	discrete	numeric	
V1470	h129y\$1	Date of death - Year	discrete	numeric	
V1471	h130\$1	Female 15 - 44	discrete	numeric	
V1472	h131\$1	Was pregnant when she died	discrete	numeric	
V1473	h132\$1	Died within 6 weeks of abortion or time of abortion	discrete	numeric	
V1474	h133\$1	Died during childbirth	discrete	numeric	
V1475	h134\$1	Died within 6 weeks of childbirth or end of pregnancy	discrete	numeric	
V1476	h135\$1	Line number of maternal death	discrete	numeric	
V1477	h135a\$1	Maternal death	discrete	numeric	
V1478	h136\$1	Parity	discrete	numeric	
V1479	h137\$1	Month of pregnancy	contin	numeric	
V1480	h138\$1	Place of delivery- abortion	discrete	numeric	
V1481	h139\$1	Unit code of death after delivery-abortion	discrete	numeric	
V1482	h140a\$1	Swelling of hands and feet	discrete	numeric	
V1483	h140b\$1	Paleness	discrete	numeric	
V1484	h140c\$1	Visual disturbance	discrete	numeric	
V1485	h140d\$1	Bleeding	discrete	numeric	
V1486	h140e\$1	Convulsions	discrete	numeric	
V1487	h140f\$1	Weak or no movement of fetus	discrete	numeric	
V1488	h140g\$1	Abnormal position of fetus	discrete	numeric	
V1489	h140h\$1	Premature labour	discrete	numeric	
V1490	h140i\$1	Prolonged labour	discrete	numeric	
V1491	h140j\$1	Breech presentation	discrete	numeric	
V1492	h140k\$1	High fever	discrete	numeric	
V1493	h140l\$1	Lower abdominal pain	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1494	h140m\$1	Foul smelling vaginal discharge	discrete	numeric	
V1495	h140n\$1	Excessive bleeding	discrete	numeric	
V1496	h140o\$1	Dizziness	discrete	numeric	
V1497	h140p\$1	Severe headache	discrete	numeric	
V1498	h141\$1	Abortion	discrete	numeric	
V1499	death\$2		discrete	numeric	
V1500	h126\$2	Line number of death	discrete	numeric	
V1501	h127\$2	Sex	discrete	numeric	
V1502	h128u\$2	Unit code	discrete	numeric	
V1503	h128ad\$2	Age at death	contin	numeric	
V1504	h129m\$2	Date of death - Month	discrete	numeric	
V1505	h129y\$2	Date of death - Year	discrete	numeric	
V1506	h130\$2	Female 15 - 44	discrete	numeric	
V1507	h131\$2	Was pregnant when she died	discrete	numeric	
V1508	h132\$2	Died within 6 weeks of abortion or time of abortion	discrete	numeric	
V1509	h133\$2	Died during childbirth	discrete	numeric	
V1510	h134\$2	Died within 6 weeks of childbirth or end of pregnancy	discrete	numeric	
V1511	h135\$2	Line number of maternal death	discrete	numeric	
V1512	h135a\$2	Maternal death	discrete	numeric	
V1513	h136\$2	Parity	discrete	numeric	
V1514	h137\$2	Month of pregnancy	contin	numeric	
V1515	h138\$2	Place of delivery- abortion	discrete	numeric	
V1516	h139\$2	Unit code of death after delivery-abortion	discrete	numeric	
V1517	h140a\$2	Swelling of hands and feet	discrete	numeric	
V1518	h140b\$2	Paleness	discrete	numeric	
V1519	h140c\$2	Visual disturbance	discrete	numeric	
V1520	h140d\$2	Bleeding	discrete	numeric	
V1521	h140e\$2	Convulsions	discrete	numeric	
V1522	h140f\$2	Weak or no movement of fetus	discrete	numeric	
V1523	h140g\$2	Abnormal position of fetus	discrete	numeric	
V1524	h140h\$2	Premature labour	discrete	numeric	
V1525	h140i\$2	Prolonged labour	discrete	numeric	
V1526	h140j\$2	Breech presentation	discrete	numeric	
V1527	h140k\$2	High fever	discrete	numeric	
V1528	h140l\$2	Lower abdominal pain	discrete	numeric	
V1529	h140m\$2	Foul smelling vaginal discharge	discrete	numeric	
V1530	h140n\$2	Excessive bleeding	discrete	numeric	
V1531	h140o\$2	Dizziness	discrete	numeric	
V1532	h140p\$2	Severe headache	discrete	numeric	
V1533	h141\$2	Abortion	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1534	death\$3		discrete	numeric	
V1535	h126\$3	Line number of death	discrete	numeric	
V1536	h127\$3	Sex	discrete	numeric	
V1537	h128u\$3	Unit code	discrete	numeric	
V1538	h128ad\$3	Age at death	contin	numeric	
V1539	h129m\$3	Date of death - Month	discrete	numeric	
V1540	h129y\$3	Date of death - Year	discrete	numeric	
V1541	h130\$3	Female 15 - 44	discrete	numeric	
V1542	h131\$3	Was pregnant when she died	discrete	numeric	
V1543	h132\$3	Died within 6 weeks of abortion or time of abortion	discrete	numeric	
V1544	h133\$3	Died during childbirth	discrete	numeric	
V1545	h134\$3	Died within 6 weeks of childbirth or end of pregnancy	discrete	numeric	
V1546	h135\$3	Line number of maternal death	discrete	numeric	
V1547	h135a\$3	Maternal death	discrete	numeric	
V1548	h136\$3	Parity	discrete	numeric	
V1549	h137\$3	Month of pregnancy	discrete	numeric	
V1550	h138\$3	Place of delivery- abortion	discrete	numeric	
V1551	h139\$3	Unit code of death after delivery-abortion	discrete	numeric	
V1552	h140a\$3	Swelling of hands and feet	discrete	numeric	
V1553	h140b\$3	Paleness	discrete	numeric	
V1554	h140c\$3	Visual disturbance	discrete	numeric	
V1555	h140d\$3	Bleeding	discrete	numeric	
V1556	h140e\$3	Convulsions	discrete	numeric	
V1557	h140f\$3	Weak or no movement of fetus	discrete	numeric	
V1558	h140g\$3	Abnormal position of fetus	discrete	numeric	
V1559	h140h\$3	Premature labour	discrete	numeric	
V1560	h140i\$3	Prolonged labour	discrete	numeric	
V1561	h140j\$3	Breech presentation	discrete	numeric	
V1562	h140k\$3	High fever	discrete	numeric	
V1563	h140l\$3	Lower abdominal pain	discrete	numeric	
V1564	h140m\$3	Foul smelling vaginal discharge	discrete	numeric	
V1565	h140n\$3	Excessive bleeding	discrete	numeric	
V1566	h140o\$3	Dizziness	discrete	numeric	
V1567	h140p\$3	Severe headache	discrete	numeric	
V1568	h141\$3	Abortion	discrete	numeric	
V1569	death\$4		discrete	numeric	
V1570	h126\$4		discrete	numeric	
V1571	h127\$4		discrete	numeric	
V1572	h128u\$4		discrete	numeric	
V1573	h128ad\$4		contin	numeric	

ID	Name	Label	Type	Format	Question
V1574	h129m\$4		discrete	numeric	
V1575	h129y\$4		discrete	numeric	
V1576	h130\$4		discrete	numeric	
V1577	h131\$4		discrete	numeric	
V1578	h132\$4		discrete	numeric	
V1579	h133\$4		discrete	numeric	
V1580	h134\$4		discrete	numeric	
V1581	h135\$4		discrete	numeric	
V1582	h135a\$4		discrete	numeric	
V1583	h136\$4		discrete	numeric	
V1584	h137\$4		discrete	numeric	
V1585	h138\$4		discrete	numeric	
V1586	h139\$4		discrete	numeric	
V1587	h140a\$4		discrete	numeric	
V1588	h140b\$4		discrete	numeric	
V1589	h140c\$4		discrete	numeric	
V1590	h140d\$4		discrete	numeric	
V1591	h140e\$4		discrete	numeric	
V1592	h140f\$4		discrete	numeric	
V1593	h140g\$4		discrete	numeric	
V1594	h140h\$4		discrete	numeric	
V1595	h140i\$4		discrete	numeric	
V1596	h140j\$4		discrete	numeric	
V1597	h140k\$4		discrete	numeric	
V1598	h140l\$4		discrete	numeric	
V1599	h140m\$4		discrete	numeric	
V1600	h140n\$4		discrete	numeric	
V1601	h140o\$4		discrete	numeric	
V1602	h140p\$4		discrete	numeric	
V1603	h141\$4		discrete	numeric	
V1604	death\$5		discrete	numeric	
V1605	h126\$5		discrete	numeric	
V1606	h127\$5		discrete	numeric	
V1607	h128u\$5		discrete	numeric	
V1608	h128ad\$5		contin	numeric	
V1609	h129m\$5		discrete	numeric	
V1610	h129y\$5		discrete	numeric	
V1611	h130\$5		discrete	numeric	
V1612	h131\$5		discrete	numeric	
V1613	h132\$5		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1614	h133\$5		discrete	numeric	
V1615	h134\$5		discrete	numeric	
V1616	h135\$5		discrete	numeric	
V1617	h135a\$5		discrete	numeric	
V1618	h136\$5		discrete	numeric	
V1619	h137\$5		discrete	numeric	
V1620	h138\$5		discrete	numeric	
V1621	h139\$5		discrete	numeric	
V1622	h140a\$5		discrete	numeric	
V1623	h140b\$5		discrete	numeric	
V1624	h140c\$5		discrete	numeric	
V1625	h140d\$5		discrete	numeric	
V1626	h140e\$5		discrete	numeric	
V1627	h140f\$5		discrete	numeric	
V1628	h140g\$5		discrete	numeric	
V1629	h140h\$5		discrete	numeric	
V1630	h140i\$5		discrete	numeric	
V1631	h140j\$5		discrete	numeric	
V1632	h140k\$5		discrete	numeric	
V1633	h140l\$5		discrete	numeric	
V1634	h140m\$5		discrete	numeric	
V1635	h140n\$5		discrete	numeric	
V1636	h140o\$5		discrete	numeric	
V1637	h140p\$5		discrete	numeric	
V1638	h141\$5		discrete	numeric	
V1639	death\$6		discrete	numeric	
V1640	h126\$6		discrete	numeric	
V1641	h127\$6		discrete	numeric	
V1642	h128u\$6		discrete	numeric	
V1643	h128ad\$6		discrete	numeric	
V1644	h129m\$6		discrete	numeric	
V1645	h129y\$6		discrete	numeric	
V1646	h130\$6		discrete	numeric	
V1647	h131\$6		discrete	numeric	
V1648	h132\$6		discrete	numeric	
V1649	h133\$6		discrete	numeric	
V1650	h134\$6		discrete	numeric	
V1651	h135\$6		discrete	numeric	
V1652	h135a\$6		discrete	numeric	
V1653	h136\$6		discrete	numeric	

ID	Name	Label	Type	Format	Question
V1654	h137\$6		discrete	numeric	
V1655	h138\$6		discrete	numeric	
V1656	h139\$6		discrete	numeric	
V1657	h140a\$6		discrete	numeric	
V1658	h140b\$6		discrete	numeric	
V1659	h140c\$6		discrete	numeric	
V1660	h140d\$6		discrete	numeric	
V1661	h140e\$6		discrete	numeric	
V1662	h140f\$6		discrete	numeric	
V1663	h140g\$6		discrete	numeric	
V1664	h140h\$6		discrete	numeric	
V1665	h140i\$6		discrete	numeric	
V1666	h140j\$6		discrete	numeric	
V1667	h140k\$6		discrete	numeric	
V1668	h140l\$6		discrete	numeric	
V1669	h140m\$6		discrete	numeric	
V1670	h140n\$6		discrete	numeric	
V1671	h140o\$6		discrete	numeric	
V1672	h140p\$6		discrete	numeric	
V1673	h141\$6		discrete	numeric	
V1674	h142	Type of salt used for cooking	discrete	numeric	
V1675	h100hour	h100Hours	contin	numeric	
V1676	h100min		contin	numeric	
V1677	h143hour	h143Hours	contin	numeric	
V1678	h143min		contin	numeric	
V1679	hhwt	Sample weight	contin	numeric	
V1680	phase		discrete	numeric	
V1681	shhwt		contin	numeric	
V1682	hcmc		contin	numeric	
V1683	ihhwt		contin	numeric	

INDIA_WOMEN

Content

Cases 507622

Variable(s) 814

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V1684	state	State code	contin	numeric	
V1685	s_name	State name	discrete	character	
V1686	dist	District code	contin	numeric	
V1687	d_name	District name	discrete	character	
V1688	psu	PSU code	contin	numeric	
V1689	tal	Tehsil code	contin	numeric	
V1690	srv	Serial number of village	contin	numeric	
V1691	hhst	Result of Household interview	discrete	numeric	
V1692	srhh	Serial number of household	contin	numeric	
V1693	srew	Serial number of eligible women	contin	numeric	
V1694	srh	Serial number of husband	contin	numeric	
V1695	newi	Number of eligible women interviewed	discrete	numeric	
V1696	nhi	Number of husband interviewed	discrete	numeric	
V1697	lnrhh	Line number of respondent of household schedule	contin	numeric	
V1698	hh_pk	Case Identification	contin	numeric	
V1699	lineno	Line number of women in household	contin	numeric	
V1700	type	Place of residence	discrete	numeric	
V1701	h114	Religion of Household Head	discrete	numeric	
V1702	h115	Caste or tribe of household head	discrete	numeric	
V1703	h116	Source of drinking water	discrete	numeric	
V1704	h117	Type of house	discrete	numeric	
V1705	h118	Type of toilet facility	discrete	numeric	
V1706	h119	Source of lighting	discrete	numeric	
V1707	h120	Type of fuel for cooking	discrete	numeric	
V1708	sli	Household standard of living index	discrete	numeric	
V1709	icmc	Date of interview: CMC	contin	numeric	
V1710	w100a	Line number of eligible women	contin	numeric	
V1711	w100b	Line number of Husband	contin	numeric	

ID	Name	Label	Type	Format	Question
V1712	w101	Age in completed years	contin	numeric	
V1713	w102	Can read and write	discrete	numeric	
V1714	w103	Year of Schooling	contin	numeric	
V1715	w104	Can read and write (husband)	contin	numeric	
V1716	w105	Year of Schooling of husband	contin	numeric	
V1717	w106	Age at consummation of marriage	contin	numeric	
V1718	w107	Live births	discrete	numeric	
V1719	w108	Child living with women	discrete	numeric	
V1720	w109a	Son at home	contin	numeric	
V1721	w109b	Daughter at home	contin	numeric	
V1722	w110	Child living elsewhere	discrete	numeric	
V1723	w111a	Sons elsewhere	contin	numeric	
V1724	w111b	Daughters elsewhere	contin	numeric	
V1725	w112	Child who have died	discrete	numeric	
V1726	w113a	Sons who have died	contin	numeric	
V1727	w113b	Daughters who have died	contin	numeric	
V1728	w121	Number of still birth (excluding last pregnancy)	discrete	numeric	
V1729	w122i	Number of induced abortion (excluding last pregnancy)	discrete	numeric	
V1730	w122s	Number of spontaneous abortion (excluding last pregnancy)	discrete	numeric	
V1731	w123a	Number of still birth within reference period	contin	numeric	
V1732	w123b	Number of induced abortion within reference period	contin	numeric	
V1733	w123c	Number of spontaneous abortion within reference period	contin	numeric	
V1734	s108b	Son ever born: Surviving	discrete	numeric	
V1735	s108g	Daughter ever born: Surviving	discrete	numeric	
V1736	s109b	Son ever born: Died	discrete	numeric	
V1737	s109g	Daughter ever born: Died	discrete	numeric	
V1738	s110b	Son ever born	discrete	numeric	
V1739	s110g	Daughter ever born	discrete	numeric	
V1740	s111a	Children ever born: Total	discrete	numeric	
V1741	s111s	Children ever born: Surviving	discrete	numeric	
V1742	b01\$1	Index to birth	discrete	numeric	
V1743	b02\$1	Child is twin	discrete	numeric	
V1744	b03\$1	Sex of child	discrete	numeric	
V1745	b04\$1	Month of birth	contin	numeric	
V1746	b05\$1	Year of birth	contin	numeric	
V1747	b06\$1	CMC of birth	contin	numeric	
V1748	b07\$1	Child is alive	discrete	numeric	
V1749	b08\$1	Unit code of child death	discrete	numeric	
V1750	b09\$1	Age at death	contin	numeric	
V1751	b10\$1	Age in month at the time of death	contin	numeric	

ID	Name	Label	Type	Format	Question
V1752	b11\$1	Age in month	contin	numeric	
V1753	b12\$1	Age in completed years	contin	numeric	
V1754	b13\$1	Age of mother at child birth	contin	numeric	
V1755	b01\$2	Index to birth	discrete	numeric	
V1756	b02\$2	Child is twin	discrete	numeric	
V1757	b03\$2	Sex of child	discrete	numeric	
V1758	b04\$2	Month of birth	discrete	numeric	
V1759	b05\$2	Year of birth	contin	numeric	
V1760	b06\$2	CMC of birth	contin	numeric	
V1761	b07\$2	Child is alive	discrete	numeric	
V1762	b08\$2	Unit code of child death	discrete	numeric	
V1763	b09\$2	Age at death	contin	numeric	
V1764	b10\$2	Age in month at the time of death	contin	numeric	
V1765	b11\$2	Age in month	contin	numeric	
V1766	b12\$2	Age in completed years	contin	numeric	
V1767	b13\$2	Age of mother at child birth	contin	numeric	
V1768	b01\$3	Index to birth	discrete	numeric	
V1769	b02\$3	Child is twin	discrete	numeric	
V1770	b03\$3	Sex of child	discrete	numeric	
V1771	b04\$3	Month of birth	discrete	numeric	
V1772	b05\$3	Year of birth	contin	numeric	
V1773	b06\$3	CMC of birth	contin	numeric	
V1774	b07\$3	Child is alive	discrete	numeric	
V1775	b08\$3	Unit code of child death	discrete	numeric	
V1776	b09\$3	Age at death	contin	numeric	
V1777	b10\$3	Age in month at the time of death	contin	numeric	
V1778	b11\$3	Age in month	contin	numeric	
V1779	b12\$3	Age in completed years	contin	numeric	
V1780	b13\$3	Age of mother at child birth	contin	numeric	
V1781	b01\$4	Index to birth	discrete	numeric	
V1782	b02\$4	Child is twin	discrete	numeric	
V1783	b03\$4	Sex of child	discrete	numeric	
V1784	b04\$4	Month of birth	discrete	numeric	
V1785	b05\$4	Year of birth	contin	numeric	
V1786	b06\$4	CMC of birth	contin	numeric	
V1787	b07\$4	Child is alive	discrete	numeric	
V1788	b08\$4	Unit code of child death	discrete	numeric	
V1789	b09\$4	Age at death	contin	numeric	
V1790	b10\$4	Age in month at the time of death	contin	numeric	
V1791	b11\$4	Age in month	contin	numeric	

ID	Name	Label	Type	Format	Question
V1792	b12\$4	Age in completed years	contin	numeric	
V1793	b13\$4	Age of mother at child birth	contin	numeric	
V1794	b01\$5	Index to birth	discrete	numeric	
V1795	b02\$5	Child is twin	discrete	numeric	
V1796	b03\$5	Sex of child	discrete	numeric	
V1797	b04\$5	Month of birth	discrete	numeric	
V1798	b05\$5	Year of birth	contin	numeric	
V1799	b06\$5	CMC of birth	contin	numeric	
V1800	b07\$5	Child is alive	discrete	numeric	
V1801	b08\$5	Unit code of child death	discrete	numeric	
V1802	b09\$5	Age at death	contin	numeric	
V1803	b10\$5	Age in month at the time of death	contin	numeric	
V1804	b11\$5	Age in month	contin	numeric	
V1805	b12\$5	Age in completed years	contin	numeric	
V1806	b13\$5	Age of mother at child birth	contin	numeric	
V1807	b01\$6	Index to birth	discrete	numeric	
V1808	b02\$6	Child is twin	discrete	numeric	
V1809	b03\$6	Sex of child	discrete	numeric	
V1810	b04\$6	Month of birth	discrete	numeric	
V1811	b05\$6	Year of birth	contin	numeric	
V1812	b06\$6	CMC of birth	contin	numeric	
V1813	b07\$6	Child is alive	discrete	numeric	
V1814	b08\$6	Unit code of child death	discrete	numeric	
V1815	b09\$6	Age at death	contin	numeric	
V1816	b10\$6	Age in month at the time of death	contin	numeric	
V1817	b11\$6	Age in month	contin	numeric	
V1818	b12\$6	Age in completed years	contin	numeric	
V1819	b13\$6	Age of mother at child birth	contin	numeric	
V1820	b01\$7	Index to birth	discrete	numeric	
V1821	b02\$7	Child is twin	discrete	numeric	
V1822	b03\$7	Sex of child	discrete	numeric	
V1823	b04\$7	Month of birth	discrete	numeric	
V1824	b05\$7	Year of birth	contin	numeric	
V1825	b06\$7	CMC of birth	contin	numeric	
V1826	b07\$7	Child is alive	discrete	numeric	
V1827	b08\$7	Unit code of child death	discrete	numeric	
V1828	b09\$7	Age at death	contin	numeric	
V1829	b10\$7	Age in month at the time of death	contin	numeric	
V1830	b11\$7	Age in month	contin	numeric	
V1831	b12\$7	Age in completed years	contin	numeric	

ID	Name	Label	Type	Format	Question
V1832	b13\$7	Age of mother at child birth	contin	numeric	
V1833	b01\$8	Index to birth	discrete	numeric	
V1834	b02\$8	Child is twin	discrete	numeric	
V1835	b03\$8	Sex of child	discrete	numeric	
V1836	b04\$8	Month of birth	discrete	numeric	
V1837	b05\$8	Year of birth	contin	numeric	
V1838	b06\$8	CMC of birth	contin	numeric	
V1839	b07\$8	Child is alive	discrete	numeric	
V1840	b08\$8	Unit code of child death	discrete	numeric	
V1841	b09\$8	Age at death	contin	numeric	
V1842	b10\$8	Age in month at the time of death	contin	numeric	
V1843	b11\$8	Age in month	contin	numeric	
V1844	b12\$8	Age in completed years	contin	numeric	
V1845	b13\$8	Age of mother at child birth	contin	numeric	
V1846	b01\$9	Index to birth	discrete	numeric	
V1847	b02\$9	Child is twin	discrete	numeric	
V1848	b03\$9	Sex of child	discrete	numeric	
V1849	b04\$9	Month of birth	discrete	numeric	
V1850	b05\$9	Year of birth	contin	numeric	
V1851	b06\$9	CMC of birth	contin	numeric	
V1852	b07\$9	Child is alive	discrete	numeric	
V1853	b08\$9	Unit code of child death	discrete	numeric	
V1854	b09\$9	Age at death	contin	numeric	
V1855	b10\$9	Age in month at the time of death	contin	numeric	
V1856	b11\$9	Age in month	contin	numeric	
V1857	b12\$9	Age in completed years	contin	numeric	
V1858	b13\$9	Age of mother at child birth	contin	numeric	
V1859	b01\$10	Index to birth	discrete	numeric	
V1860	b02\$10	Child is twin	discrete	numeric	
V1861	b03\$10	Sex of child	discrete	numeric	
V1862	b04\$10	Month of birth	discrete	numeric	
V1863	b05\$10	Year of birth	contin	numeric	
V1864	b06\$10	CMC of birth	contin	numeric	
V1865	b07\$10	Child is alive	discrete	numeric	
V1866	b08\$10	Unit code of child death	discrete	numeric	
V1867	b09\$10	Age at death	contin	numeric	
V1868	b10\$10	Age in month at the time of death	contin	numeric	
V1869	b11\$10	Age in month	contin	numeric	
V1870	b12\$10	Age in completed years	contin	numeric	
V1871	b13\$10	Age of mother at child birth	contin	numeric	

ID	Name	Label	Type	Format	Question
V1872	b01\$11	Index to birth	discrete	numeric	
V1873	b02\$11	Child is twin	discrete	numeric	
V1874	b03\$11	Sex of child	discrete	numeric	
V1875	b04\$11	Month of birth	discrete	numeric	
V1876	b05\$11	Year of birth	discrete	numeric	
V1877	b06\$11	CMC of birth	contin	numeric	
V1878	b07\$11	Child is alive	discrete	numeric	
V1879	b08\$11	Unit code of child death	discrete	numeric	
V1880	b09\$11	Age at death	discrete	numeric	
V1881	b10\$11	Age in month at the time of death	contin	numeric	
V1882	b11\$11	Age in month	contin	numeric	
V1883	b12\$11	Age in completed years	discrete	numeric	
V1884	b13\$11	Age of mother at child birth	contin	numeric	
V1885	b01\$12	Index to birth	discrete	numeric	
V1886	b02\$12	Child is twin	discrete	numeric	
V1887	b03\$12	Sex of child	discrete	numeric	
V1888	b04\$12	Month of birth	discrete	numeric	
V1889	b05\$12	Year of birth	discrete	numeric	
V1890	b06\$12	CMC of birth	contin	numeric	
V1891	b07\$12	Child is alive	discrete	numeric	
V1892	b08\$12	Unit code of child death	discrete	numeric	
V1893	b09\$12	Age at death	contin	numeric	
V1894	b10\$12	Age in month at the time of death	contin	numeric	
V1895	b11\$12	Age in month	contin	numeric	
V1896	b12\$12	Age in completed years	discrete	numeric	
V1897	b13\$12	Age of mother at child birth	discrete	numeric	
V1898	b01\$13	Index to birth	discrete	numeric	
V1899	b02\$13	Child is twin	discrete	numeric	
V1900	b03\$13	Sex of child	discrete	numeric	
V1901	b04\$13	Month of birth	discrete	numeric	
V1902	b05\$13	Year of birth	discrete	numeric	
V1903	b06\$13	CMC of birth	contin	numeric	
V1904	b07\$13	Child is alive	discrete	numeric	
V1905	b08\$13	Unit code of child death	discrete	numeric	
V1906	b09\$13	Age at death	discrete	numeric	
V1907	b10\$13	Age in month at the time of death	contin	numeric	
V1908	b11\$13	Age in month	contin	numeric	
V1909	b12\$13	Age in completed years	discrete	numeric	
V1910	b13\$13	Age of mother at child birth	discrete	numeric	
V1911	b01\$14	Index to birth	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1912	b02\$14	Child is twin	discrete	numeric	
V1913	b03\$14	Sex of child	discrete	numeric	
V1914	b04\$14	Month of birth	discrete	numeric	
V1915	b05\$14	Year of birth	discrete	numeric	
V1916	b06\$14	CMC of birth	contin	numeric	
V1917	b07\$14	Child is alive	discrete	numeric	
V1918	b08\$14	Unit code of child death	discrete	numeric	
V1919	b09\$14	Age at death	discrete	numeric	
V1920	b10\$14	Age in month at the time of death	contin	numeric	
V1921	b11\$14	Age in month	contin	numeric	
V1922	b12\$14	Age in completed years	discrete	numeric	
V1923	b13\$14	Age of mother at child birth	discrete	numeric	
V1924	b01\$15	Index to birth	discrete	numeric	
V1925	b02\$15	Child is twin	discrete	numeric	
V1926	b03\$15	Sex of child	discrete	numeric	
V1927	b04\$15	Month of birth	discrete	numeric	
V1928	b05\$15	Year of birth	discrete	numeric	
V1929	b06\$15	CMC of birth	contin	numeric	
V1930	b07\$15	Child is alive	discrete	numeric	
V1931	b08\$15	Unit code of child death	discrete	numeric	
V1932	b09\$15	Age at death	discrete	numeric	
V1933	b10\$15	Age in month at the time of death	discrete	numeric	
V1934	b11\$15	Age in month	contin	numeric	
V1935	b12\$15	Age in completed years	discrete	numeric	
V1936	b13\$15	Age of mother at child birth	discrete	numeric	
V1937	b01\$16	Index to birth	discrete	numeric	
V1938	b02\$16	Child is twin	discrete	numeric	
V1939	b03\$16	Sex of child	discrete	numeric	
V1940	b04\$16	Month of birth	discrete	numeric	
V1941	b05\$16	Year of birth	discrete	numeric	
V1942	b06\$16	CMC of birth	contin	numeric	
V1943	b07\$16	Child is alive	discrete	numeric	
V1944	b08\$16	Unit code of child death	discrete	numeric	
V1945	b09\$16	Age at death	discrete	numeric	
V1946	b10\$16	Age in month at the time of death	discrete	numeric	
V1947	b11\$16	Age in month	contin	numeric	
V1948	b12\$16	Age in completed years	discrete	numeric	
V1949	b13\$16	Age of mother at child birth	discrete	numeric	
V1950	w201	Year of last pregnancy	discrete	numeric	
V1951	w202	Out come of last pregnancy	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1952	w203a	Government /municipal hospital	discrete	numeric	
V1953	w203b	Government dispensary	discrete	numeric	
V1954	w203c	UHC/UHP/UFWC	discrete	numeric	
V1955	w203d	CHC/rural hospital	discrete	numeric	
V1956	w203e	Primary health centre	discrete	numeric	
V1957	w203f	Sub centre	discrete	numeric	
V1958	w203g	NGO/Trust hospital	discrete	numeric	
V1959	w203h	Government ISM hospital/clinic	discrete	numeric	
V1960	w203i	Private ISM hospital/clinic	discrete	numeric	
V1961	w203j	Private hospital/clinic	discrete	numeric	
V1962	w203k	Home	discrete	numeric	
V1963	w203l	Other	discrete	numeric	
V1964	w204	Abortion performed (by person)	discrete	numeric	
V1965	w205	Reason for induced abortion	discrete	numeric	
V1966	w206	Month of pregnancy end	discrete	numeric	
V1967	w207	Did go for sonography/amniocentesis	discrete	numeric	
V1968	w208	Any health problem after abortion (within 6 weeks)	discrete	numeric	
V1969	w209a	Excessive bleeding	discrete	numeric	
V1970	w209b	High fever	discrete	numeric	
V1971	w209c	Foul smelling discharge	discrete	numeric	
V1972	w209d	Pain in lower abdomen	discrete	numeric	
V1973	w209e	Convulsion	discrete	numeric	
V1974	w209f	Severe headache	discrete	numeric	
V1975	w209g	Other	discrete	numeric	
V1976	w210	Seek advice for health problem	discrete	numeric	
V1977	w211a	Government /municipal hospital	discrete	numeric	
V1978	w211b	Government dispensary	discrete	numeric	
V1979	w211c	UHC/UHP/UFWC	discrete	numeric	
V1980	w211d	CHC/rural hospital	discrete	numeric	
V1981	w211e	Primary health centre	discrete	numeric	
V1982	w211f	Sub centre	discrete	numeric	
V1983	w211g	NGO/Trust hospital	discrete	numeric	
V1984	w211h	Government ISM hospital/clinic	discrete	numeric	
V1985	w211i	Private ISM hospital/clinic	discrete	numeric	
V1986	w211j	Private hospital/clinic	discrete	numeric	
V1987	w211k	Chemist/medical shop	discrete	numeric	
V1988	w211l	Other	discrete	numeric	
V1989	w212	Consult any one for health problem	discrete	numeric	
V1990	w213	Went for antenatal care	discrete	numeric	
V1991	w214a	Received antenatal check-up from Government /municipal hospital	discrete	numeric	

ID	Name	Label	Type	Format	Question
V1992	w214b	Received antenatal check-up from Government dispensary	discrete	numeric	
V1993	w214c	Received antenatal check-up from UHC/UHP/UFWC	discrete	numeric	
V1994	w214d	Received antenatal check-up from CHC/rural hospital	discrete	numeric	
V1995	w214e	Received antenatal check-up from Primary health centre	discrete	numeric	
V1996	w214f	Received antenatal check-up from Sub centre	discrete	numeric	
V1997	w214g	Received antenatal check-up from NGO/Trust hospital	discrete	numeric	
V1998	w214h	Received antenatal check-up from Government ISM hospital/clinic	discrete	numeric	
V1999	w214i	Received antenatal check-up from Private ISM hospital/clinic	discrete	numeric	
V2000	w214j	Received antenatal check-up from Private hospital/clinic	discrete	numeric	
V2001	w214k	Other	discrete	numeric	
V2002	w215a	Received antenatal check-up by Doctor	discrete	numeric	
V2003	w215b	Received antenatal check-up by ANM/nurse/mid-wife/LHV	discrete	numeric	
V2004	w215c	Received antenatal check-up by other health professional	discrete	numeric	
V2005	w215d	Received antenatal check-up by trained dai	discrete	numeric	
V2006	w215e	Received antenatal check-up by untrained dai	discrete	numeric	
V2007	w215f	Other	discrete	numeric	
V2008	w216	Month in first visit for antenatal check-up	discrete	numeric	
V2009	w217	Number of visits	discrete	numeric	
V2010	w218	antenatal visit by health worker	discrete	numeric	
V2011	w219	First visit made by health worker (month)	discrete	numeric	
V2012	w220	Number of visits by health worker	discrete	numeric	
V2013	w221a	Weight measured	discrete	numeric	
V2014	w221b	Height measured	discrete	numeric	
V2015	w221c	Blood pressure checked	discrete	numeric	
V2016	w221d	Blood test	discrete	numeric	
V2017	w221e	Urine test	discrete	numeric	
V2018	w221f	Abdomen examined	discrete	numeric	
V2019	w221g	Internal exam	discrete	numeric	
V2020	w221h	Breast exam	discrete	numeric	
V2021	w221i	X-ray	discrete	numeric	
V2022	w221j	Sonogram or ultrasound	discrete	numeric	
V2023	w221k	Amniocentesis	discrete	numeric	
V2024	w222a	Diet	discrete	numeric	
V2025	w222b	Danger signs of pregnancy	discrete	numeric	
V2026	w222c	Delivery care	discrete	numeric	
V2027	w222d	Breast feeding	discrete	numeric	
V2028	w222e	Newborn care	discrete	numeric	
V2029	w222f	Family planning	discrete	numeric	
V2030	w223a	Not necessary	discrete	numeric	
V2031	w223b	Not customary	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2032	w223c	Cost too much	discrete	numeric	
V2033	w223d	Too far/no transport	discrete	numeric	
V2034	w223e	Poor quality service	discrete	numeric	
V2035	w223f	No time to go	discrete	numeric	
V2036	w223g	Family did not allow	discrete	numeric	
V2037	w223h	Lack of knowledge	discrete	numeric	
V2038	w223i	Other reason	discrete	numeric	
V2039	w224	Given iron folic tablets during pregnancy	discrete	numeric	
V2040	w225	Consumed tablets per day	discrete	numeric	
V2041	w226a	Consumed IFA tablets during pregnancy (Number)	contin	numeric	
V2042	w226b	consumed IFA syrup (Bottles)	contin	numeric	
V2043	w227a	Received iron folic tablets from Government /municipal hospital	discrete	numeric	
V2044	w227b	Received iron folic tablets from Government dispensary	discrete	numeric	
V2045	w227c	Received iron folic tablets from UHC/UHP/UFWC	discrete	numeric	
V2046	w227d	Received iron folic tablets from CHC/rural hospital	discrete	numeric	
V2047	w227e	Received iron folic tablets from Primary health centre	discrete	numeric	
V2048	w227f	Received iron folic tablets from Sub centre	discrete	numeric	
V2049	w227g	Received iron folic tablets from NGO/Trust hospital	discrete	numeric	
V2050	w227h	Received iron folic tablets from Government ISM hospital/clinic	discrete	numeric	
V2051	w227i	Received iron folic tablets from Private ISM hospital/clinic	discrete	numeric	
V2052	w227j	Received iron folic tablets from Private hospital/clinic	discrete	numeric	
V2053	w227k	Received iron folic tablets from chemist/pharmacy	discrete	numeric	
V2054	w227l	Received iron folic tablets by health worker at home	discrete	numeric	
V2055	w227m	Other	discrete	numeric	
V2056	w228	Given tetanus injection during pregnancy	discrete	numeric	
V2057	w229	Number of times given tetanus injections	discrete	numeric	
V2058	w230a	Swelling of hands and feet during pregnancy	discrete	numeric	
V2059	w230b	Paleness during pregnancy	discrete	numeric	
V2060	w230c	Visual disturbances during pregnancy	discrete	numeric	
V2061	w230d	Excessive bleeding during pregnancy	discrete	numeric	
V2062	w230e	Convulsions during pregnancy	discrete	numeric	
V2063	w230f	Weak or no movement of foetus during pregnancy	discrete	numeric	
V2064	w230g	Abnormal position of foetus during pregnancy	discrete	numeric	
V2065	w230h	Other problems during pregnancy	discrete	numeric	
V2066	w231	Consult or seek treatment for pregnancy complications	discrete	numeric	
V2067	w232a	Received treatment for pregnancy complication from Government /municipal hospital	discrete	numeric	
V2068	w232b	Received treatment for pregnancy complication from Government dispensary	discrete	numeric	
V2069	w232c	Received treatment for pregnancy complication from UHC/UHP/UFWC	discrete	numeric	
V2070	w232d	Received treatment for pregnancy complication from CHC/rural hospital	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2071	w232e	Received treatment for pregnancy complication from Primary health centre	discrete	numeric	
V2072	w232f	Received treatment for pregnancy complication from Sub centre	discrete	numeric	
V2073	w232g	Received treatment for pregnancy complication from NGO/Trust hospital	discrete	numeric	
V2074	w232h	Received treatment for pregnancy complication from Government ISM hospital/clinic	discrete	numeric	
V2075	w232i	Received treatment for pregnancy complication from Private ISM hospital/clinic	discrete	numeric	
V2076	w232j	Received treatment for pregnancy complication from Private hospital/clinic	discrete	numeric	
V2077	w232k	Other	discrete	numeric	
V2078	w233	Received treatment for pregnancy complication	discrete	numeric	
V2079	w234	Were advised by doctor/health worker to go to health facility for delivery	discrete	numeric	
V2080	w235	Place of delivery	discrete	numeric	
V2081	w236	Main reason did not go to health facility for delivery	discrete	numeric	
V2082	w237	Delivery conducted by	discrete	numeric	
V2083	w238	Was delivery normal	discrete	numeric	
V2084	w239	Was delivery caesarian	discrete	numeric	
V2085	w240a	Delivery :premature	discrete	numeric	
V2086	w240b	Delivery: excessive bleeding	discrete	numeric	
V2087	w240c	Delivery: prolonged (12+hours)	discrete	numeric	
V2088	w240d	Delivery: obstructed	discrete	numeric	
V2089	w240e	Delivery: breech presentation	discrete	numeric	
V2090	w240f	Delivery: other	discrete	numeric	
V2091	w241a	Post delivery complication: high fever	discrete	numeric	
V2092	w241b	Post delivery complication: lower abdominal pain	discrete	numeric	
V2093	w241c	Post delivery complication: foul smelling vaginal discharge	discrete	numeric	
V2094	w241d	Post delivery complication: excessive bleeding	discrete	numeric	
V2095	w241e	Post delivery complication: convulsion	discrete	numeric	
V2096	w241f	Post delivery complication: severe headache	discrete	numeric	
V2097	w241g	Post delivery complication: Other	discrete	numeric	
V2098	w242	Consult or seek treatment for post delivery complications	discrete	numeric	
V2099	w243a	Received treatment for post delivery complication from Government /municipal hospital	discrete	numeric	
V2100	w243b	Received treatment for post delivery complication from Government dispensary	discrete	numeric	
V2101	w243c	Received treatment for post delivery complication from UHC/UHP/UFWC	discrete	numeric	
V2102	w243d	Received treatment for post delivery complication from CHC/rural hospital	discrete	numeric	
V2103	w243e	Received treatment for post delivery complication from Primary health centre	discrete	numeric	
V2104	w243f	Received treatment for post delivery complication from Sub centre	discrete	numeric	
V2105	w243g	Received treatment for post delivery complication from NGO/Trust hospital	discrete	numeric	
V2106	w243h	Received treatment for post delivery complication from Government ISM hospital/clinic	discrete	numeric	
V2107	w243i	Received treatment for post delivery complication from Private ISM hospital/clinic	discrete	numeric	
V2108	w243j	Received treatment for post delivery complication from Private hospital/clinic	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2109	w243k	Other	discrete	numeric	
V2110	w244	Received treatment for post delivery complication	discrete	numeric	
V2111	w245	Did ANM visit within 2 weeks of delivery	discrete	numeric	
V2112	w246	Number of visits made by ANM within 6 weeks of delivery	discrete	numeric	
V2113	w304	Times breastfeeding	discrete	numeric	
V2114	w305	Squeeze milk from breast	discrete	numeric	
V2115	w306	Currently breastfeeding	discrete	numeric	
V2116	w307	Duration of breastfeeding	discrete	numeric	
V2117	w308a	Aware of Diarrhea: give ORS	discrete	numeric	
V2118	w308b	Aware of Diarrhea: salt and sugar solution	discrete	numeric	
V2119	w308c	Aware of Diarrhea: continue normal food	discrete	numeric	
V2120	w308d	Aware of Diarrhea: continue breastfeeding	discrete	numeric	
V2121	w308e	Aware of Diarrhea: give plenty of fluids	discrete	numeric	
V2122	w308f	Aware of Diarrhea: other	discrete	numeric	
V2123	w308g	Aware of Diarrhea: do not know	discrete	numeric	
V2124	w309	advised of Diarrhea by ANM/health worker	discrete	numeric	
V2125	w310	Had diarrhea during last two weeks	discrete	numeric	
V2126	w311	Continue breastfeeding with diarrhea	discrete	numeric	
V2127	w312	Drinking pattern with diarrhea	discrete	numeric	
V2128	w313	Eating pattern with diarrhea	discrete	numeric	
V2129	w314	Given ORS	discrete	numeric	
V2130	w315	Diarrhea: seek treatment	discrete	numeric	
V2131	w316a	Diarrhea: Government /municipal hospital	discrete	numeric	
V2132	w316b	Diarrhea: Government dispensary	discrete	numeric	
V2133	w316c	Diarrhea: UHC/UHP/UFWC	discrete	numeric	
V2134	w316d	Diarrhea: CHC/rural hospital	discrete	numeric	
V2135	w316e	Diarrhea: Primary health centre	discrete	numeric	
V2136	w316f	Diarrhea: Sub centre	discrete	numeric	
V2137	w316g	Diarrhea: NGO/Trust hospital	discrete	numeric	
V2138	w316h	Diarrhea: Government ISM hospital/clinic	discrete	numeric	
V2139	w316i	Diarrhea: Private ISM hospital/clinic	discrete	numeric	
V2140	w316j	Diarrhea: Private hospital/clinic	discrete	numeric	
V2141	w316k	Diarrhea: Home remedy	discrete	numeric	
V2142	w316l	Diarrhea: Other	discrete	numeric	
V2143	w317	Diarrhea: seek treatment or advised by	discrete	numeric	
V2144	w318	Aware of danger signs of pneumonia	discrete	numeric	
V2145	w319a	Pneumonia: Difficulty in breathing	discrete	numeric	
V2146	w319b	Pneumonia: Chest indrawing	discrete	numeric	
V2147	w319c	Pneumonia: Not able to drink or take a feed	discrete	numeric	
V2148	w319d	Pneumonia: Excessively drowsy and difficult to keep awake	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2149	w319e	Pneumonia: Pain in chest and productive cough	discrete	numeric	
V2150	w319f	Pneumonia: Condition gets worse than before	discrete	numeric	
V2151	w319g	Pneumonia: Wheezing/whistling	discrete	numeric	
V2152	w319h	Pneumonia: Rapid breathing	discrete	numeric	
V2153	w320	Danger signs of pneumonia informed by ANM/health worker	discrete	numeric	
V2154	w321	Had pneumonia during last two weeks	discrete	numeric	
V2155	w322	Pneumonia: seek treatment	discrete	numeric	
V2156	w323a	Pneumonia: Government /municipal hospital	discrete	numeric	
V2157	w323b	Pneumonia: Government dispensary	discrete	numeric	
V2158	w323c	Pneumonia: UHC/UHP/UFWC	discrete	numeric	
V2159	w323d	Pneumonia: CHC/rural hospital	discrete	numeric	
V2160	w323e	Pneumonia: Primary health centre	discrete	numeric	
V2161	w323f	Pneumonia: Sub centre	discrete	numeric	
V2162	w323g	Pneumonia: NGO/Trust hospital	discrete	numeric	
V2163	w323h	Pneumonia: Government ISM hospital/clinic	discrete	numeric	
V2164	w323i	Pneumonia: Private ISM hospital/clinic	discrete	numeric	
V2165	w323j	Pneumonia: Private hospital/clinic	discrete	numeric	
V2166	w323k	Pneumonia: Home remedy"	discrete	numeric	
V2167	w323l	Pneumonia: Other	discrete	numeric	
V2168	w324	Pneumonia: seek treatment or advised by	discrete	numeric	
V2169	w301\$1	Index of child	discrete	numeric	
V2170	seq\$1	Last child	discrete	numeric	
V2171	w302\$1	Sex of the child	discrete	numeric	
V2172	w303a\$1	Month of birth of child	contin	numeric	
V2173	w303b\$1	Year of birth of child	contin	numeric	
V2174	w325\$1	Has health card	discrete	numeric	
V2175	w326\$1	Received POLIO 0	discrete	numeric	
V2176	w327\$1	Received BCG	discrete	numeric	
V2177	w328\$1	Received DPT	discrete	numeric	
V2178	w329\$1	Number of injections of DPT	discrete	numeric	
V2179	w330\$1	Received POLIO	discrete	numeric	
V2180	w331\$1	Number of drops of POLIO (Excluding Pulse & 0 polio)	discrete	numeric	
V2181	w332\$1	Received MEASLES	discrete	numeric	
V2182	w333\$1	Received HEPATITIS B	discrete	numeric	
V2183	w334\$1	Were advised by doctor/health worker to give vaccines	discrete	numeric	
V2184	w335\$1	Place where last vaccinations given	discrete	numeric	
V2185	w336\$1	Reason for not given vaccines	discrete	numeric	
V2186	w337\$1	Vitamin A given to prevent night blindness	discrete	numeric	
V2187	w338\$1	Number of Vitamin A doses	discrete	numeric	
V2188	w339\$1	Iron folic tablets/liquid given to prevent Anemia	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2189	w340\$1a	Number of Iron folic tablets	discrete	numeric	
V2190	w340\$1b	Number of bottles of Iron folic liquid (in ml)	discrete	numeric	
V2191	w301\$2	Index of child	discrete	numeric	
V2192	seq\$2	Last but one child	discrete	numeric	
V2193	w302\$2	Sex of the child	discrete	numeric	
V2194	w303a\$2	Month of birth of child	discrete	numeric	
V2195	w303b\$2	Year of birth of child	discrete	numeric	
V2196	w325\$2	Has health card	discrete	numeric	
V2197	w326\$2	Received POLIO 0	discrete	numeric	
V2198	w327\$2	Received BCG	discrete	numeric	
V2199	w328\$2	Received DPT	discrete	numeric	
V2200	w329\$2	Number of injections of DPT	discrete	numeric	
V2201	w330\$2	Received POLIO	discrete	numeric	
V2202	w331\$2	Number of drops of POLIO (Excluding Pulse & 0 polio)	discrete	numeric	
V2203	w332\$2	Received MEASLES	discrete	numeric	
V2204	w333\$2	Received HEPATITIS B	discrete	numeric	
V2205	w334\$2	Were advised by doctor/health worker to give vaccines	discrete	numeric	
V2206	w335\$2	Place where last vaccinations given	discrete	numeric	
V2207	w336\$2	Reason for not given vaccines	discrete	numeric	
V2208	w337\$2	Vitamin A given to prevent night blindness	discrete	numeric	
V2209	w338\$2	Number of Vitamin A doses	discrete	numeric	
V2210	w339\$2	Iron folic tablets/liquid given to prevent Anemia	discrete	numeric	
V2211	w340\$2a	Number of Iron folic tablets	discrete	numeric	
V2212	w340\$2b	Number of bottles of Iron folic liquid (in ml)	discrete	numeric	
V2213	w401a	Aware of family planning methods: Female sterilization	discrete	numeric	
V2214	w401b	Aware of family planning methods: Tubectomy	discrete	numeric	
V2215	w401c	Aware of family planning methods: Laparoscope	discrete	numeric	
V2216	w401d	Aware of family planning methods: Male sterilization	discrete	numeric	
V2217	w401e	Aware of family planning methods: Vasectomy	discrete	numeric	
V2218	w401f	Aware of family planning methods: NSV	discrete	numeric	
V2219	w401g	Aware of family planning methods: IUD	discrete	numeric	
V2220	w401h	Aware of family planning methods: Pills	discrete	numeric	
V2221	w401i	Aware of family planning methods: Pills (Daily)	discrete	numeric	
V2222	w401j	Aware of family planning methods: Pills (Weekly)	discrete	numeric	
V2223	w401k	Aware of family planning methods: Condom	discrete	numeric	
V2224	w401l	Aware of family planning methods: Sponge (Today)	discrete	numeric	
V2225	w401m	Aware of family planning methods: injectbale	discrete	numeric	
V2226	w401n	Aware of family planning methods: Norplant	discrete	numeric	
V2227	w401o	Aware of family planning methods: Contraceptive herbs	discrete	numeric	
V2228	w401p	Aware of family planning methods: Rhythm/periodic abstinence	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2229	w401q	Aware of family planning methods: withdrawal	discrete	numeric	
V2230	w401r	Aware of family planning methods: ISM contraceptives	discrete	numeric	
V2231	w402	Currently pregnant	discrete	numeric	
V2232	w403	Currently using any family planning method	discrete	numeric	
V2233	w404	Current use by method type	discrete	numeric	
V2234	w405	Duration of use	discrete	numeric	
V2235	w406	Last source for current users	discrete	numeric	
V2236	w407	Informed of any other methods	discrete	numeric	
V2237	w408	Who inserted IUD/loop	discrete	numeric	
V2238	w409	Difficult to get condoms/pills	discrete	numeric	
V2239	w410	Told about side effects	discrete	numeric	
V2240	w411	Follow up for current method	discrete	numeric	
V2241	w412	Problems with current method	discrete	numeric	
V2242	w413a	Problem related to use of current method: Weakness/inability to work	discrete	numeric	
V2243	w413b	Problem related to use of current method: Bodyache/backache	discrete	numeric	
V2244	w413c	Problem related to use of current method: Cramps	discrete	numeric	
V2245	w413d	Problem related to use of current method: weight gain	discrete	numeric	
V2246	w413e	Problem related to use of current method: Dizziness	discrete	numeric	
V2247	w413f	Problem related to use of current method: Nausea/vomiting	discrete	numeric	
V2248	w413g	Problem related to use of current method: Breast tenderness	discrete	numeric	
V2249	w413h	Problem related to use of current method: irregular periods	discrete	numeric	
V2250	w413i	Problem related to use of current method: Excessive bleedings	discrete	numeric	
V2251	w413j	Problem related to use of current method: Spotting	discrete	numeric	
V2252	w413k	Problem related to use of current method: White discharge	discrete	numeric	
V2253	w413l	Problem related to use of current method: Other	discrete	numeric	
V2254	w414	Talk to someone about problems	discrete	numeric	
V2255	w415a	Went: Government /municipal hospital	discrete	numeric	
V2256	w415b	Went: Government dispensary	discrete	numeric	
V2257	w415c	Went: UHC/UHP/UFWC	discrete	numeric	
V2258	w415d	Went: CHC/rural hospital	discrete	numeric	
V2259	w415e	Went: Primary health centre	discrete	numeric	
V2260	w415f	Went: Sub centre	discrete	numeric	
V2261	w415g	Went: out reach/ MCP clinic in village	discrete	numeric	
V2262	w415h	Went: NGO/Trust hospital	discrete	numeric	
V2263	w415i	Went: Government ISM hospital/clinic	discrete	numeric	
V2264	w415j	Went: Private ISM hospital/clinic	discrete	numeric	
V2265	w415k	Went: Private hospital/clinic	discrete	numeric	
V2266	w415l	Went: Chemist/medical shop	discrete	numeric	
V2267	w415m	Home remedy	discrete	numeric	
V2268	w415n	Went: Other	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2269	w416	Spoken with health personnel	discrete	numeric	
V2270	w417	Satisfaction with current method	discrete	numeric	
V2271	w418	Ever used	discrete	numeric	
V2272	w419	Used by method type	discrete	numeric	
V2273	w420	Main reason discontinued a method	discrete	numeric	
V2274	w421	Currently menstruating	discrete	numeric	
V2275	w422	Advised to adopt FP method by health worker/ANM	discrete	numeric	
V2276	w423	Advised by method type	discrete	numeric	
V2277	w424	Intention to use	discrete	numeric	
V2278	w425	Time to use	discrete	numeric	
V2279	w426	Preferred future method	discrete	numeric	
V2280	w427	Desire for future child	discrete	numeric	
V2281	w428	Desire for future child (SEX)	discrete	numeric	
V2282	w429	Waiting time for next child	discrete	numeric	
V2283	w430	Main reason not using a method	discrete	numeric	
V2284	w501	Visited by FP/health worker	discrete	numeric	
V2285	w502a	Visited by Doctor	discrete	numeric	
V2286	w502b	Visited by ANM/LHV	discrete	numeric	
V2287	w502c	Visited by health worker (male)	discrete	numeric	
V2288	w503a	Discussed with FP worker - family planning	discrete	numeric	
V2289	w503b	Discussed with FP worker - breastfeeding	discrete	numeric	
V2290	w503c	Discussed with FP worker - supplementary feeding	discrete	numeric	
V2291	w503d	Discussed with FP worker - immunization	discrete	numeric	
V2292	w503e	Discussed with FP worker - nutrition	discrete	numeric	
V2293	w503f	Discussed with FP worker - disease prevention	discrete	numeric	
V2294	w503g	Discussed with FP worker - treat. of health prob.	discrete	numeric	
V2295	w503h	Discussed with FP worker - antenatal care	discrete	numeric	
V2296	w503i	Discussed with FP worker - delivery care	discrete	numeric	
V2297	w503j	Discussed with FP worker - postpartum care	discrete	numeric	
V2298	w503k	Discussed with FP worker - child care	discrete	numeric	
V2299	w503l	Discussed with FP worker - sanitation/cleanliness	discrete	numeric	
V2300	w503m	Discussed with FP worker - oral rehydration	discrete	numeric	
V2301	w503n	Discussed with FP worker - other	discrete	numeric	
V2302	w504a	Received pill supply	discrete	numeric	
V2303	w504b	Received condom supply	discrete	numeric	
V2304	w504c	Follow-up for sterilization	discrete	numeric	
V2305	w504d	Follow-up for IUD insertion	discrete	numeric	
V2306	w504e	Family planning advice	discrete	numeric	
V2307	w504f	Other family planning service	discrete	numeric	
V2308	w504g	Received immunization	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2309	w504h	Received antenatal care	discrete	numeric	
V2310	w504i	Received delivery care	discrete	numeric	
V2311	w504j	Received postpartum care	discrete	numeric	
V2312	w504k	Received disease prevention	discrete	numeric	
V2313	w504l	Received medical treatment for self	discrete	numeric	
V2314	w504m	Received treatment for sick child	discrete	numeric	
V2315	w504n	Received other service	discrete	numeric	
V2316	w505	Spend enough time with respondent	discrete	numeric	
V2317	w506	Talk to respondent nicely	discrete	numeric	
V2318	w507	Visited health facility	discrete	numeric	
V2319	w508	Type of health facility	discrete	numeric	
V2320	w509a	Discussed family planning during health facility visit	discrete	numeric	
V2321	w509b	Discussed breastfeeding during health facility visit	discrete	numeric	
V2322	w509c	Discussed supplementary feeding during health facility visit	discrete	numeric	
V2323	w509d	Discussed immunization during health facility visit	discrete	numeric	
V2324	w509e	Discussed nutrition during health facility visit	discrete	numeric	
V2325	w509f	Discussed disease prevention during health facility visit	discrete	numeric	
V2326	w509g	Discussed treatment of health problem during health facility	discrete	numeric	
V2327	w509h	Discussed antenatal care during health facility visit	discrete	numeric	
V2328	w509i	Discussed delivery care during health facility visit	discrete	numeric	
V2329	w509j	Discussed postpartum care during health facility visit	discrete	numeric	
V2330	w509k	Discussed child care during health facility visit	discrete	numeric	
V2331	w509l	Discussed sanitation/cleanliness during health facility visit	discrete	numeric	
V2332	w509m	Discussed oral rehydration during health facility visit	discrete	numeric	
V2333	w509n	Discussed other during health facility visit	discrete	numeric	
V2334	w510a	Went for pill supply	discrete	numeric	
V2335	w510b	Went for condom supply	discrete	numeric	
V2336	w510c	Went for follow-up for sterilization	discrete	numeric	
V2337	w510d	Went for follow-up for IUD insertion	discrete	numeric	
V2338	w510e	Went for family planning advice	discrete	numeric	
V2339	w510f	Went for other family planning service	discrete	numeric	
V2340	w510g	Went for immunization	discrete	numeric	
V2341	w510h	Went for antenatal care	discrete	numeric	
V2342	w510i	Went for delivery care	discrete	numeric	
V2343	w510j	Went for postpartum care	discrete	numeric	
V2344	w510k	Went for disease prevention	discrete	numeric	
V2345	w510l	Went for medical treatment for self	discrete	numeric	
V2346	w510m	Went for treatment for sick child	discrete	numeric	
V2347	w510n	Went for other	discrete	numeric	
V2348	w511a	The convenience of the health facility location	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2349	w511b	Length of time spend towards waiting	discrete	numeric	
V2350	w511c	Personal manner (courtesy, respect, sensitivity, friendliness) of the physician	discrete	numeric	
V2351	w511d	The technical skills and quality (thoroughness, carefulness, competence) of the physician	discrete	numeric	
V2352	w511e	Personal manner (courtesy, respect, sensitivity, friendliness) of nurse	discrete	numeric	
V2353	w511f	The technical skills and quality (thoroughness, carefulness, competence) of nurse	discrete	numeric	
V2354	w511g	Personal manner (courtesy, respect, sensitivity, friendliness) of other staff	discrete	numeric	
V2355	w511h	The technical skills and quality (thoroughness, carefulness, competence) of other staff	discrete	numeric	
V2356	w511i	The explanation of what was done to her	discrete	numeric	
V2357	w511j	Medical, surgical and diagnostic equipment	discrete	numeric	
V2358	w511k	General comfort	discrete	numeric	
V2359	w512	Main reason for not visiting Govt. health facility	discrete	numeric	
V2360	w601	Had mensutruation problem	discrete	numeric	
V2361	w600	Currently mensutruating	discrete	numeric	
V2362	w602a	Mensuturation problem: No periods	discrete	numeric	
V2363	w602b	Mensuturation problem: Painful periods	discrete	numeric	
V2364	w602c	Mensuturation problem: Frequent or short periods	discrete	numeric	
V2365	w602d	Mensuturation problem: Delayed periods	discrete	numeric	
V2366	w602e	Mensuturation problem: Prolonged bleeding	discrete	numeric	
V2367	w602f	Mensuturation problem: Excessive bleeding	discrete	numeric	
V2368	w602g	Mensuturation problem: Continuous bleeding	discrete	numeric	
V2369	w602h	Mensuturation problem: Scanty bleeding	discrete	numeric	
V2370	w602i	Mensuturation problem: Inter -menstrual bleeding	discrete	numeric	
V2371	w603	Duration of Mensuturation problem	discrete	numeric	
V2372	w604	Seek treatment for mensuturation problem	discrete	numeric	
V2373	w605a	Went: Government /municipal hospital	discrete	numeric	
V2374	w605b	Went: Government dispensary	discrete	numeric	
V2375	w605c	Went: UHC/UHP/UFWC	discrete	numeric	
V2376	w605d	Went: CHC/rural hospital	discrete	numeric	
V2377	w605e	Went: Primary health centre	discrete	numeric	
V2378	w605f	Went: Sub centre	discrete	numeric	
V2379	w605g	Went: out reach/ MCP clinic in village	discrete	numeric	
V2380	w605h	Went: NGO/Trust hospital	discrete	numeric	
V2381	w605i	Went: Government ISM hospital/clinic	discrete	numeric	
V2382	w605j	Went: Private ISM hospital/clinic	discrete	numeric	
V2383	w605k	Went: Private hospital/clinic	discrete	numeric	
V2384	w605l	Went: Chemist/medical shop	discrete	numeric	
V2385	w605m	Home remedy	discrete	numeric	
V2386	w605n	Went: Other	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2387	w606a	Spoken to Doctor	discrete	numeric	
V2388	w606b	Spoken to ANM/nurse/LHV	discrete	numeric	
V2389	w606c	Spoken to Trained dai	discrete	numeric	
V2390	w606d	Spoken to Untrained dai	discrete	numeric	
V2391	w606e	Spoken to Relative/friends	discrete	numeric	
V2392	w606f	Spoken to Chemist/medical shop	discrete	numeric	
V2393	w606g	Spoken to Other	discrete	numeric	
V2394	w607	Ever heard of RTI/STI	discrete	numeric	
V2395	w608a	RTI/STI: radio	discrete	numeric	
V2396	w608b	RTI/STI: television	discrete	numeric	
V2397	w608c	RTI/STI: newspapers/books/magazines	discrete	numeric	
V2398	w608d	RTI/STI: slogans/pamphlets/posters/wall hoarding	discrete	numeric	
V2399	w608e	RTI/STI: doctor	discrete	numeric	
V2400	w608f	RTI/STI: health workers	discrete	numeric	
V2401	w608g	RTI/STI: schools/teachers	discrete	numeric	
V2402	w608h	RTI/STI: community meetings	discrete	numeric	
V2403	w608i	RTI/STI: friends/relatives	discrete	numeric	
V2404	w608j	RTI/STI: other	discrete	numeric	
V2405	w609a	RTI/STI transmitted: Homosexual intercourse	discrete	numeric	
V2406	w609b	RTI/STI transmitted: Heterosexual intercourse	discrete	numeric	
V2407	w609c	RTI/STI transmitted: Lack of personal hygiene	discrete	numeric	
V2408	w609d	RTI/STI transmitted: Other	discrete	numeric	
V2409	w609e	RTI/STI transmitted: Do not know	discrete	numeric	
V2410	w610	RTI/STI curable	discrete	numeric	
V2411	w611a	Infections RTI/STI: Itching over vulva	discrete	numeric	
V2412	w611b	Infections RTI/STI: Boils/ulcers/warts around vulva	discrete	numeric	
V2413	w611c	Infections RTI/STI: Pain in lower abdomen not related to menses	discrete	numeric	
V2414	w611d	Infections RTI/STI: Low backache	discrete	numeric	
V2415	w611e	Infections RTI/STI :Pain during sexual Intercourse	discrete	numeric	
V2416	w611f	Infections RTI/STI :Bleeding after sexual Intercourse	discrete	numeric	
V2417	w611g	Infections RTI/STI :Swelling in the groin	discrete	numeric	
V2418	w611h	Infections RTI/STI :Frequent/painful passage of urine	discrete	numeric	
V2419	w611i	Infections RTI/STI :Fever	discrete	numeric	
V2420	w611j	Infections RTI/STI :Some mass coming out of vagina	discrete	numeric	
V2421	w611k	Infections RTI/STI :Any involuntary escape of urine while coughing or sneezing	discrete	numeric	
V2422	w611l	Infections RTI/STI :Swelling lump in breast	discrete	numeric	
V2423	w611x	Seek treatment for RTI/STI problem	discrete	numeric	
V2424	w611ya	Went: Government /municipal hospital	discrete	numeric	
V2425	w611yb	Went: Government dispensary	discrete	numeric	
V2426	w611yc	Went: UHC/UHP/UFWC	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2427	w611yd	Went: CHC/rural hospital	discrete	numeric	
V2428	w611ye	Went: Primary health centre	discrete	numeric	
V2429	w611yf	Went: Sub centre	discrete	numeric	
V2430	w611yg	Went: Out reach/ MCP clinic in village	discrete	numeric	
V2431	w611yh	Went: NGO/Trust hospital	discrete	numeric	
V2432	w611yi	Went: Government ISM hospital/clinic	discrete	numeric	
V2433	w611yj	Went: Private ISM hospital/clinic	discrete	numeric	
V2434	w611yk	Went: Private hospital/clinic	discrete	numeric	
V2435	w611yl	Went: Chemist/medical shop	discrete	numeric	
V2436	w611ym	Home remedy	discrete	numeric	
V2437	w611yn	Went: Other	discrete	numeric	
V2438	w611z	Spoken with health personnel	discrete	numeric	
V2439	w612	Abnormal vaginal discharge	discrete	numeric	
V2440	w613	Wet or stain under clothes	discrete	numeric	
V2441	w614	Color of discharge	discrete	numeric	
V2442	w615	Texture of discharge	discrete	numeric	
V2443	w616	Odour of discharge	discrete	numeric	
V2444	w617	Duration of discharge	discrete	numeric	
V2445	w618	Seek treatment for discharge	discrete	numeric	
V2446	w619a	Went: Government /municipal hospital	discrete	numeric	
V2447	w619b	Went: Government dispensary	discrete	numeric	
V2448	w619c	Went: UHC/UHP/UFWC	discrete	numeric	
V2449	w619d	Went: CHC/rural hospital	discrete	numeric	
V2450	w619e	Went: Primary health centre	discrete	numeric	
V2451	w619f	Went: Sub centre	discrete	numeric	
V2452	w619g	Went: out reach/ MCP clinic in village	discrete	numeric	
V2453	w619h	Went: NGO/Trust hospital	discrete	numeric	
V2454	w619i	Went: Government ISM hospital/clinic	discrete	numeric	
V2455	w619j	Went: Private ISM hospital/clinic	discrete	numeric	
V2456	w619k	Went: Private hospital/clinic	discrete	numeric	
V2457	w619l	Went: Chemist/medical shop	discrete	numeric	
V2458	w619m	Home remedy	discrete	numeric	
V2459	w619n	Went: Other	discrete	numeric	
V2460	w620	Vaginal discharge: seek treatment or advised by	discrete	numeric	
V2461	w621	Ever heard of HIV/AIDS	discrete	numeric	
V2462	w622a	HIV/AIDS: radio	discrete	numeric	
V2463	w622b	HIV/AIDS: television	discrete	numeric	
V2464	w622c	HIV/AIDS: newspapers/books/magazines	discrete	numeric	
V2465	w622d	HIV/AIDS: slogans/pamphlets/posters/wall hoarding	discrete	numeric	
V2466	w622e	HIV/AIDS: doctor	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2467	w622f	HIV/AIDS: health workers	discrete	numeric	
V2468	w622g	HIV/AIDS: schools/teachers	discrete	numeric	
V2469	w622h	HIV/AIDS: community meetings	discrete	numeric	
V2470	w622i	HIV/AIDS: friends/relatives	discrete	numeric	
V2471	w622j	HIV/AIDS: other	discrete	numeric	
V2472	w623a	HIV/AIDS transmitted: Homosexual intercourse	discrete	numeric	
V2473	w623b	HIV/AIDS transmitted: Heterosexual intercourse	discrete	numeric	
V2474	w623c	HIV/AIDS transmitted: Needles/blades/skin puncture	discrete	numeric	
V2475	w623d	HIV/AIDS transmitted: Mother to child	discrete	numeric	
V2476	w623e	HIV/AIDS transmitted: Transfusion of infected blood	discrete	numeric	
V2477	w623f	HIV/AIDS transmitted: other	discrete	numeric	
V2478	w623g	HIV/AIDS transmitted: Do not know	discrete	numeric	
V2479	w624a	HIV/AIDS: avoid hand shaking	discrete	numeric	
V2480	w624b	HIV/AIDS: avoid hugging	discrete	numeric	
V2481	w624c	HIV/AIDS: avoid kissing	discrete	numeric	
V2482	w624d	HIV/AIDS: avoid sharing clothes	discrete	numeric	
V2483	w624e	HIV/AIDS: avoid sharing utensils	discrete	numeric	
V2484	w624f	HIV/AIDS: avoid stepping in urine/stool	discrete	numeric	
V2485	w624g	HIV/AIDS: avoid mosquito, flea or bedbugs bites	discrete	numeric	
V2486	w625a	HIV/AIDS: only one sex partner	discrete	numeric	
V2487	w625b	HIV/AIDS: use condoms during sex	discrete	numeric	
V2488	w625c	HIV/AIDS: avoid blood transfusions	discrete	numeric	
V2489	w625d	HIV/AIDS: avoid unsterilized needles and syringes	discrete	numeric	
V2490	w625e	HIV/AIDS: avoid pregnancy when having HIV	discrete	numeric	
V2491	w625f	HIV/AIDS: avoid other	discrete	numeric	
V2492	w625g	HIV/AIDS: avoid - do not know	discrete	numeric	
V2493	w626	HIV/AIDS : CURABLE	discrete	numeric	
V2494	phase	District in the phase	discrete	numeric	
V2495	wmnwt	Sample weight: District	contin	numeric	
V2496	swmnwt	Sample weight: State	contin	numeric	
V2497	iwmnwt	Sample weight: India	contin	numeric	

INDIA_HUSBAND

Content

Cases 330819

Variable(s) 150

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V2498	state	State	discrete	numeric	
V2499	s_name	State name	discrete	character	
V2500	dist	District	contin	numeric	
V2501	d_name	District name	discrete	character	
V2502	psu	PSU code	contin	numeric	
V2503	tal	Tehsil code	contin	numeric	
V2504	srv	Serial number of village	contin	numeric	
V2505	icmc	Date of interview: CMC	contin	numeric	
V2506	srhh	Serial number of household	contin	numeric	
V2507	newi	Number of eligible women interviewed	discrete	numeric	
V2508	nhi	Number of husband interviewed	discrete	numeric	
V2509	lnrhh	Line number of respondent of household schedule	contin	numeric	
V2510	hh_pk	Case Identification	contin	numeric	
V2511	lineno	Line number of husband in household	contin	numeric	
V2512	srh	Serial number of husband	contin	numeric	
V2513	srew	Serial number of eligible women	contin	numeric	
V2514	type	Place of residence	discrete	numeric	
V2515	h114	Religion'	discrete	numeric	
V2516	h115	Caste	discrete	numeric	
V2517	h116	Source of drinking water	discrete	numeric	
V2518	h117	Type of house	discrete	numeric	
V2519	h118	Type of toilet facility	discrete	numeric	
V2520	h119	Source of lighting	discrete	numeric	
V2521	h120	Type of fuel for cooking	discrete	numeric	
V2522	h121a	Household owing fan	discrete	numeric	
V2523	h121b	Household owing Radio-Transistor	discrete	numeric	
V2524	h121c	Household owing Sewing machine	discrete	numeric	
V2525	h121d	Household owing Television	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2526	h121e	Household owing Telephone	discrete	numeric	
V2527	h121f	Household owing Bicycle	discrete	numeric	
V2528	h121g	Household owing Motor cycle-scooter	discrete	numeric	
V2529	h121h	Household owing car-jeep	discrete	numeric	
V2530	h121i	Household owing Tractor	discrete	numeric	
V2531	sli	Household standard of living index	discrete	numeric	
V2532	hu101	Line number of husband in HH schedule	contin	numeric	
V2533	hu102	Line number of wife in HH schedule	contin	numeric	
V2534	hu103	Age in completed years	contin	numeric	
V2535	hu104	Can read and write	discrete	numeric	
V2536	hu105	Years of schooling	contin	numeric	
V2537	hu106	Ever heard of RTI/STI	discrete	numeric	
V2538	hu107a	RTI/STI: radio	discrete	numeric	
V2539	hu107b	RTI/STI: television	discrete	numeric	
V2540	hu107c	RTI/STI: newspapers/books/magazines	discrete	numeric	
V2541	hu107d	RTI/STI: slogans/pamphlets/posters/wall hoarding	discrete	numeric	
V2542	hu107e	RTI/STI: doctor	discrete	numeric	
V2543	hu107f	RTI/STI: health workers	discrete	numeric	
V2544	hu107g	RTI/STI: schools/teachers	discrete	numeric	
V2545	hu107h	RTI/STI: community meetings	discrete	numeric	
V2546	hu107i	RTI/STI: friends/relatives	discrete	numeric	
V2547	hu107j	RTI/STI: other	discrete	numeric	
V2548	hu108a	RTI/STI transmitted: Homosexual intercourse	discrete	numeric	
V2549	hu108b	RTI/STI transmitted: Heterosexual intercourse	discrete	numeric	
V2550	hu108c	RTI/STI transmitted: Lack of personal hygiene	discrete	numeric	
V2551	hu108d	RTI/STI transmitted: Other	discrete	numeric	
V2552	hu108e	RTI/STI transmitted: Do not know	discrete	numeric	
V2553	hu109	RTI/STI curable	discrete	numeric	
V2554	hu110a	RTI/STI: Any discharge from penis	discrete	numeric	
V2555	hu110b	RTI/STI: Any sore/rash/Redness on genital or anal area	discrete	numeric	
V2556	hu110c	RTI/STI: Difficulty/ pain while urinating or very frequent urination	discrete	numeric	
V2557	hu110d	RTI/STI: Swelling of testis or in groin area (penis)	discrete	numeric	
V2558	hu110e	RTI/STI: Itching/ irritation around genital	discrete	numeric	
V2559	hu111	RTI/STI: Seek treatment	discrete	numeric	
V2560	hu112a	Went: Government /municipal hospital	discrete	numeric	
V2561	hu112b	Went: Government dispensary	discrete	numeric	
V2562	hu112c	Went: UHC/UHP/UFWC	discrete	numeric	
V2563	hu112d	Went: CHC/rural hospital	discrete	numeric	
V2564	hu112e	Went: Primary health centre	discrete	numeric	
V2565	hu112f	Went: Sub centre	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2566	hu112g	Went: NGO/Trust hospital	discrete	numeric	
V2567	hu112h	Went: Private hospital/clinic	discrete	numeric	
V2568	hu112i	Went: Government ISM hospital/clinic	discrete	numeric	
V2569	hu112j	Went: Private ISM hospital/clinic	discrete	numeric	
V2570	hu112k	Went: Chemist/medical shop	discrete	numeric	
V2571	hu112l	Went: Other	discrete	numeric	
V2572	hu113a	Spoken to doctor	discrete	numeric	
V2573	hu113b	Spoken to male health worker	discrete	numeric	
V2574	hu113c	Spoken to traditional healer	discrete	numeric	
V2575	hu113d	Spoken to relatives/friends	discrete	numeric	
V2576	hu113e	Spoken to ISM practioner	discrete	numeric	
V2577	hu113f	Home remedy	discrete	numeric	
V2578	hu113g	Spoken to Chemist/medical shop	discrete	numeric	
V2579	hu113h	Spoken to other	discrete	numeric	
V2580	hu114	Discussed RTI/STI problems with wife	discrete	numeric	
V2581	hu115	Wife took treatment	discrete	numeric	
V2582	hu116	Ever heard of HIV/AIDS	discrete	numeric	
V2583	hu117a	HIV/AIDS: radio	discrete	numeric	
V2584	hu117b	HIV/AIDS: television	discrete	numeric	
V2585	hu117c	HIV/AIDS: newspapers/books/magazines	discrete	numeric	
V2586	hu117d	HIV/AIDS: slogans/pamphlets/posters/wall hoarding	discrete	numeric	
V2587	hu117e	HIV/AIDS: doctor	discrete	numeric	
V2588	hu117f	HIV/AIDS: health workers	discrete	numeric	
V2589	hu117g	HIV/AIDS: schools/teachers	discrete	numeric	
V2590	hu117h	HIV/AIDS: community meetings	discrete	numeric	
V2591	hu117i	HIV/AIDS: friends/relatives	discrete	numeric	
V2592	hu117j	HIV/AIDS: other	discrete	numeric	
V2593	hu118a	HIV/AIDS transmitted: Homosexual intercourse	discrete	numeric	
V2594	hu118b	HIV/AIDS transmitted: Heterosexual intercourse	discrete	numeric	
V2595	hu118c	HIV/AIDS transmitted: Needles/blades/skin puncture	discrete	numeric	
V2596	hu118d	HIV/AIDS transmitted: Mother to child	discrete	numeric	
V2597	hu118e	HIV/AIDS transmitted: Transfusion of infected blood	discrete	numeric	
V2598	hu118f	HIV/AIDS transmitted: other	discrete	numeric	
V2599	hu118g	HIV/AIDS transmitted: Do not know	discrete	numeric	
V2600	hu119a	HIV/AIDS: avoid hand shaking	discrete	numeric	
V2601	hu119b	HIV/AIDS: avoid hugging	discrete	numeric	
V2602	hu119c	HIV/AIDS: avoid kissing	discrete	numeric	
V2603	hu119d	HIV/AIDS: avoid sharing clothes	discrete	numeric	
V2604	hu119e	HIV/AIDS: avoid sharing utensils	discrete	numeric	
V2605	hu119f	HIV/AIDS: avoid stepping in urine/stool	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2606	hu119g	HIV/AIDS: avoid mosquito, flea or bedbugs bites	discrete	numeric	
V2607	hu120a	HIV/AIDS: only one sex partner	discrete	numeric	
V2608	hu120b	HIV/AIDS: use condoms during sex	discrete	numeric	
V2609	hu120c	HIV/AIDS: avoid blood transfusions	discrete	numeric	
V2610	hu120d	HIV/AIDS: avoid unsterilized needles and syringes	discrete	numeric	
V2611	hu120e	HIV/AIDS: avoid pregnancy when having HIV	discrete	numeric	
V2612	hu120f	HIV/AIDS: avoid other	discrete	numeric	
V2613	hu120g	HIV/AIDS: avoid - do not know	discrete	numeric	
V2614	hu121	HIV/AIDS : CURABLE	discrete	numeric	
V2615	hu122a	Number of sons	discrete	numeric	
V2616	hu122b	Number of daughters	discrete	numeric	
V2617	hu122c	Number of children	discrete	numeric	
V2618	hu123	Currently using any family planning method	discrete	numeric	
V2619	hu0124		discrete	numeric	
V2620	hu124	Current use by method type	discrete	numeric	
V2621	hu125a	Fear of impotency: Reason not accepting any male method	discrete	numeric	
V2622	hu125b	Lack of sexual pleasure: Reason not accepting any male method	discrete	numeric	
V2623	hu125c	Fear of method failure: Reason not accepting any male method	discrete	numeric	
V2624	hu125d	Fear of operation: Reason not accepting any male method	discrete	numeric	
V2625	hu125e	Fear of weakness: Reason not accepting any male method	discrete	numeric	
V2626	hu125f	Female methods are popular: Reason not accepting any male method	discrete	numeric	
V2627	hu125g	Other: Reason not accepting any male method	discrete	numeric	
V2628	hu126	Desire for future child	discrete	numeric	
V2629	hu127	Desire for future child (SEX)	discrete	numeric	
V2630	hu128	Waiting time for next child	discrete	numeric	
V2631	hu129	Main reason not using a method	discrete	numeric	
V2632	hu130	Intention to use	discrete	numeric	
V2633	hu131	Preferred future method	discrete	numeric	
V2634	hu132a	Fear of impotency: Reason not intending any male method	discrete	numeric	
V2635	hu132b	Lack of sexual pleasure: Reason not intending any male method	discrete	numeric	
V2636	hu132c	Fear of method failure: Reason not intending any male method	discrete	numeric	
V2637	hu132d	Fear of operation: Reason not intending any male method	discrete	numeric	
V2638	hu132e	Fear of weakness: Reason not intending any male method	discrete	numeric	
V2639	hu132f	Female methods are popular: Reason not intending any male method	discrete	numeric	
V2640	hu132g	Other: Reason not intending any male method	discrete	numeric	
V2641	hu133	Ever heard of NSV	discrete	numeric	
V2642	hu134	Opinion about NSV	discrete	numeric	
V2643	hu135	Opinion about complication of NSV	discrete	numeric	
V2644	hu136	Opinion of NSV about affect sexual performance	discrete	numeric	
V2645	phase	District in the phase	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2646	hsdwt	Sample weight: District	contin	numeric	
V2647	ihsdwt	Sample weight: India	contin	numeric	

VILLAGE_NDIA

Content

Cases 15989

Variable(s) 71

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V2648	state	State code	contin	numeric	
V2649	dist	District code	contin	numeric	
V2650	tal	Tehsil code	contin	numeric	
V2651	psu	PSU code	contin	numeric	
V2652	srv	Serial number of village	contin	numeric	
V2653	res	Respondent of village schedule	discrete	numeric	
V2654	v101	Distance to neareset town (in KM)	contin	numeric	
V2655	v102	Distance to district head quarter (in KM)	contin	numeric	
V2656	v103a	Distance to BUS stand (in KM)	contin	numeric	
V2657	v103b	Distance to Railway station (in KM)	contin	numeric	
V2658	v104	Is village connected by road to other places	discrete	numeric	
V2659	v105aa	Primary school : in village	discrete	numeric	
V2660	v105ab	Middle school : in village	discrete	numeric	
V2661	v105ac	Secondary school : in village	discrete	numeric	
V2662	v105ad	Higher secondary school : in village	discrete	numeric	
V2663	v105ae	College : in village	discrete	numeric	
V2664	v105af	Gurujee scheme : in village	discrete	numeric	
V2665	v105ag	Madarasa: in village	discrete	numeric	
V2666	v105ba	Distance: Primary school	contin	numeric	
V2667	v106aa	CDS: in village	discrete	numeric	
V2668	v106ab	Sub centre: in village	discrete	numeric	
V2669	v105bb	Distance: Middle school	contin	numeric	
V2670	v106ac	PHC: in village	discrete	numeric	
V2671	v105bc	Distance: Secondary school	contin	numeric	
V2672	v106ad	CHC/RH: in village	discrete	numeric	
V2673	v105bd	Distance: Higher secondary school	contin	numeric	
V2674	v106ae	Govt dispensary: in village	discrete	numeric	
V2675	v105be	Distance: College	contin	numeric	

ID	Name	Label	Type	Format	Question
V2676	v105bf	Distance: Guruji scheme	contin	numeric	
V2677	v106af	Govt. hospital: in village	discrete	numeric	
V2678	v106ag	Private clinic: in village	discrete	numeric	
V2679	v105bg	Distance: Madarasa	contin	numeric	
V2680	v106ah	Private hospital: in village	discrete	numeric	
V2681	v106ai	ISM health facility: in village	discrete	numeric	
V2682	v107a	Number of Private doctor	contin	numeric	
V2683	v107b	Number of Visiting doctor	contin	numeric	
V2684	v107c	Number of Unani doctor	contin	numeric	
V2685	v107d	Number of Ayurvedic doctor	contin	numeric	
V2686	v107e	Number of Homeopathic doctor	contin	numeric	
V2687	v107f	Number of Sidha doctor	contin	numeric	
V2688	v107g	Number of Traditional healer	contin	numeric	
V2689	v107h	Number of Village health guard	contin	numeric	
V2690	v106ba	Distance of ICDS from village	contin	numeric	
V2691	v106bb	Distance of Sub centre from village	contin	numeric	
V2692	v107i	Number of Trained birth attendant	contin	numeric	
V2693	v107j	Number of Dai	contin	numeric	
V2694	v106bc	Distance of PHC from village	contin	numeric	
V2695	v107k	Number of Anganwadi worker	contin	numeric	
V2696	v106bd	Distance of CHC/RH from village	contin	numeric	
V2697	v107l	Number of Other health worker	contin	numeric	
V2698	v106be	Distance of Govt dispensary from village	contin	numeric	
V2699	v106bf	Distance of Govt. hospital from village	contin	numeric	
V2700	v106bg	Distance of Private clinic from village	contin	numeric	
V2701	v106bh	Distance of Private hospital from village	contin	numeric	
V2702	v106bi	Distance of ISM health facility from village	contin	numeric	
V2703	v106ca	ICDS : accessible throughout the year	discrete	numeric	
V2704	v106cb	Sub centre : accessible throughout the year	discrete	numeric	
V2705	v106cc	PHC : accessible throughout the year	discrete	numeric	
V2706	v106cd	CHC/RH : accessible throughout the year	discrete	numeric	
V2707	v106ce	Govt. dispensary : accessible throughout the year	discrete	numeric	
V2708	v106cf	Govt. hospital : accessible throughout the year	discrete	numeric	
V2709	v106cg	Private clinic : accessible throughout the year	discrete	numeric	
V2710	v106ch	Private hospital : accessible throughout the year	discrete	numeric	
V2711	v106ci	ISM health facility : accessible throughout the year	discrete	numeric	
V2712	v108a	Services for the village: Mobile health clinic	discrete	numeric	
V2713	v108b	Services for the village: Mobile child health clinic	discrete	numeric	
V2714	v109	Number of visits of Mobile clinic	discrete	numeric	
V2715	vst		discrete	numeric	

ID	Name	Label	Type	Format	Question
V2716	vresults	Result status of village schedule	discrete	numeric	
V2717	create_d	create_date	discrete	character	
V2718	modify_d	modify_date	discrete	character	

PHC

Content

Cases 9688

Variable(s) 339

Structure
Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V2719	srno	serial number	contin	numeric	
V2720	p1	State name	discrete	character	
V2721	sc	Statecode	discrete	numeric	
V2722	p2	District name	discrete	character	
V2723	dc	District code	contin	numeric	
V2724	p3	Tehsil name	discrete	character	
V2725	tc	Tesil code	contin	numeric	
V2726	p4	Block name	discrete	character	
V2727	bc	Block code	contin	numeric	
V2728	p5	functioning year of the PHC	discrete	numeric	
V2729	p6	functioning year of the PHC from this building	discrete	numeric	
V2730	p7	Name of the PHC(village/town)	discrete	character	
V2731	phcc	PHC code	contin	numeric	
V2732	p8	number of villages covered by PHC	discrete	numeric	
V2733	p9	Population covered by PHC	discrete	numeric	
V2734	p10a	Month	contin	numeric	
V2735	p10b	Year	contin	numeric	
V2736	p11a	distance of the higher level health facility from the PHC	discrete	numeric	
V2737	p11b	type of the higher level health facility	discrete	numeric	
V2738	p12	Nearest sub-center (KM)	contin	numeric	
V2739	p13	Farthest sub-center(KM)	contin	numeric	
V2740	p14	No. of village in PHC area accessible through out the year	contin	numeric	
V2741	p15	Total no. of sub-centers attached to the PHC	contin	numeric	
V2742	p16	No. of sub -centers attached to this PHC with its own premises	contin	numeric	
V2743	p17	Type of work of the respondent	discrete	numeric	
V2744	p18a	Date of data collection	contin	numeric	
V2745	p18b	Month of data collection	contin	numeric	
V2746	p18c	Year of data collection	contin	numeric	

ID	Name	Label	Type	Format	Question
V2747	p19	Owner ship of the PHC building	discrete	numeric	
V2748	p20	Type of PHC building (observed)	discrete	numeric	
V2749	p21a	Maintenance of the PHC building	discrete	numeric	
V2750	p21b	Years	contin	numeric	
V2751	p22	Present conition of the building	discrete	numeric	
V2752	p23a	No. of quarter available for Medical Officer	discrete	numeric	
V2753	p23b	Quarter occupied by Medical Officer	discrete	numeric	
V2754	p23c	At least one Medical Officer stay in the PHC compound	discrete	numeric	
V2755	p24a	No. of quarter available for Health Assistant Male	discrete	numeric	
V2756	p24b	Quarter occupied by Health Assistant Male	discrete	numeric	
V2757	p24c	At least one Health Assistant Male stay in the PHC compound	discrete	numeric	
V2758	p25a	No. of quarter available for Health Assistant Female	discrete	numeric	
V2759	p25b	Quarter occupied by Health Assistant Female	discrete	numeric	
V2760	p25c	At least one Health Assistant Female stay in the PHC compound	discrete	numeric	
V2761	p26a	No. of quarter available for Nurse/ANM	discrete	numeric	
V2762	p26b	Quarter occupied by Nurse/ANM	discrete	numeric	
V2763	p26c	At least one Nurse/ANM stay in the PHC compound	discrete	numeric	
V2764	p27a	No. of quarter available for others	discrete	numeric	
V2765	p27b	Quarter occupied by others	discrete	numeric	
V2766	p27c	At least one others stay in the PHC compound	discrete	numeric	
V2767	p28	Main source of water supply	discrete	numeric	
V2768	p29	Water supply regular	discrete	numeric	
V2769	p30	Over head tank available	discrete	numeric	
V2770	p31	Electricity connection available	discrete	numeric	
V2771	p32	Generator available	discrete	numeric	
V2772	p33	Telephone facility	discrete	numeric	
V2773	p34	Any other	discrete	numeric	
V2774	p35a	Type of toilet Toilet-1	discrete	numeric	
V2775	p35b	Type of toilet Toilet-2	discrete	numeric	
V2776	p35c	Type of toilet Toilet-3	discrete	numeric	
V2777	p36	Vehicle available	discrete	numeric	
V2778	p37	Since when(year)	contin	numeric	
V2779	p38	Provision to hire vehicle	discrete	numeric	
V2780	p39	Vehicle functional on date of interview	discrete	numeric	
V2781	p40	Off road since when	discrete	numeric	
V2782	p41	PHC driver available for regular duty	discrete	numeric	
V2783	p42	PHC driver Available for the emergency duty	discrete	numeric	
V2784	p43	Supply of Petrol/diesel	discrete	numeric	
V2785	p44	Allocation of money sufficient for repair	discrete	numeric	
V2786	p45a	O.T Available	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2787	p45b	Utilized OT	discrete	numeric	
V2788	p46	Separate generator Available for O.T	discrete	numeric	
V2789	p47a	Exhaust fan fixed in the O.T	discrete	numeric	
V2790	p47b	Utilized	discrete	numeric	
V2791	p48	Fumigation done regularly in O.T	discrete	numeric	
V2792	p49a	Labor room/IUD room available	discrete	numeric	
V2793	p49b	Utilized	discrete	numeric	
V2794	p50	Fumigation done regularly in labor room/IUD room	discrete	numeric	
V2795	p51a	Separate ANC clinic room	discrete	numeric	
V2796	p51b	Utilized	discrete	numeric	
V2797	p52a	Dispensing room	discrete	numeric	
V2798	p52b	Utilized	discrete	numeric	
V2799	p53a	Doctor's room	discrete	numeric	
V2800	p53b	Utilized	discrete	numeric	
V2801	p54a	Store room	discrete	numeric	
V2802	p54b	Utilized	discrete	numeric	
V2803	p55a	Blood test-routine	discrete	numeric	
V2804	p55b	Utilized	discrete	numeric	
V2805	p56a	Blood test-VDRL	discrete	numeric	
V2806	p56b	Utilized	discrete	numeric	
V2807	p57a	Urine test	discrete	numeric	
V2808	p57b	Utilized	discrete	numeric	
V2809	p58a	Stool test	discrete	numeric	
V2810	p58b	Utilized	discrete	numeric	
V2811	p59	No. of beds Available	contin	numeric	
V2812	p60	Bed-sheets or blankets Available as per norms	discrete	numeric	
V2813	p61a	Sanctioned post for Medical officer (Male)	discrete	numeric	
V2814	p61b	Regular post for Medical officer (Male)	discrete	numeric	
V2815	p61c	Position is vacant for Medical officer (Male)	contin	numeric	
V2816	p62a	Sanctioned post for Medical officer (Female)	contin	numeric	
V2817	p62b	Regular post for Medical officer (Female)	discrete	numeric	
V2818	p62c	Position is vacant for Medical officer (Female)	contin	numeric	
V2819	p63	Doctor appointed on contracts or temporary	discrete	numeric	
V2820	p64a	No. of Male Doctor appointed on contract	discrete	numeric	
V2821	p64b	No. of Female Doctor appointed on contract	discrete	numeric	
V2822	p65	Training of medical officer during last 3 years for Sterilization (tubectomy)	contin	numeric	
V2823	p66	Training of medical officer during last 3 years for No scalpel vasectomy	discrete	numeric	
V2824	p67	Training of medical officer during last 3 years for MTP	discrete	numeric	
V2825	p68	Training of medical officer during last 3 years for RCH integrated training	contin	numeric	
V2826	p69a	No. of Health Educator/Pharmacist Sanctioned	contin	numeric	

ID	Name	Label	Type	Format	Question
V2827	p69b	No. of Health Educator/Pharmacist Filled	discrete	numeric	
V2828	p70a	No. of Compounder post Sanctioned	discrete	numeric	
V2829	p70b	No. of Compounder post Filled	discrete	numeric	
V2830	p71a	No. of Lab. technician post Sanctioned	discrete	numeric	
V2831	p71b	No. of Lab. technician post Filled	discrete	numeric	
V2832	p72a	No. of Class III staff Sanctioned	contin	numeric	
V2833	p72b	No. of Class III staff Filled	contin	numeric	
V2834	p73a	No. of Driver Sanctioned	contin	numeric	
V2835	p73b	No. of Driver Filled	discrete	numeric	
V2836	p74a	No. of Class IV staff Sanctioned	contin	numeric	
V2837	p74b	No. of Class IV staff Filled	contin	numeric	
V2838	p75a	No. of Other (specify)Sanctioned	contin	numeric	
V2839	p75b	No. of Other (specify)Filled	contin	numeric	
V2840	p76a	No. of Public health nurse/staff nurse/mid wives Sanctioned	contin	numeric	
V2841	p76b	No. of Public health nurse/staff nurse/mid wives Filled	contin	numeric	
V2842	p76c	No. of Public health nurse/staff nurse/mid wives trained for IUD	contin	numeric	
V2843	p76d	No. of Public health nurse/staff nurse/mid wives trained for UIP	contin	numeric	
V2844	p76e	No. of Public health nurse/staff nurse/mid wives trained for CDC/ORT	contin	numeric	
V2845	p76f	No. of Public health nurse/staff nurse/mid wives trained for ARI	contin	numeric	
V2846	p76g	No. of Public health nurse/staff nurse/mid wives trained for CSSM	contin	numeric	
V2847	p76h	No. of Public health nurse/staff nurse/mid wives trained for RCH	contin	numeric	
V2848	p76i	No. of Public health nurse/staff nurse/mid wives trained for Sexuality transmitted infection	contin	numeric	
V2849	p76j	No. of Public health nurse/staff nurse/mid wives trained for Blood pressure checking	contin	numeric	
V2850	p77a	No. of Health Assistant Male Sanctioned	contin	numeric	
V2851	p77b	No. of Health Assistant Male Filled	contin	numeric	
V2852	p77c	No. of Health Assistant Male trained for IUD	discrete	numeric	
V2853	p77d	No. of Health Assistant Male trained for UIP	discrete	numeric	
V2854	p77e	No. of Health Assistant Male trained for CDC/ORT	discrete	numeric	
V2855	p77f	No. of Health Assistant Male trained for ARI	discrete	numeric	
V2856	p77g	No. of Health Assistant Male trained for CSSM	discrete	numeric	
V2857	p77h	No. of Health Assistant Male trained for RCH	discrete	numeric	
V2858	p77i	No. of Health Assistant Male trained for Sexuality transmitted infection	discrete	numeric	
V2859	p77j	No. of Health Assistant Male trained for Blood pressure checking	discrete	numeric	
V2860	p78a	No. of Health Assistant female Sanctioned	contin	numeric	
V2861	p78b	No. of Health Assistant female Filled	contin	numeric	
V2862	p78c	No. of Health Assistant female trained for IUD	contin	numeric	
V2863	p78d	No. of Health Assistant female trained for UIP	contin	numeric	
V2864	p78e	No. of Health Assistant female trained for CDC/ORT	contin	numeric	
V2865	p78f	No. of Health Assistant female trained for ARI	contin	numeric	

ID	Name	Label	Type	Format	Question
V2866	p78g	No. of Health Assistant female trained for CSSM	contin	numeric	
V2867	p78h	No. of Health Assistant female trained for RCH	contin	numeric	
V2868	p78i	No. of Health Assistant female trained for Sexuality transmitted infection	contin	numeric	
V2869	p78j	No. of Health Assistant female trained for Blood pressure checking	contin	numeric	
V2870	p79a	No. of MPW male Sanctioned	contin	numeric	
V2871	p79b	No. of MPW male Filled	contin	numeric	
V2872	p79c	No. of MPW male trained for IUD	contin	numeric	
V2873	p79d	No. of MPW male trained for UIP	contin	numeric	
V2874	p79e	No. of MPW male trained for CDC/ORT	contin	numeric	
V2875	p79f	No. of MPW male trained for ARI	discrete	numeric	
V2876	p79g	No. of MPW male trained for CSSM	contin	numeric	
V2877	p79h	No. of MPW male trained for RCH	contin	numeric	
V2878	p79i	No. of MPW male trained for Sexuality transmitted infection	contin	numeric	
V2879	p79j	No. of MPW male trained for Blood pressure checking	contin	numeric	
V2880	p80a	No. of MPW female Sanctioned	contin	numeric	
V2881	p80b	No. of MPW female Filled	contin	numeric	
V2882	p80c	No. of MPW female trained for IUD	contin	numeric	
V2883	p80d	No. of MPW female trained for UIP	contin	numeric	
V2884	p80e	No. of MPW female trained for CDC/ORT	contin	numeric	
V2885	p80f	No. of MPW female trained for ARI	contin	numeric	
V2886	p80g	No. of MPW female trained for CSSM	contin	numeric	
V2887	p80h	No. of MPW female trained for RCH	contin	numeric	
V2888	p80i	No. of MPW female trained for Sexuality transmitted infection	contin	numeric	
V2889	p80j	No. of MPW female trained for Blood pressure checking	contin	numeric	
V2890	p81a	No. of others Sanctioned	contin	numeric	
V2891	p81b	No. of others Filled	contin	numeric	
V2892	p81c	No. of others trained for IUD	contin	numeric	
V2893	p81d	No. of others trained for UIP	contin	numeric	
V2894	p81e	No. of others trained for CDC/ORT	contin	numeric	
V2895	p81f	No. of others trained for ARI	contin	numeric	
V2896	p81g	No. of others trained for CSSM	contin	numeric	
V2897	p81h	No. of others trained for RCH	contin	numeric	
V2898	p81i	No. of others trained for Sexuality transmitted infection	contin	numeric	
V2899	p81j	No. of others trained for Blood pressure checking	contin	numeric	
V2900	p82a	No. of X-ray machine Available	discrete	numeric	
V2901	p82b	No. of X-ray machine Functioning	discrete	numeric	
V2902	p83a	No. of Examination table Available	contin	numeric	
V2903	p83b	No. of Examination table Functioning	contin	numeric	
V2904	p84a	No. of Weighing machine (infant) Available	contin	numeric	
V2905	p84b	No. of Weighing machine (infant) Functioning	contin	numeric	

ID	Name	Label	Type	Format	Question
V2906	p85a	No. of Weighing machine (adult) Available	contin	numeric	
V2907	p85b	No. of Weighing machine (adult) Functioning	contin	numeric	
V2908	p86a	No. of B.P instrument Available	contin	numeric	
V2909	p86b	No. of B.P instrument Functioning	contin	numeric	
V2910	p87a	No. of Stethoscope Available	contin	numeric	
V2911	p87b	No. of Stethoscope Functioning	discrete	numeric	
V2912	p88a	No. of Autoclave Available	discrete	numeric	
V2913	p88b	No. of Autoclave Functioning	discrete	numeric	
V2914	p89a	No. of Steam sterilize drum Available	contin	numeric	
V2915	p89b	No. of Steam sterilize drum Functioning	contin	numeric	
V2916	p90a	No. of MTP suction aspirators Available	contin	numeric	
V2917	p90b	No. of MTP suction aspirators Functioning	contin	numeric	
V2918	p91a	No. of Microscope & Lab. equipment Available	contin	numeric	
V2919	p91b	No. of Microscope & Lab. equipment Functioning	contin	numeric	
V2920	p92a	No. of Oxygen cylinder Available	contin	numeric	
V2921	p92b	No. of Oxygen cylinder Functioning	contin	numeric	
V2922	p93a	No. of Labor room equipments Available	contin	numeric	
V2923	p93b	No. of Labor room equipments Functioning	contin	numeric	
V2924	p94a	No. of Labor room table Available	contin	numeric	
V2925	p94b	No. of Labor room table Functioning	contin	numeric	
V2926	p95a	No. of O.T table Available	discrete	numeric	
V2927	p95b	No. of O.T table Functioning	discrete	numeric	
V2928	p96a	No. of ILR 300 Available	discrete	numeric	
V2929	p96b	No. of ILR 300 Functioning	discrete	numeric	
V2930	p96c	Thermometer available in ILR 300	discrete	numeric	
V2931	p97a	No. of ILR 140 Available	discrete	numeric	
V2932	p97b	No. of ILR 140 Functioning	discrete	numeric	
V2933	p97c	Thermometer available in ILR 140	discrete	numeric	
V2934	p98a	No. of Deep freezer 300 Available	discrete	numeric	
V2935	p98b	No. of Deep freezer 300 Functioning	discrete	numeric	
V2936	p98c	Thermometer available in deep freezer 300	discrete	numeric	
V2937	p99a	No. of Deep freezer 140 Available	discrete	numeric	
V2938	p99b	No. of Deep freezer 140 Functioning	discrete	numeric	
V2939	p99c	Thermometer available in Deep freezer 140	discrete	numeric	
V2940	p100a	No. of Refrigerator Available	discrete	numeric	
V2941	p100b	No. of Refrigerator Functioning	discrete	numeric	
V2942	p101a	No. of Cold Box Available	contin	numeric	
V2943	p101b	No. of Cold Box Functioning	contin	numeric	
V2944	p102a	No. of Vaccine/day carrier Available	contin	numeric	
V2945	p102b	No. of Vaccine/day carrier Functioning	contin	numeric	

ID	Name	Label	Type	Format	Question
V2946	p103	Thermometer functioning	discrete	numeric	
V2947	p104	Thermometer kept in ILR	discrete	numeric	
V2948	p105	Daily temperature chart maintained	discrete	numeric	
V2949	p106	No. of times Temperature out of range from 2 to 8 degree during the last one week	contin	numeric	
V2950	p107	Needles are adequate	discrete	numeric	
V2951	p108	Syringes are adequate	discrete	numeric	
V2952	p109	Syringes are autoclaved or not	discrete	numeric	
V2953	p110	Are disposable items used	discrete	numeric	
V2954	p111	How are they destroyed after use	discrete	numeric	
V2955	p112	Supplied Kits A Drugs (sub-center)	discrete	numeric	
V2956	p113	Supplied Kits B Drugs (sub-center)	discrete	numeric	
V2957	p114	Supplied Kit C equipments (Sub-center)	discrete	numeric	
V2958	p115a	Supplied Kits D equipments (PHC)	discrete	numeric	
V2959	p115b	Utilized Kits D equipments (PHC)	discrete	numeric	
V2960	p116a	Supplied Kit G IUD insertion (PHC)	discrete	numeric	
V2961	p116b	Utilized Kit G IUD insertion (PHC)	discrete	numeric	
V2962	p117a	Supplied Kit Normal delivery kit (PHC)	discrete	numeric	
V2963	p117b	Utilized Kit Normal delivery kit (PHC)	discrete	numeric	
V2964	p118a	Supplied Kit of Essential obstetric care drugs (PHC)	discrete	numeric	
V2965	p118b	Utilized Kit of Essential obstetric care drugs (PHC)	discrete	numeric	
V2966	p119a	Supplied Infant resuscitation bag with mask	discrete	numeric	
V2967	p119b	Utilized Infant resuscitation bag with mask	discrete	numeric	
V2968	p120a	Supplied Weighing machine	discrete	numeric	
V2969	p120b	Utilized Weighing machine	discrete	numeric	
V2970	p121a	Supplied Paddle operated suction machine	discrete	numeric	
V2971	p121b	Utilized Paddle operated suction machine	discrete	numeric	
V2972	p122a	Supplied Mounted lamp with 200 w bulb (warming device)	discrete	numeric	
V2973	p122b	Utilized Mounted lamp with 200 w bulb (warming device)	discrete	numeric	
V2974	p123a	Supplied Baby bassinet	discrete	numeric	
V2975	p123b	Utilized Baby bassinet	discrete	numeric	
V2976	p124a	Quantity of the stock of Lubricated Nirodh Piece	contin	numeric	
V2977	p124b	Nirodh Supply is regular	discrete	numeric	
V2978	p124c	Available quantity of Nirodh is sufficient for the next months requirement	discrete	numeric	
V2979	p124d	Nirodh Out of stock during the last one month	discrete	numeric	
V2980	p125a	Quantity of the stock of Oral pills cycles	contin	numeric	
V2981	p125b	Oral pills Supply is regular	discrete	numeric	
V2982	p125c	Available quantity of Oral pills is sufficient for the next months requirement	discrete	numeric	
V2983	p125d	Oral pills Out of stock during the last one month	discrete	numeric	
V2984	p126a	Quantity of the stock of IUDs	contin	numeric	
V2985	p126b	IUDs Supply is regular	discrete	numeric	

ID	Name	Label	Type	Format	Question
V2986	p126c	Available quantity of IUDs is sufficient for the next months requirement	discrete	numeric	
V2987	p126d	IUDs Out of stock during the last one month	discrete	numeric	
V2988	p127a	Quantity of the stock of BCG vaccine	contin	numeric	
V2989	p127b	BCG vaccine Supply is regular	discrete	numeric	
V2990	p127c	Available quantity of BCG vaccine is sufficient for the next months requirement	discrete	numeric	
V2991	p127d	BCG vaccine Out of stock during the last one month	discrete	numeric	
V2992	p128a	Quantity of the stock of DPT vaccine	contin	numeric	
V2993	p128b	DPT vaccine Supply is regular	discrete	numeric	
V2994	p128c	Available quantity of DPT vaccine is sufficient for the next months requirement	discrete	numeric	
V2995	p128d	DPT vaccine Out of stock during the last one month	discrete	numeric	
V2996	p129a	Quantity of the stock of OPV (vial/or ampule) vaccine	contin	numeric	
V2997	p129b	OPV vaccine Supply is regular	discrete	numeric	
V2998	p129c	Available quantity of OPV vaccine is sufficient for the next months requirement	discrete	numeric	
V2999	p129d	OPV vaccine Out of stock during the last one month	discrete	numeric	
V3000	p130a	Quantity of the stock of Measles vaccine	contin	numeric	
V3001	p130b	Measles vaccine Supply is regular	discrete	numeric	
V3002	p130c	Available quantity of Measles vaccine is sufficient for the next months requirement	discrete	numeric	
V3003	p130d	Measles vaccine Out of stock during the last one month	discrete	numeric	
V3004	p131a	Quantity of the stock of DT vaccine	contin	numeric	
V3005	p131b	DT vaccine Supply is regular	discrete	numeric	
V3006	p131c	Available quantity of DT vaccine is sufficient for the next months requirement	discrete	numeric	
V3007	p131d	DT vaccine Out of stock during the last one month	discrete	numeric	
V3008	p132a	Quantity of the stock of TT vaccine	contin	numeric	
V3009	p132b	TT vaccine Supply is regular	discrete	numeric	
V3010	p132c	Available quantity of TT vaccine is sufficient for the next months requirement	discrete	numeric	
V3011	p132d	TT vaccine Out of stock during the last one month	discrete	numeric	
V3012	p133a	Quantity of stock IFA Tab.(Large)	contin	numeric	
V3013	p133b	IFA Tab.(Large) Supply is regular	discrete	numeric	
V3014	p133c	Available quantity of IFA Tab.(Large) is sufficient for the next months requirement	discrete	numeric	
V3015	p133d	IFA Tab.(Large) Out of stock during the last one month	discrete	numeric	
V3016	p134a	Quantity of stock IFA Tab.(Small)	contin	numeric	
V3017	p134b	IFA Tab.(small) Supply is regular	discrete	numeric	
V3018	p134c	Available quantity of IFA Tab.(small) is sufficient for the next months requirement	discrete	numeric	
V3019	p134d	IFA Tab.(small) Out of stock during the last one month	discrete	numeric	
V3020	p135a	Quantity of stock of bottles Vitamine A solution	contin	numeric	
V3021	p135b	Vitamine A solution Supply is regular	discrete	numeric	
V3022	p135c	Available quantity of Vitamine A solution is sufficient for the next months requirement	discrete	numeric	
V3023	p135d	Vitamine A solution Out of stock during the last one month	discrete	numeric	
V3024	p136a	Quantity of stock of Number of ORS packet	contin	numeric	

ID	Name	Label	Type	Format	Question
V3025	p136b	ORS packet Supply is regular	discrete	numeric	
V3026	p136c	Available quantity of ORS packet is sufficient for the next months requirement	discrete	numeric	
V3027	p136d	ORS packet Out of stock during the last one month	discrete	numeric	
V3028	p137a	Quantity of stock of Contramaxazol tablets	contin	numeric	
V3029	p137b	Contramaxazol tablets Supply is regular	discrete	numeric	
V3030	p137c	Available quantity of Contamaxazol tablets is sufficient for the next months requirement	discrete	numeric	
V3031	p137d	contramaxazol tabletsOut of stock during the last one month	discrete	numeric	
V3032	p138	OPV send for testing in last 3 month	discrete	numeric	
V3033	p139	What was the result	discrete	numeric	
V3034	p140	No. of Deliveries conducted at the PHC during last 3 months	contin	numeric	
V3035	p141a	No. Of new born babies weighed during last 3 months	contin	numeric	
V3036	p141b	No. Of low birth weight babies during last 3 months	contin	numeric	
V3037	p141c	Neo-natal care treated at PHC	contin	numeric	
V3038	p141d	Neo-natal care referred to FRU/DH	contin	numeric	
V3039	p142a	No. of children under 5 with Pneumonia treated at PHC	contin	numeric	
V3040	p142b	No. of children under 5 with Pneumonia referred to FRU/DH	contin	numeric	
V3041	p143a	No. of children under 5 with acute diarrhoeal diseases treated at PHC	contin	numeric	
V3042	p143b	No. of children under 5 with acute diarrhoeal diseases referred to FRU/DH	contin	numeric	
V3043	p144a	No. of male sterilizations Conventional vasectomy	contin	numeric	
V3044	p144b	No. of male sterilizations No-Scalpel Vasectomy	contin	numeric	
V3045	p145a	No. Of female Sterilizations Abdominal	contin	numeric	
V3046	p145b	No. Of female Sterilizations Laparoscopic	contin	numeric	
V3047	p146	No. Of IUD insertions done	contin	numeric	
V3048	p147	No. Of medical termination of pregnancy	contin	numeric	
V3049	p148	No. Of patients attended in OPD in last 3 month	contin	numeric	
V3050	p149	No. Of lab. Tests in last 3 months	contin	numeric	
V3051	p150	No. Of X-ray done in last 3 months	contin	numeric	
V3052	p151	No. Of patients attended in IPD in last 3 months	contin	numeric	
V3053	p152a	problem of Manpower	discrete	numeric	
V3054	p152b	Problem of Infrastructure	contin	numeric	
V3055	p152c	problem of Supply model	discrete	numeric	
V3056	p152d	Problem of Vehicle	discrete	numeric	
V3057	p152e	Any other specific Problem	contin	numeric	

SC

Content

Cases 18385

Variable(s) 221

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	Name	Label	Type	Format	Question
V3058	srno	serial number	contin	numeric	
V3059	s1	state name	discrete	character	
V3060	sc	State code	discrete	numeric	
V3061	s2	District name	discrete	character	
V3062	dc	District code	contin	numeric	
V3063	s3	Tehsil name	discrete	character	
V3064	tc	Tehsil code	contin	numeric	
V3065	s4a	Block name	discrete	character	
V3066	bc	Block code	contin	numeric	
V3067	s4b	name of Sub centre	discrete	character	
V3068	scc	Sub centre code	contin	numeric	
V3069	s5a	functioning year of the sub centre	discrete	numeric	
V3070	s5b	SC functioning from this building (Year)	contin	numeric	
V3071	s6	Name of PHC where SC is attached	discrete	character	
V3072	phcc	PHC code	contin	numeric	
V3073	s7	No. of villages covered by Sub centre	contin	numeric	
V3074	s8a	Month	contin	numeric	
V3075	s8b	Year	contin	numeric	
V3076	s9	Distance between PHC & SC	contin	numeric	
V3077	s10	Distance between SC and (Other than SC village)	contin	numeric	
V3078	s11	Nearest village under SC(km)	contin	numeric	
V3079	s12	Farthest village under SC(km)	contin	numeric	
V3080	s13	No. of villages in SC accessible through out the year	contin	numeric	
V3081	s14	Designation of the Respondent	contin	numeric	
V3082	s15a	Date	contin	numeric	
V3083	s15b	Month	contin	numeric	
V3084	s15c	Year	contin	numeric	
V3085	s16	Where is SC functioning	discrete	numeric	

ID	Name	Label	Type	Format	Question
V3086	s17	where is ANM staying	discrete	numeric	
V3087	s18	Main source of water supply	discrete	numeric	
V3088	s19	Electricity available	discrete	numeric	
V3089	s20	Toilet available	discrete	numeric	
V3090	s21	Main mode of transportation ANM uses	discrete	numeric	
V3091	s22a	No. of health worker male sanction post	discrete	numeric	
V3092	s22b	No. of health worker female sanction post	discrete	numeric	
V3093	s23a	No. of health worker male post in position	discrete	numeric	
V3094	s23b	No. of health worker female post in position	discrete	numeric	
V3095	s24a	No. of part time voluntary worker male sanction post	discrete	numeric	
V3096	s24b	No.of part time voluntary worker female sanction post	discrete	numeric	
V3097	s25a	No. of part time voluntary worker male post in position	discrete	numeric	
V3098	s25b	No.of part time voluntary worker female post in position	discrete	numeric	
V3099	s26a	No. of contractual health worker male sanction post	discrete	numeric	
V3100	s26b	No.of contrctual health worker female sanction post	discrete	numeric	
V3101	s27a	No. of contractual health worker male post in position	discrete	numeric	
V3102	s27b	No.of contractualhealth worker female post in position	discrete	numeric	
V3103	s28a	Female health worker received training for IUD insertion	discrete	numeric	
V3104	s28b	Male health worker received training for IUD insertion	discrete	numeric	
V3105	s29a	Female health worker received training for CDD	discrete	numeric	
V3106	s29b	Male health worker received training for CDD	discrete	numeric	
V3107	s30a	Female health worker received training for UIP	discrete	numeric	
V3108	s30b	Male health worker received training for UIP	discrete	numeric	
V3109	s31a	Female health worker received training for CSSM	discrete	numeric	
V3110	s31b	Male health worker received training for CSSM	discrete	numeric	
V3111	s32a	Female health worker received training for RCH	discrete	numeric	
V3112	s32b	Male health worker received training for RCH	discrete	numeric	
V3113	s33a	Female health worker received training for ARI	discrete	numeric	
V3114	s33b	Male health worker received training for ARI	discrete	numeric	
V3115	s34a	Number of examination table available	discrete	numeric	
V3116	s34b	Number of examination table functioning	discrete	numeric	
V3117	s35a	Number of infant weighing machine available	discrete	numeric	
V3118	s35b	Number of infant weighing machine functioning	discrete	numeric	
V3119	s36a	Number of adult weighing machine available	discrete	numeric	
V3120	s36b	Number of adult weighing machine functioning	discrete	numeric	
V3121	s37a	Number of BP instrument available	discrete	numeric	
V3122	s37b	Number of BP instrument functioning	discrete	numeric	
V3123	s38a	Number of Stethoschope available	discrete	numeric	
V3124	s38b	Number of Stethoschopefunctioning	discrete	numeric	
V3125	s39a	Number of Pressure cooker available	discrete	numeric	

ID	Name	Label	Type	Format	Question
V3126	s39b	Number of Pressure cooker functioning	discrete	numeric	
V3127	s40a	Number of Hemoglobinometer available	contin	numeric	
V3128	s40b	Number of Hemoglobinometer functioning	contin	numeric	
V3129	s41a	Number of Reagent strip for urine test available	contin	numeric	
V3130	s41b	Number of Reagent strip for urine test functioning	contin	numeric	
V3131	s42a	Number of Speculum available	contin	numeric	
V3132	s42b	Number of Speculum functioning	contin	numeric	
V3133	s43a	Number of Stove available	contin	numeric	
V3134	s43b	Number of Stove functioning	discrete	numeric	
V3135	s44a	Number of Almirah available	discrete	numeric	
V3136	s44b	Number of Almirah in used	discrete	numeric	
V3137	s45a	Number of Medicine chest available	contin	numeric	
V3138	s45b	Number of Medicine chest in used	contin	numeric	
V3139	s46a	Number of other equipment available	contin	numeric	
V3140	s46b	Number of other equipment in used	contin	numeric	
V3141	s47	vacine day carrier available	discrete	numeric	
V3142	s48	vacine day carrier it is being utilized	discrete	numeric	
V3143	s49	ANM received any contingency to purchase kerosine	discrete	numeric	
V3144	s50	quantaty of kerosene in liters	contin	numeric	
V3145	s51a	In which month receive any contingency	contin	numeric	
V3146	s51b	In which year receive any contingency	contin	numeric	
V3147	s52a	Number of needle available on the day of visit	contin	numeric	
V3148	s52b	Adequacy of needle for next month	discrete	numeric	
V3149	s53a	Number of Syringes available on the day of visit	contin	numeric	
V3150	s53b	Adequacy of syringes for next month	discrete	numeric	
V3151	s54a	Number of immunization card available on the day of visit	contin	numeric	
V3152	s54b	Adequacy of meternal health card for next month	discrete	numeric	
V3153	s55a	Number of reagent stipe available on the day of visit	contin	numeric	
V3154	s55b	adequacy of reagent stipe for next month	discrete	numeric	
V3155	s56a	Quantaty of kerosesne in liters	contin	numeric	
V3156	s56b	Adequacy of kerosene	discrete	numeric	
V3157	s57	Eligible couple register are supplied	discrete	numeric	
V3158	s58	supply of register is adquate for next month	discrete	numeric	
V3159	s59	supply of maternal and child care record	discrete	numeric	
V3160	s60	supply of maternal and child care record is adquate for next six month	discrete	numeric	
V3161	s61a	Number of lbricated nirod pice available on the day of visit	contin	numeric	
V3162	s61b	regular supply of condom	discrete	numeric	
V3163	s61c	Available quantaty of condom is sufficint for next months requirement	discrete	numeric	
V3164	s61d	condom experienced stock out during last one month	discrete	numeric	
V3165	s62a	Number of oral pill cycle available on the day of visit	contin	numeric	

ID	Name	Label	Type	Format	Question
V3166	s62b	regular supply of Oral pills	discrete	numeric	
V3167	s62c	Available quantity of Oral pills is sufficient for next months requirement	discrete	numeric	
V3168	s62d	Oral pills experienced stock out during last one month	discrete	numeric	
V3169	s63a	Number of IUDs available on the day of visit	contin	numeric	
V3170	s63b	regular supply of IUDs	discrete	numeric	
V3171	s63c	Available quantity of IUDs is sufficient for next months requirement	discrete	numeric	
V3172	s63d	IUDs experienced stock out during last one month	discrete	numeric	
V3173	s64a	Number of IFA large strips available on the day of visit	contin	numeric	
V3174	s64b	regular supply of IFA large strips	discrete	numeric	
V3175	s64c	Available quantity of IFA large is sufficient for next months requirement	discrete	numeric	
V3176	s64d	IFA large experienced stock out during last one month	discrete	numeric	
V3177	s65a	Number of IFA small strips available on the day of visit	contin	numeric	
V3178	s65b	regular supply of IFA small strips	discrete	numeric	
V3179	s65c	Available quantity of IFA small is sufficient for next months requirement	discrete	numeric	
V3180	s65d	IFA small experienced stock out during last one month	discrete	numeric	
V3181	s66a	Number of vitamin A solution bottle available on the day of visit	contin	numeric	
V3182	s66b	regular supply of Vitamin A solution bottle	discrete	numeric	
V3183	s66c	Available quantity of Vitamin A solution bottle is sufficient for next months requirement	discrete	numeric	
V3184	s66d	Vitamin A solution bottle experienced stock out during last one month	discrete	numeric	
V3185	s67a	Number of ORS packet available on the day of visit	contin	numeric	
V3186	s67b	regular supply of ORS packet	discrete	numeric	
V3187	s67c	Available quantity of ORS packet is sufficient for next months requirement	discrete	numeric	
V3188	s67d	ORS packet experienced stock out during last one month	discrete	numeric	
V3189	s68a	Number of cotrimaxazol tablets available on the day of visit	contin	numeric	
V3190	s68b	regular supply of cotrimaxazole tablets	discrete	numeric	
V3191	s68c	Available quantity of cotrimaxazole tablets is sufficient for next months requirement	discrete	numeric	
V3192	s68d	Cotrimaxazol tablets experienced stock out during last one month	discrete	numeric	
V3193	s69a	Number of disposal Delivery kit available on the day of visit	contin	numeric	
V3194	s69b	regular supply of DDK	discrete	numeric	
V3195	s69c	Available quantity of DDK is sufficient for next months requirement	discrete	numeric	
V3196	s69d	DDK experienced stock out during last one month	discrete	numeric	
V3197	s70a	Quantity of the stock of methelergotrine tablet(0.25mg) available on the day of visit	contin	numeric	
V3198	s70b	regular supply of Methelergotrine tablet(0.25mg)	discrete	numeric	
V3199	s70c	Available quantity of Methelergotrine tablets(0.25mg) is sufficient for next months requirement	discrete	numeric	
V3200	s70d	Methelergotrine tablet (0.25mg) experienced stock out during last one month	discrete	numeric	
V3201	s71a	Quantity of the stock of Paracetamol tablet(500mg) available on the day of visit	contin	numeric	
V3202	s71b	regular supply of Paracetamol tablet(500mg)	discrete	numeric	

ID	Name	Label	Type	Format	Question
V3203	s71c	Available quantaty of Paracetamol tablets(500mg) is sufficint for next months requirement	discrete	numeric	
V3204	s71d	Paracetamol(500mg) tablet experienced stock out during last one month	discrete	numeric	
V3205	s72a	Quentaty of the stock of methelergotrine ampule (0.2mg/ml) available on the day of visit	contin	numeric	
V3206	s72b	regular supply of Metheleregotrine ampule (0.2mg/ml)	discrete	numeric	
V3207	s72c	Available quantaty of Methelergometrine ampule (0.2mg/ml) is sufficint for next months requirement	discrete	numeric	
V3208	s72d	Methelergometrineampule (0.2mg/ml)experienced stock out during last one month	discrete	numeric	
V3209	s73a	Quentaty of the stock of mebendazole tablets (100mg) available on the day of visit	contin	numeric	
V3210	s73b	regular supply of Mebendazole tablet (100mg)	discrete	numeric	
V3211	s73c	Available quantaty of Mebendazole tablet (100mg) is sufficint for next months requirement	discrete	numeric	
V3212	s73d	Methelergometrineampule tablet (100mg)experienced stock out during last one month	discrete	numeric	
V3213	s74a	Number of dicylomine tablet (10mg) available on the day of visit	contin	numeric	
V3214	s74b	regular supply of Dicylomine tablet (10mg)	discrete	numeric	
V3215	s74c	Available quantaty of Dicyclomine tablet (10mg) is sufficint for next months requirement	discrete	numeric	
V3216	s74d	Dycyclomine tablet (10mg)experienced stock out during last one month	discrete	numeric	
V3217	s75a	Number of Chloramphenicol eye ointment applicap (250mg) available on the day of visit	contin	numeric	
V3218	s75b	regular supply of chloramphenicol eye oinment applicap (250mg)	discrete	numeric	
V3219	s75c	Available quantaty of chloramphenicol eye oinment applicap (250mg) is sufficint for next months requirement	discrete	numeric	
V3220	s75d	Chloramphenicol eye oinment applicap (250mg)experienced stock out during last one month	discrete	numeric	
V3221	s76a	Number of Ointment povidone iodine tube (5%) available on the day of visit	contin	numeric	
V3222	s76b	regular supply of oinment povidone iodine tube (5%)	discrete	numeric	
V3223	s76c	Available quantaty of Oinment povidone iodine tube (5%) is sufficint for next months requirement	discrete	numeric	
V3224	s76d	Oinment povidone iodine (5%)experienced stock out during last one month	discrete	numeric	
V3225	s77a	Number of Cetrimide powder packet (125gm) available on the day of visit	contin	numeric	
V3226	s77b	regular supply of Centrimide powder packet (125gm)	discrete	numeric	
V3227	s77c	Available quantaty of Centrimide powder packet (125gm) is sufficint for next months requirement	discrete	numeric	
V3228	s77d	Centrimide powder packet (125gm)experienced stock out during last one month	discrete	numeric	
V3229	s78a	Number of Absorbent cotton roll available on the day of visit	contin	numeric	
V3230	s78b	regular supply of Absotbent cotton roll	discrete	numeric	
V3231	s78c	Available quantaty of Absorbent cotton roll is sufficint for next months requirement	discrete	numeric	
V3232	s78d	Absorbent cotton roll experienced stock out during last one month	discrete	numeric	
V3233	s79a	Number of cotton bandage roll(4cm width 4meter length) available on the day of visit	contin	numeric	
V3234	s79b	regular supply of cotton bandage roll	discrete	numeric	
V3235	s79c	Available quantaty of cotton bandage roll	discrete	numeric	

ID	Name	Label	Type	Format	Question
V3236	s79d	Cotton bandage roll experienced stock out during last one month	discrete	numeric	
V3237	s80a	kit A drug received	discrete	numeric	
V3238	s80b	Date opf receipt (last received)	contin	numeric	
V3239	s80c	kit A drug utilized by SC	discrete	numeric	
V3240	s81a	kit B drug received	discrete	numeric	
V3241	s81b	Date opf receipt (last received)	contin	numeric	
V3242	s81c	kit B drug utilized by SC	discrete	numeric	
V3243	s82a	kit C equipment received	discrete	numeric	
V3244	s82b	Date opf receipt (last received)	contin	numeric	
V3245	s82c	kit C Equipment utilized by SC	discrete	numeric	
V3246	s83	Develop plan for SC to this year	discrete	numeric	
V3247	s84	Total number of Home visited (Last two week from survey)	contin	numeric	
V3248	s85	Total number of Antenatal cases registered	contin	numeric	
V3249	s86	No. Of women provided ANC	contin	numeric	
V3250	s87	No. Of women visited during PNC	contin	numeric	
V3251	s88	No. Of infant immunized	contin	numeric	
V3252	s89	No. Of children Immunization	contin	numeric	
V3253	s90	No. Of children treated for ARI & diarrhea	contin	numeric	
V3254	s91	No. Of OP packets distributed	contin	numeric	
V3255	s92	No. Of condoms distributed	contin	numeric	
V3256	s93	No. Of Dai/AWW meeting organized /attended	contin	numeric	
V3257	s94	Total No. Of health cases attended/treated minor ailments	contin	numeric	
V3258	s95	No. Of delivery conducted by ANM in SC or Home	contin	numeric	
V3259	s96	No. Of IUD inserted by ANM	contin	numeric	
V3260	s97	Do you have fixed service days	discrete	numeric	
V3261	s98a	Fixed No. of days Immunization care (Village 1)	contin	numeric	
V3262	s98b	Fixed No. of days ANC care (Village 1)	contin	numeric	
V3263	s99a	Fixed No. of days Immunization care (Village 2)	contin	numeric	
V3264	s99b	Fixed No. of days ANC care (Village 2)	contin	numeric	
V3265	s100a	Fixed No. of days Immunization care (Village 3)	contin	numeric	
V3266	s100b	Fixed No. of days ANC care (Village 3)	contin	numeric	
V3267	s101a	Fixed No. of days Immunization care (Village 4)	contin	numeric	
V3268	s101b	Fixed No. of days ANC care (Village 4)	contin	numeric	
V3269	s102a	Fixed No. of days Immunization care (Village 5)	contin	numeric	
V3270	s102b	Fixed No. of days ANC care (Village 5)	contin	numeric	
V3271	s103a	Fixed No. of days Immunization care (subcentre head quarter)	contin	numeric	
V3272	s103b	ANC care (subcentre head quarter)	contin	numeric	
V3273	s104	Fixed travel allowance	discrete	numeric	
V3274	s105	ANM has received TA during last three month	discrete	numeric	
V3275	s106a	Month of received the last TA	contin	numeric	

ID	Name	Label	Type	Format	Question
V3276	s106b	Year of received the last TA	contin	numeric	
V3277	s107	Cleanliness status of SC Building	discrete	numeric	
V3278	s108	Cleanliness status Sub Center premises	discrete	numeric	

Serial number (srno)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-450

Valid cases: 1625
 Invalid: 0
 Minimum: 1
 Maximum: 450
 Mean: 114.8
 Standard deviation: 105.5

State name (h1)

File: CHC

Overview

Type: Discrete
 Format: character
 Width: 30

Valid cases: 1625
 Invalid: 0

state code (sc)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-33

Valid cases: 1625
 Invalid: 0

District name (h2)

File: CHC

Overview

Type: Discrete
 Format: character
 Width: 30

Valid cases: 1625
 Invalid: 0

District code (dc)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-70

Valid cases: 1625
 Invalid: 0
 Minimum: 1
 Maximum: 70
 Mean: 18
 Standard deviation: 14.7

Tehsil (h3)

File: CHC

Overview

Tehsil (h3)

File: CHC

Type: Discrete
 Format: character
 Width: 30

Valid cases: 1517
 Invalid: 0

Tehsil code (tc)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32107

Valid cases: 1349
 Invalid: 276
 Minimum: 0
 Maximum: 32107
 Mean: 2657.5
 Standard deviation: 7033.3

Block (h4)

File: CHC

Overview

Type: Discrete
 Format: character
 Width: 30

Valid cases: 1488
 Invalid: 0

Block code (bc)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32207

Valid cases: 1310
 Invalid: 315
 Minimum: 0
 Maximum: 32207
 Mean: 2761.9
 Standard deviation: 7164.4

type of hospital (h5)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-10

Valid cases: 1625
 Invalid: 0

Health facility code (hfc)

File: CHC

Overview

Health facility code (hfc)

File: CHC

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1605
 Invalid: 20

Functioning year (h6)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8888

Valid cases: 1583
 Invalid: 42
 Minimum: 0
 Maximum: 8888
 Mean: 1996.7
 Standard deviation: 404.1

Functioning year in this building (h7)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8888

Valid cases: 1602
 Invalid: 23
 Minimum: 0
 Maximum: 8888
 Mean: 2014.8
 Standard deviation: 461.1

Facility designated as First Referral Unit (FRU) (h8)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1624
 Invalid: 1

Post Partum Centre attached to this hospital (h9)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1614
 Invalid: 11

Designation of the respondent (h10a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7

Valid cases: 1326
 Invalid: 299

Designation of the respondent (h10b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7

Valid cases: 1190
 Invalid: 435

Designation of the respondent (h10c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1241
 Invalid: 384

Population Covered (h11)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 1625
 Invalid: 0
 Minimum: 1
 Maximum: 99

Date (h12a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-31

Valid cases: 1622
 Invalid: 3
 Minimum: 1
 Maximum: 31
 Mean: 16
 Standard deviation: 9.1

Month (h12b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-36

Valid cases: 1622
 Invalid: 3
 Minimum: 1
 Maximum: 36
 Mean: 5.2
 Standard deviation: 2.7

Year (h12c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 203-9999

Valid cases: 1621
 Invalid: 4
 Minimum: 203
 Maximum: 9999
 Mean: 2011.7
 Standard deviation: 284.4

Compound Wall/Fencing (h13)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-3

Valid cases: 1624
 Invalid: 1

Source of water supply (h14)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-4

Valid cases: 1622
 Invalid: 3

Overhead tank and pump exist (h15)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1617
 Invalid: 8

Pump in working condition (h16)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1331
 Invalid: 294

Overhead tank capacity; in adequate (h17)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1152
 Invalid: 473

Water supply in Operation theatre (h18a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1337
 Invalid: 288

Water supply in Laboratory (h18b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1337
 Invalid: 288

Water supply in Toilet (h18c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1337
 Invalid: 288

Electricity available in all parts (h19)

File: CHC

Electricity available in all parts (h19)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-3

Valid cases: 1622
 Invalid: 3

Regular supply of electricity (h20)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1610
 Invalid: 15

Availability of generator (h21)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1624
 Invalid: 1

Capacity adequate generator (h22)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1272
 Invalid: 353

Generator currently functioning (h23)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1271
 Invalid: 354

Fuel for generator is available (h24)

File: CHC

Fuel for generator is available (h24)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1270
 Invalid: 355

Sewage (h25)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1618
 Invalid: 7

Waste segregated as infectious or non-infectious (h26)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1624
 Invalid: 1

Mode of disposal of infectious waste (h27)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1060
 Invalid: 565

Mode of disposal of non-infectious waste (h28)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1060
 Invalid: 565

Mode of disposal waste (h29)

File: CHC

Mode of disposal waste (h29)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1097
 Invalid: 528

Mode of disposing biological waste (h30)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1096
 Invalid: 529

Ownership (h31)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-3

Valid cases: 1622
 Invalid: 3

Building requires repairs (h32)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1609
 Invalid: 16

Minor repair quickly arranged (h33)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1612
 Invalid: 13

Maintenance (h34a)

File: CHC

Maintenance (h34a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-4

Valid cases: 1616
 Invalid: 9

Year (h34b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2003

Valid cases: 1010
 Invalid: 615
 Minimum: 0
 Maximum: 2003
 Mean: 132.1
 Standard deviation: 452.1

Labour room (h35)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1622
 Invalid: 3

Required additional labour room (h36)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1616
 Invalid: 9

OT (h37)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1622
 Invalid: 3

Require additional OT (h38)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1616
 Invalid: 9

No. of staff quarter available for Incharge (h39a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 1621
 Invalid: 4

No. of staff quarter occupied for Incharge (h39b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5

Valid cases: 1333
 Invalid: 292

No. of staff quarter available for Onstetrician/Gynecologist (h40a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1620
 Invalid: 5

No. of staff quarter occupied for Onstetrician/Gynecologist (h40b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 666
 Invalid: 959

No. of staff quarter available for Pediatrician (h41a)

File: CHC

No. of staff quarter available for Pediatrician (h41a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1620
 Invalid: 5

No. of staff quarter occupied for Pediatrician (h41b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 625
 Invalid: 1000

No. of staff quarter available for Duty Doctor (RMO) (h42a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1621
 Invalid: 4

No. of staff quarter occupied for Duty Doctor (RMO) (h42b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7

Valid cases: 984
 Invalid: 641

No. of staff quarter available for Anesthesiologist (h43a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1620
 Invalid: 5

No. of staff quarter occupied for Anesthesiologist (h43b)

File: CHC

No. of staff quarter occupied for Anesthesiologist (h43b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 520
 Invalid: 1105

No. of staff quarter available for Others (h44a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-21

Valid cases: 1619
 Invalid: 6
 Minimum: 0
 Maximum: 21
 Mean: 0.7
 Standard deviation: 1.5

No. of staff quarter occupied for Others (h44b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-18

Valid cases: 857
 Invalid: 768

No. of staff quarter available for Staff Nurse (h45a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-22

Valid cases: 1612
 Invalid: 13
 Minimum: 0
 Maximum: 22
 Mean: 2.4
 Standard deviation: 2.5

No. of staff quarter occupied for Staff Nurse (h45b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-22

Valid cases: 1326
 Invalid: 299
 Minimum: 0
 Maximum: 22
 Mean: 2.5
 Standard deviation: 2.3

No. of staff quarter available for Pharmacist (h46a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1612
 Invalid: 13

No. of staff quarter occupied for Pharmacist (h46b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1004
 Invalid: 621

No. of staff quarter available for X-ray technician (h47a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1612
 Invalid: 13

No. of staff quarter occupied for X-ray technician (h47b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 839
 Invalid: 786

No. of staff quarter available for Laboratory technician (h48a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1612
 Invalid: 13

No. of staff quarter occupied for Laboratory technician (h48b)

File: CHC

No. of staff quarter occupied for Laboratory technician (h48b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 863
 Invalid: 762

No. of staff quarter available for Others (h49a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-24

Valid cases: 1619
 Invalid: 6
 Minimum: 0
 Maximum: 24
 Mean: 1.4
 Standard deviation: 2.3

No. of staff quarter occupied for Others (h49b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-19

Valid cases: 1044
 Invalid: 581

No. of staff quarter available for Ambulance driver (h50a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-13

Valid cases: 1620
 Invalid: 5

No. of staff quarter occupied for Ambulance driver (h50b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-13

Valid cases: 868
 Invalid: 757

No. of staff quarter available for Attendent (h51a)

File: CHC

Overview

Type: Continuous	Valid cases: 1621
Format: numeric	Invalid: 4
Width: 11	Minimum: 0
Decimals: 0	Maximum: 23
Range: 0-23	Mean: 2.1
	Standard deviation: 3.3

No. of staff quarter occupied for Attendent (h51b)

File: CHC

Overview

Type: Discrete	Valid cases: 954
Format: numeric	Invalid: 671
Width: 11	
Decimals: 0	
Range: 0-19	

Telephone (h52)

File: CHC

Overview

Type: Discrete	Valid cases: 1623
Format: numeric	Invalid: 2
Width: 11	
Decimals: 0	
Range: 1-2	

STD facility (h53)

File: CHC

Overview

Type: Discrete	Valid cases: 1223
Format: numeric	Invalid: 402
Width: 11	
Decimals: 0	
Range: 0-999	

Personal Computer (h54)

File: CHC

Overview

Type: Discrete	Valid cases: 1624
Format: numeric	Invalid: 1
Width: 11	
Decimals: 0	
Range: 1-2	

E-mail (h55)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 559
 Invalid: 1066

NIC terminal (h56)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 559
 Invalid: 1066

Other (h57)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1464
 Invalid: 161

hospital accessible by all weather (h58)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-9

Valid cases: 1618
 Invalid: 7

Availability of OPD (h59a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-11

Valid cases: 1622
 Invalid: 3

Cleanliness in OPD (h59b)

File: CHC

Cleanliness in OPD (h59b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-4

Valid cases: 1621
 Invalid: 4

Availability of OT (h60a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1622
 Invalid: 3

Cleanliness in OT (h60b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1622
 Invalid: 3

Availability of Rooms (h61a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1622
 Invalid: 3

Cleanliness in Rooms (h61b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1622
 Invalid: 3

Availability of Wards (h62a)

File: CHC

Availability of Wards (h62a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-3

Valid cases: 1621
 Invalid: 4

Cleanliness in Wards (h62b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-4

Valid cases: 1620
 Invalid: 5

Availability of Toilet (h63a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-3

Valid cases: 1622
 Invalid: 3

Cleanliness in Toilet (h63b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-4

Valid cases: 1621
 Invalid: 4

Cleanliness in premises compound (h64)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1619
 Invalid: 6

Garbage dump (h65a)

File: CHC

Garbage dump (h65a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1624
 Invalid: 1

Cattle shed (h65b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1623
 Invalid: 2

Stagnant pool (h65c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1623
 Invalid: 2

Polluting industry (h65d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1624
 Invalid: 1

No. of Ambulance available (h66a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5

Valid cases: 1624
 Invalid: 1

No. of Ambulance off the road (h66b)

File: CHC

No. of Ambulance off the road (h66b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1350
 Invalid: 275

No. of Ambulance on the road (h66c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1305
 Invalid: 320

No. of Ambulance, No POL (h66d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 612
 Invalid: 1013

No. of Ambulance waiting for repair (h66e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 656
 Invalid: 969

No. of Ambulance having lack of driver (h66f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 637
 Invalid: 988

Since when Ambulance 1 off the road (h66g)

File: CHC

Since when Ambulance 1 off the road (h66g)

File: CHC

Overview

Type: Continuous	Valid cases: 682
Format: numeric	Invalid: 943
Width: 11	Minimum: 0
Decimals: 0	Maximum: 204
Range: 0-204	Mean: 12.7
	Standard deviation: 28.3

Since when Ambulance 2 off the road (h66h)

File: CHC

Overview

Type: Continuous	Valid cases: 455
Format: numeric	Invalid: 1170
Width: 11	Minimum: 0
Decimals: 0	Maximum: 144
Range: 0-144	Mean: 1.5
	Standard deviation: 11.2

Since when Ambulance 3 off the road (h66i)

File: CHC

Overview

Type: Discrete	Valid cases: 441
Format: numeric	Invalid: 1184
Width: 11	
Decimals: 0	
Range: 0-2	

No. of Jeep available (h67a)

File: CHC

Overview

Type: Discrete	Valid cases: 1622
Format: numeric	Invalid: 3
Width: 11	
Decimals: 0	
Range: 0-3	

No. of Jeep off the road (h67b)

File: CHC

Overview

Type: Discrete	Valid cases: 835
Format: numeric	Invalid: 790
Width: 11	
Decimals: 0	
Range: 0-3	

No. of Jeep on the road (h67c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 826
 Invalid: 799

No. of Jeep, No POL (h67d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 540
 Invalid: 1085

No. of Jeep waiting for repair (h67e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 548
 Invalid: 1077

No. of Jeep having lack of driver (h67f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 542
 Invalid: 1083

Since when Jeep 1 off the road (h67g)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-300

Valid cases: 548
 Invalid: 1077
 Minimum: 0
 Maximum: 300
 Mean: 10.5
 Standard deviation: 29.2

Since when Jeep 2 off the road (h67h)

File: CHC

Overview

Type: Continuous	Valid cases: 452
Format: numeric	Invalid: 1173
Width: 11	Minimum: 0
Decimals: 0	Maximum: 180
Range: 0-180	Mean: 1.6
	Standard deviation: 12.7

Since when Jeep 3 off the road (h67i)

File: CHC

Overview

Type: Continuous	Valid cases: 446
Format: numeric	Invalid: 1179
Width: 11	Minimum: 0
Decimals: 0	Maximum: 240
Range: 0-240	Mean: 0.6
	Standard deviation: 11.4

No. of Car available (h68a)

File: CHC

Overview

Type: Discrete	Valid cases: 1624
Format: numeric	Invalid: 1
Width: 11	
Decimals: 0	
Range: 0-2	

No. of Car off the road (h68b)

File: CHC

Overview

Type: Discrete	Valid cases: 479
Format: numeric	Invalid: 1146
Width: 11	
Decimals: 0	
Range: 0-1	

No. of Car on the road (h68c)

File: CHC

Overview

Type: Discrete	Valid cases: 479
Format: numeric	Invalid: 1146
Width: 11	
Decimals: 0	
Range: 0-1	

No. of Car, No POL (h68d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 437
 Invalid: 1188

No. of Car waiting for repair (h68e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1

Valid cases: 437
 Invalid: 1188

No. of Car having lack of driver (h68f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 437
 Invalid: 1188

Since when Car 1 off the road (h68g)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-180

Valid cases: 437
 Invalid: 1188
 Minimum: 0
 Maximum: 180
 Mean: 0.5
 Standard deviation: 8.6

Since when Car 2 off the road (h68h)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 435
 Invalid: 1190

Since when Car 3 off the road (h68i)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 435
 Invalid: 1190

No. of Other Vehicles available (h69a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1529
 Invalid: 96

No. of Other Vehicles off the road (h69b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1

Valid cases: 497
 Invalid: 1128

No. of Other Vehicles on the road (h69c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1

Valid cases: 496
 Invalid: 1129

No. of Other Vehicles, No POL (h69d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1

Valid cases: 453
 Invalid: 1172

No. of Other Vehicles waiting for repair (h69e)

File: CHC

No. of Other Vehicles waiting for repair (h69e)

File: CHC

Overview

Type: Discrete	Valid cases: 454
Format: numeric	Invalid: 1171
Width: 11	
Decimals: 0	
Range: 0-1	

No. of Other Vehicles having lack of driver (h69f)

File: CHC

Overview

Type: Discrete	Valid cases: 453
Format: numeric	Invalid: 1172
Width: 11	
Decimals: 0	
Range: 0-0	

Since when Other Vehicles 1 off the road (h69g)

File: CHC

Overview

Type: Continuous	Valid cases: 454
Format: numeric	Invalid: 1171
Width: 11	Minimum: 0
Decimals: 0	Maximum: 124
Range: 0-124	Mean: 2
	Standard deviation: 12.4

Since when Other Vehicles 2 off the road (h69h)

File: CHC

Overview

Type: Discrete	Valid cases: 435
Format: numeric	Invalid: 1190
Width: 11	
Decimals: 0	
Range: 0-0	

Since when Other Vehicles 3 off the road (h69i)

File: CHC

Overview

Type: Discrete	Valid cases: 435
Format: numeric	Invalid: 1190
Width: 11	
Decimals: 0	
Range: 0-0	

Allocation of money to hospital sufficient for POL (h70)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1518
 Invalid: 107

Allocation of money to hospital sufficient for repair (h71)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1519
 Invalid: 106

Number of Doctor in-charge post sanctioned (h72a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-15

Valid cases: 1624
 Invalid: 1

Number of Doctor in-charge post filled (h72b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-15

Valid cases: 1591
 Invalid: 34

Number of Doctor in-charge available (h72c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-13

Valid cases: 1471
 Invalid: 154

Post I Vaccant Since when (h72d)

File: CHC

Post I Vaccant Since when (h72d)

File: CHC

Overview

Type: Continuous	Valid cases: 668
Format: numeric	Invalid: 957
Width: 11	Minimum: 0
Decimals: 0	Maximum: 468
Range: 0-468	Mean: 13.3
	Standard deviation: 33.4

Post II Vaccant Since when (h72e)

File: CHC

Overview

Type: Continuous	Valid cases: 441
Format: numeric	Invalid: 1184
Width: 11	Minimum: 0
Decimals: 0	Maximum: 36
Range: 0-36	Mean: 0.2
	Standard deviation: 2

Post III Vaccant Since when (h72f)

File: CHC

Overview

Type: Discrete	Valid cases: 439
Format: numeric	Invalid: 1186
Width: 11	
Decimals: 0	
Range: 0-4	

Number of obstetrician/gynecologist post sanctioned (h73a)

File: CHC

Overview

Type: Discrete	Valid cases: 1624
Format: numeric	Invalid: 1
Width: 11	
Decimals: 0	
Range: 0-10	

Number of obstetrician/gynecologist post Filled (h73b)

File: CHC

Overview

Type: Discrete	Valid cases: 1039
Format: numeric	Invalid: 586
Width: 11	
Decimals: 0	
Range: 0-3	

Number of obstetrician/gynecologist Available (h73c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1033
 Invalid: 592

Post I Vaccant Since when (h73d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-336

Valid cases: 747
 Invalid: 878
 Minimum: 0
 Maximum: 336
 Mean: 27.5
 Standard deviation: 50.2

Post II Vaccant Since when (h73e)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-168

Valid cases: 449
 Invalid: 1176
 Minimum: 0
 Maximum: 168
 Mean: 0.9
 Standard deviation: 9.4

Post III Vaccant Since when (h73f)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-50

Valid cases: 442
 Invalid: 1183
 Minimum: 0
 Maximum: 50
 Mean: 0.1
 Standard deviation: 2.4

Number of pediatrician post Sanctioned (h74a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1624
 Invalid: 1

Number of pediatrician post Filled (h74b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 949
 Invalid: 676

Number of pediatrician post Available (h74c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 935
 Invalid: 690

Post I Vaccant Since when (h74d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 645
 Invalid: 980
 Minimum: 0
 Maximum: 999
 Mean: 23
 Standard deviation: 60.3

Post II Vaccant Since when (h74e)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-96

Valid cases: 439
 Invalid: 1186
 Minimum: 0
 Maximum: 96
 Mean: 0.2
 Standard deviation: 4.6

Post III Vaccant Since when (h74f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 438
 Invalid: 1187

Number of anesthesiologist post sanctioned (h75a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1624
 Invalid: 1

Number of anesthesiologist post filled (h75b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 808
 Invalid: 817

Number of anesthesiologist post available (h75c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 807
 Invalid: 818

Post I Vaccant Since when (h75d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 568
 Invalid: 1057
 Minimum: 0
 Maximum: 999
 Mean: 23.2
 Standard deviation: 72.1

Post II Vaccant Since when (h75e)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-28

Valid cases: 436
 Invalid: 1189
 Minimum: 0
 Maximum: 28
 Mean: 0.1
 Standard deviation: 1.3

Post III Vaccant Since when (h75f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 435
 Invalid: 1190

Number of STD officer (specialist RTI/STI) post Sanctioned (h76a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1624
 Invalid: 1

Number of STD officer (specialist RTI/STI) post filled (h76b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 733
 Invalid: 892

Number of STD officer (specialist RTI/STI) post available (h76c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 733
 Invalid: 892

Post I Vaccant Since when (h76d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-588

Valid cases: 444
 Invalid: 1181
 Minimum: 0
 Maximum: 588
 Mean: 3.6
 Standard deviation: 32.8

Post II Vaccant Since when (h76e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 436
 Invalid: 1189

Post III Vaccant Since when (h76f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-0

Valid cases: 436
 Invalid: 1189

Number of pathologist post sanctioned (h77a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1624
 Invalid: 1

Number of pathologist post filled (h77b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 746
 Invalid: 879

Number of pathologist post available (h77c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 746
 Invalid: 879

Post I Vaccant Since when (h77d)

File: CHC

Post I Vaccant Since when (h77d)

File: CHC

Overview

Type: Continuous	Valid cases: 503
Format: numeric	Invalid: 1122
Width: 11	Minimum: 0
Decimals: 0	Maximum: 636
Range: 0-636	Mean: 11.9
	Standard deviation: 51.7

Post II Vaccant Since when (h77e)

File: CHC

Overview

Type: Continuous	Valid cases: 438
Format: numeric	Invalid: 1187
Width: 11	Minimum: 0
Decimals: 0	Maximum: 36
Range: 0-36	Mean: 0.1
	Standard deviation: 1.7

Post III Vaccant Since when (h77f)

File: CHC

Overview

Type: Discrete	Valid cases: 437
Format: numeric	Invalid: 1188
Width: 11	
Decimals: 0	
Range: 0-0	

Number of surgeon post sanctioned (h78a)

File: CHC

Overview

Type: Discrete	Valid cases: 1624
Format: numeric	Invalid: 1
Width: 11	
Decimals: 0	
Range: 0-11	

Number of surgeon post filled (h78b)

File: CHC

Overview

Type: Discrete	Valid cases: 1079
Format: numeric	Invalid: 546
Width: 11	
Decimals: 0	
Range: 0-8	

Number of surgeon post available (h78c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1071
 Invalid: 554

Post I Vaccant Since when (h78d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-636

Valid cases: 674
 Invalid: 951
 Minimum: 0
 Maximum: 636
 Mean: 23
 Standard deviation: 58.2

Post II Vaccant Since when (h78e)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-204

Valid cases: 446
 Invalid: 1179
 Minimum: 0
 Maximum: 204
 Mean: 1.1
 Standard deviation: 11.3

Post III Vaccant Since when (h78f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 436
 Invalid: 1189

General duty doctor (male) post sanctioned (h79a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1624
 Invalid: 1

General duty doctor (male) post filled (h79b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1557
 Invalid: 68

General duty doctor (male) post available (h79c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1549
 Invalid: 76

Post I Vaccant Since when (h79d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 748
 Invalid: 877
 Minimum: 0
 Maximum: 999
 Mean: 18.7
 Standard deviation: 52

Post II Vaccant Since when (h79e)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-300

Valid cases: 554
 Invalid: 1071
 Minimum: 0
 Maximum: 300
 Mean: 9.8
 Standard deviation: 31.5

Post III Vaccant Since when (h79f)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-170

Valid cases: 486
 Invalid: 1139
 Minimum: 0
 Maximum: 170
 Mean: 3.7
 Standard deviation: 16.8

General duty doctor (female) post sanctioned (h80a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1618
 Invalid: 7

General duty doctor (female) post filled (h80b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 1086
 Invalid: 539

General duty doctor (female) post Available (h80c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-21

Valid cases: 1085
 Invalid: 540
 Minimum: 0
 Maximum: 21
 Mean: 0.5
 Standard deviation: 1

Post I Vaccant Since when (h80d)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-300

Valid cases: 539
 Invalid: 1086
 Minimum: 0
 Maximum: 300
 Mean: 10.1
 Standard deviation: 32.1

Post II Vaccant Since when (h80e)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-145

Valid cases: 453
 Invalid: 1172
 Minimum: 0
 Maximum: 145
 Mean: 0.8
 Standard deviation: 7.7

Post III Vaccant Since when (h80f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 446
 Invalid: 1179

Number of staff nurse post sanctioned (h81a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-25

Valid cases: 1624
 Invalid: 1
 Minimum: 0
 Maximum: 25
 Mean: 4
 Standard deviation: 2.8

Number of staff nurse post filled (h81b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-23

Valid cases: 1571
 Invalid: 54
 Minimum: 0
 Maximum: 23
 Mean: 3.4
 Standard deviation: 2.8

Number of staff nurse post available (h81c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-23

Valid cases: 1560
 Invalid: 65
 Minimum: 0
 Maximum: 23
 Mean: 3.3
 Standard deviation: 2.8

Number of ANM post sanctioned (h82a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-67

Valid cases: 1619
 Invalid: 6
 Minimum: 0
 Maximum: 67
 Mean: 2.2
 Standard deviation: 5.5

Number of ANM post filled (h82b)

File: CHC

Overview

Type: Continuous	Valid cases: 1133
Format: numeric	Invalid: 492
Width: 11	Minimum: 0
Decimals: 0	Maximum: 37
Range: 0-37	Mean: 2.8
	Standard deviation: 5.7

Number of ANM post available (h82c)

File: CHC

Overview

Type: Continuous	Valid cases: 1128
Format: numeric	Invalid: 497
Width: 11	Minimum: 0
Decimals: 0	Maximum: 37
Range: 0-37	Mean: 2.8
	Standard deviation: 5.7

Number of Mid- wife post sanctioned (h83a)

File: CHC

Overview

Type: Discrete	Valid cases: 1624
Format: numeric	Invalid: 1
Width: 11	
Decimals: 0	
Range: 0-13	

Number of Mid- wife post filled (h83b)

File: CHC

Overview

Type: Discrete	Valid cases: 826
Format: numeric	Invalid: 799
Width: 11	
Decimals: 0	
Range: 0-10	

Number of Mid- wife post available (h83c)

File: CHC

Overview

Type: Discrete	Valid cases: 823
Format: numeric	Invalid: 802
Width: 11	
Decimals: 0	
Range: 0-10	

Number of phramascist/compounder post sanctioned (h84a)

File: CHC

Overview

Type: Continuous	Valid cases: 1622
Format: numeric	Invalid: 3
Width: 11	Minimum: 0
Decimals: 0	Maximum: 31
Range: 0-31	Mean: 1.9
	Standard deviation: 1.8

Number of phramascist/compounder post filled (h84b)

File: CHC

Overview

Type: Continuous	Valid cases: 1534
Format: numeric	Invalid: 91
Width: 11	Minimum: 0
Decimals: 0	Maximum: 31
Range: 0-31	Mean: 1.5
	Standard deviation: 1.7

Number of phramascist/compounder post available (h84c)

File: CHC

Overview

Type: Continuous	Valid cases: 1486
Format: numeric	Invalid: 139
Width: 11	Minimum: 0
Decimals: 0	Maximum: 31
Range: 0-31	Mean: 1.6
	Standard deviation: 1.7

Number of lab assistants post sanctioned (h85a)

File: CHC

Overview

Type: Discrete	Valid cases: 1613
Format: numeric	Invalid: 12
Width: 11	
Decimals: 0	
Range: 0-10	

Number of lab assistants post filled (h85b)

File: CHC

Overview

Type: Discrete	Valid cases: 1601
Format: numeric	Invalid: 24
Width: 11	
Decimals: 0	
Range: 0-9	

Number of lab assistants post available (h85c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5

Valid cases: 1565
 Invalid: 60

Number of Radiographer post sanctioned (h86a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1623
 Invalid: 2

Number of Radiographer post filled (h86b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1445
 Invalid: 180

Number of Radiographer post available (h86c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1384
 Invalid: 241

Number of computer /clerk post sanctioned (h87a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 1623
 Invalid: 2

Number of computer /clerk post filled (h87b)

File: CHC

Number of computer /clerk post filled (h87b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1502
 Invalid: 123

Number of computer /clerk post available (h87c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1486
 Invalid: 139

Number of public health nurse (PHN) post sanctioned (h88a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-33

Valid cases: 1622
 Invalid: 3
 Minimum: 0
 Maximum: 33
 Mean: 0.2
 Standard deviation: 1

Number of public health nurse (PHN) post filled (h88b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-33

Valid cases: 814
 Invalid: 811
 Minimum: 0
 Maximum: 33
 Mean: 0.3
 Standard deviation: 1.4

Number of public health nurse (PHN) post available (h88c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-33

Valid cases: 813
 Invalid: 812
 Minimum: 0
 Maximum: 33
 Mean: 0.3
 Standard deviation: 1.4

Number of health assistant (Male) post sanctioned (h89a)

File: CHC

Overview

Type: Continuous	Valid cases: 1623
Format: numeric	Invalid: 2
Width: 11	Minimum: 0
Decimals: 0	Maximum: 47
Range: 0-47	Mean: 1.3
	Standard deviation: 3.5

Number of health assistant (Male) post filled (h89b)

File: CHC

Overview

Type: Continuous	Valid cases: 984
Format: numeric	Invalid: 641
Width: 11	Minimum: 0
Decimals: 0	Maximum: 42
Range: 0-42	Mean: 1.4
	Standard deviation: 2.8

Number of health assistant (Male) post available (h89c)

File: CHC

Overview

Type: Continuous	Valid cases: 982
Format: numeric	Invalid: 643
Width: 11	Minimum: 0
Decimals: 0	Maximum: 42
Range: 0-42	Mean: 1.4
	Standard deviation: 2.8

Number of health assistant (female) post sanctioned (h90a)

File: CHC

Overview

Type: Continuous	Valid cases: 1623
Format: numeric	Invalid: 2
Width: 11	Minimum: 0
Decimals: 0	Maximum: 52
Range: 0-52	Mean: 1.1
	Standard deviation: 3.6

Number of health assistant (female) post filled (h90b)

File: CHC

Overview

Type: Continuous	Valid cases: 1039
Format: numeric	Invalid: 586
Width: 11	Minimum: 0
Decimals: 0	Maximum: 52
Range: 0-52	Mean: 1.5
	Standard deviation: 4.1

Number of health assistant (female) post available (h90c)

File: CHC

Overview

Type: Continuous	Valid cases: 1037
Format: numeric	Invalid: 588
Width: 11	Minimum: 0
Decimals: 0	Maximum: 52
Range: 0-52	Mean: 1.5
	Standard deviation: 4.1

Number of MPW (Male) post sanctioned (h91a)

File: CHC

Overview

Type: Continuous	Valid cases: 1623
Format: numeric	Invalid: 2
Width: 11	Minimum: 0
Decimals: 0	Maximum: 36
Range: 0-36	Mean: 1.9
	Standard deviation: 4.3

Number of MPW (Male) post filled (h91b)

File: CHC

Overview

Type: Continuous	Valid cases: 990
Format: numeric	Invalid: 635
Width: 11	Minimum: 0
Decimals: 0	Maximum: 36
Range: 0-36	Mean: 2
	Standard deviation: 3.7

Number of MPW (Male) post available (h91c)

File: CHC

Overview

Type: Continuous	Valid cases: 985
Format: numeric	Invalid: 640
Width: 11	Minimum: 0
Decimals: 0	Maximum: 36
Range: 0-36	Mean: 2
	Standard deviation: 3.7

Number of MPW (Female) post sanctioned (h92a)

File: CHC

Overview

Type: Continuous	Valid cases: 1623
Format: numeric	Invalid: 2
Width: 11	Minimum: 0
Decimals: 0	Maximum: 47
Range: 0-47	Mean: 2.9
	Standard deviation: 7.8

Number of MPW (Female) post filled (h92b)

File: CHC

Overview

Type: Continuous	Valid cases: 950
Format: numeric	Invalid: 675
Width: 11	Minimum: 0
Decimals: 0	Maximum: 47
Range: 0-47	Mean: 4.6
	Standard deviation: 9

Number of MPW (Female) post available (h92c)

File: CHC

Overview

Type: Continuous	Valid cases: 949
Format: numeric	Invalid: 676
Width: 11	Minimum: 0
Decimals: 0	Maximum: 47
Range: 0-47	Mean: 4.5
	Standard deviation: 9.1

Number of post Sanctioned(Group C /categories III staff) (h93a)

File: CHC

Overview

Type: Continuous	Valid cases: 1621
Format: numeric	Invalid: 4
Width: 11	Minimum: 0
Decimals: 0	Maximum: 88
Range: 0-88	Mean: 4.1
	Standard deviation: 6.7

Number of post filled (Group C /categories III staff) (h93b)

File: CHC

Overview

Type: Continuous	Valid cases: 1430
Format: numeric	Invalid: 195
Width: 11	Minimum: 0
Decimals: 0	Maximum: 75
Range: 0-75	Mean: 3.8
	Standard deviation: 5.8

Number of post available (Group C /categories III staff) (h93c)

File: CHC

Overview

Type: Continuous	Valid cases: 1396
Format: numeric	Invalid: 229
Width: 11	Minimum: 0
Decimals: 0	Maximum: 75
Range: 0-75	Mean: 3.8
	Standard deviation: 5.8

Number of post Sanctioned(Group C /categories IV staff) (h94a)

File: CHC

Overview

Type: Continuous	Valid cases: 1622
Format: numeric	Invalid: 3
Width: 11	Minimum: 0
Decimals: 0	Maximum: 150
Range: 0-150	Mean: 8.6
	Standard deviation: 6.4

Number of post filled (Group C /categories IV staff) (h94b)

File: CHC

Overview

Type: Continuous	Valid cases: 1610
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 60
Range: 0-60	Mean: 7.1
	Standard deviation: 4.6

Number of post available (Group C /categories IV staff) (h94c)

File: CHC

Overview

Type: Continuous	Valid cases: 1603
Format: numeric	Invalid: 22
Width: 11	Minimum: 0
Decimals: 0	Maximum: 43
Range: 0-43	Mean: 7
	Standard deviation: 4.4

Number of post Sanctioned(Others) (h95a)

File: CHC

Overview

Type: Discrete	Valid cases: 1524
Format: numeric	Invalid: 101
Width: 11	
Decimals: 0	
Range: 0-18	

Number of post filled (Others) (h95b)

File: CHC

Overview

Type: Discrete	Valid cases: 892
Format: numeric	Invalid: 733
Width: 11	
Decimals: 0	
Range: 0-18	

Number of post available (Others) (h95c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-18

Valid cases: 877
 Invalid: 748

Availability of emergency call for Anesthetist (h96)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1616
 Invalid: 9

Availability of emergency call for Gynecologist (h97)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 1601
 Invalid: 24

Availability of emergency call for OT nurses available (h98)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1621
 Invalid: 4

Availability of emergency call for OT attendant available (h99)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1621
 Invalid: 4

Number of doctor Trained in male sterilization (h100a)

File: CHC

Number of doctor Trained in male sterilization (h100a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1621
 Invalid: 4

Availability of trained doctor for male sterilization (h100b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 1109
 Invalid: 516

Number of doctor Trained in tubectomy (h101a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 1620
 Invalid: 5

Availability of trained doctor for tubectomy (h101b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 1210
 Invalid: 415

Number of doctor Trained in Mini- laproscopy (h102a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7

Valid cases: 1618
 Invalid: 7

Availability of trained doctor for laproscopy (h102b)

File: CHC

Availability of trained doctor for laproscopy (h102b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7

Valid cases: 1030
 Invalid: 595

Number of doctor Trained in MTP (h103a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 1622
 Invalid: 3

Availability of trained doctor for MTP (h103b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7

Valid cases: 1236
 Invalid: 389

Number of doctor Trained in RTI/STI (h104a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-11

Valid cases: 1622
 Invalid: 3

Availability of trained doctor for RTI/STI (h104b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-11

Valid cases: 1299
 Invalid: 326

Number of doctor Trained in new born care (h105a)

File: CHC

Number of doctor Trained in new born care (h105a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1622
 Invalid: 3

Availability of trained doctor for new born care (h105b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 1170
 Invalid: 455

Number of doctor Trained in RCH foundation skill training (10days) (h106a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 1622
 Invalid: 3

Availability of trained doctor for RCH skilled (h106b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 1349
 Invalid: 276

Availability of facility for gynecology/obsterict OPDGynecology/Obstetric OPD (h107a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1620
 Invalid: 5

Boards/Name Plates (h107b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 967
 Invalid: 658

Adequate working space (h107c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 968
 Invalid: 657

Privacy during examination (h107d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 968
 Invalid: 657

Facility for counseling (h107e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 968
 Invalid: 657

Separate toilet with running waste (h107f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 968
 Invalid: 657

Facilities for sterilizing instruments (h107g)

File: CHC

Facilities for sterilizing instruments (h107g)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 968
 Invalid: 657

Specialist (male doctor) (h107h)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 968
 Invalid: 657

Specialist (female doctor) (h107i)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 967
 Invalid: 658

Availability of facility for RTI/STI (h108a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 1619
 Invalid: 6

Boards/Name Plates (h108b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 750
 Invalid: 875

Adequate working space (h108c)

File: CHC

Adequate working space (h108c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 750
 Invalid: 875

Privacy during examination (h108d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 749
 Invalid: 876

Facility for counseling (h108e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 750
 Invalid: 875

Separate toilet with running water (h108f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 750
 Invalid: 875

Facilities for sterilizing instruments (h108g)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 748
 Invalid: 877

Specialist (male doctor) (h108h)

File: CHC

Specialist (male doctor) (h108h)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 748
 Invalid: 877

Specialist (female doctor (h108i)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 748
 Invalid: 877

Formal system of referral and reverse referral exists (h109)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1621
 Invalid: 4

WARDS/BEDSNumber of wards (h110)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-48

Valid cases: 1619
 Invalid: 6
 Minimum: 0
 Maximum: 48
 Mean: 2.9
 Standard deviation: 2.5

Number of beds (h111)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1352

Valid cases: 1620
 Invalid: 5
 Minimum: 0
 Maximum: 1352
 Mean: 30.3
 Standard deviation: 62.9

Number of female wards (including maternity wards and gynec wards) (h112)

File: CHC

Overview

Type: Continuous	Valid cases: 1614
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 21
Range: 0-21	Mean: 1.2
	Standard deviation: 1.5

Number of beds for females (h113)

File: CHC

Overview

Type: Continuous	Valid cases: 1593
Format: numeric	Invalid: 32
Width: 11	Minimum: 0
Decimals: 0	Maximum: 337
Range: 0-337	Mean: 9.9
	Standard deviation: 15.8

Number of maternity cases admitted during last three months (h114)

File: CHC

Overview

Type: Continuous	Valid cases: 1603
Format: numeric	Invalid: 22
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2235
Range: 0-2235	Mean: 68.3
	Standard deviation: 148.9

Number of normal deliveries (h115)

File: CHC

Overview

Type: Continuous	Valid cases: 1618
Format: numeric	Invalid: 7
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1700
Range: 0-1700	Mean: 55.8
	Standard deviation: 110

Number of caesarian (h116)

File: CHC

Overview

Number of caesarian (h116)

File: CHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-535

Valid cases: 1611
 Invalid: 14
 Minimum: 0
 Maximum: 535
 Mean: 3.2
 Standard deviation: 22.7

Number of complicated non-caesarian delivery (h117)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-390

Valid cases: 1612
 Invalid: 13
 Minimum: 0
 Maximum: 390
 Mean: 3.2
 Standard deviation: 17.4

Average number of days women stay in hospital After normal delivery (h118)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-89

Valid cases: 1566
 Invalid: 59
 Minimum: 0
 Maximum: 89
 Mean: 1.7
 Standard deviation: 3.9

Average number of days women stay in hospital After caesarian delivery (h119)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-56

Valid cases: 1358
 Invalid: 267
 Minimum: 0
 Maximum: 56
 Mean: 1.3
 Standard deviation: 3.3

Average number of days women stay in hospital After complicated non-caesarian delivery (h120)

File: CHC

Overview

Average number of days women stay in hospital After complicated non-caesarian delivery (h120)

File: CHC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-86

Valid cases: 1381
Invalid: 244
Minimum: 0
Maximum: 86
Mean: 1.3
Standard deviation: 3.4

Total number of pediatrics beds (h121)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-69

Valid cases: 1130
Invalid: 495
Minimum: 0
Maximum: 69
Mean: 0.8
Standard deviation: 4.7

Number of children in pediatrics beds during last three months (h122)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-1342

Valid cases: 1132
Invalid: 493
Minimum: 0
Maximum: 1342
Mean: 13.3
Standard deviation: 96.8

Average number of days a bed in pediatric ward is occupied during last three months (h123)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-1015

Valid cases: 1127
Invalid: 498
Minimum: 0
Maximum: 1015
Mean: 2.1
Standard deviation: 31.3

No. Of cases referred to higher facilities during last three months (h124)

File: CHC

Overview

No. Of cases referred to higher facilities during last three months (h124)

File: CHC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-365

Valid cases: 1595
Invalid: 30
Minimum: 0
Maximum: 365
Mean: 22.1
Standard deviation: 37.5

No. of referred cases handled during last three months (h125)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-14663

Valid cases: 1567
Invalid: 58
Minimum: 0
Maximum: 14663
Mean: 28.7
Standard deviation: 387.8

No. of booked maternity cases during last three months (h126)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-3157

Valid cases: 1601
Invalid: 24
Minimum: 0
Maximum: 3157
Mean: 71
Standard deviation: 176.8

Separate aseptic labour room (h127)

File: CHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 1617
Invalid: 8

Where conduct deliveries (h128)

File: CHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-4

Valid cases: 1219
Invalid: 406

Labour room clean and well lit (h129)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1549
 Invalid: 76

Provision for new born care (h130)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1607
 Invalid: 18

ORT corner in pediatric ward (h131)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1325
 Invalid: 300

ORT corner in OPD (h132)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1602
 Invalid: 23

Adequate equipments available in Test Laboratory (h133)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1616
 Invalid: 9

Adequate chemicals available in Test Laboratory (h134)

File: CHC

Adequate chemicals available in Test Laboratory (h134)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1616
 Invalid: 9

Laboratory maintained orderly manner (h135)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1611
 Invalid: 14

Routine blood/urine/stool (h136a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1618
 Invalid: 7

Malaria (h136b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1617
 Invalid: 8

Blood group (h136c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1618
 Invalid: 7

RTI/STI (h136d)

File: CHC

RTI/STI (h136d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1617
 Invalid: 8

Hematology (h136e)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1607
 Invalid: 18

Biochemistry (h136f)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1618
 Invalid: 7

Pathology (h136g)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1616
 Invalid: 9

Microbiology culture facilities (h136h)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1617
 Invalid: 8

No. Of Operation theatre (h137)

File: CHC

No. Of Operation theatre (h137)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-15

Valid cases: 1617
 Invalid: 8

OT used only for obstetric/gynecological purpose (h138a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1276
 Invalid: 349

If more than one OT ask (whether of the OT is exclusively use for ----- purpose?) (h138b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 554
 Invalid: 1071

OT has enough space (h139)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1522
 Invalid: 103

OT fitted with air condition (h140)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1520
 Invalid: 105

Air condition working (h141)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 727
 Invalid: 898

Generator available for OT (h142)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1520
 Invalid: 105

Emergency light available in OT (h143)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1515
 Invalid: 110

Fumigation done regularly (h144)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1514
 Invalid: 111

Days of sterilization displayed on the public notice on O.T (h145)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1510
 Invalid: 115

Boyles apparatus available in Operation Theatre (h146a)

File: CHC

Boyles apparatus available in Operation Theatre (h146a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Boyles apparatus is working in Operation Theatre (h146b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1411
 Invalid: 214

E M O machine available in Operation Theatre (h147a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

E M O machine is working in Operation Theatre (h147b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1349
 Invalid: 276

Cardiac monitor for OT available in Operation Theatre (h148a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Cardiac monitor is working in Operation Theatre (h148b)

File: CHC

Cardiac monitor is working in Operation Theatre (h148b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1346
 Invalid: 279

Defibrillator for OT available in Operation Theatre (h149a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Defibrillator is working in Operation Theatre (h149b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1342
 Invalid: 283

Ventilator for OT available in Operation Theatre (h150a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Ventilator is working in Operation Theatre (h150b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1364
 Invalid: 261

Horizontal high pressure sterilizer available (h151a)

File: CHC

Horizontal high pressure sterilizer available (h151a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Horizontal high pressure sterilizer is working (h151b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1407
 Invalid: 218

Vertical high pressure sterilizer 2/3 drum capacity available (h152a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Vertical high pressure sterilizer 2/3 drum working (h152b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1458
 Invalid: 167

Shadow less lamp ceiling track mounted available (h153a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Shadow less lamp ceiling track mounted working (h153b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1405
 Invalid: 220

Shadow less lamp pedestal for minor OT Available (h154a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Shadow less lamp pedestal is working (h154b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1523
 Invalid: 102

OT care/fumigation apparatus available (h155a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

OT care/fumigation apparatus is working (h155b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1366
 Invalid: 259

Glows and dusting machine available (h156a)

File: CHC

Glows and dusting machine available (h156a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1609
 Invalid: 16

Glows and dusting machine is working (h156b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1387
 Invalid: 238

Oxygen cylinder 660 Liters. Available (h157a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 1609
 Invalid: 16

Oxygen cylinder is working (h157b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 1549
 Invalid: 76

Nitrous oxide cylinder1780 liters available (h158a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1609
 Invalid: 16

Nitrous oxide cylinder1780 is working (h158b)

File: CHC

Nitrous oxide cylinder1780 is working (h158b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1383
 Invalid: 242

Hydraulic operation table available (h159a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1608
 Invalid: 17

Hydraulic operation table is working (h159b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1486
 Invalid: 139

X-ray machine available (h160a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1614
 Invalid: 11

X-ray machine is working (h160b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1504
 Invalid: 121

ECG machine available (h161a)

File: CHC

ECG machine available (h161a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1614
 Invalid: 11

ECG machine is working (h161b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1365
 Invalid: 260

Ultrasound available (h162a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1614
 Invalid: 11

Ultrasound is working (h162b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1027
 Invalid: 598

Cold chain equipments available in walk-in coolers (h163a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1613
 Invalid: 12

How many walk-in coolers (h163b)

File: CHC

How many walk-in coolers (h163b)

File: CHC

Overview

Type: Continuous	Valid cases: 551
Format: numeric	Invalid: 1074
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 176.5
	Standard deviation: 380.6

No. of Walk-in coolers in working condition (h163c)

File: CHC

Overview

Type: Continuous	Valid cases: 551
Format: numeric	Invalid: 1074
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 176.5
	Standard deviation: 380.6

Temperature maintained in walk-in coolers (h163d)

File: CHC

Overview

Type: Discrete	Valid cases: 550
Format: numeric	Invalid: 1075
Width: 11	
Decimals: 0	
Range: 0-999	

If not in working order since when (in months)1st item (h163ea)

File: CHC

Overview

Type: Continuous	Valid cases: 535
Format: numeric	Invalid: 1090
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 181.4
	Standard deviation: 385.1

If not in working order since when (in months)2nd item (h163eb)

File: CHC

Overview

Type: Continuous	Valid cases: 533
Format: numeric	Invalid: 1092
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 181.8
	Standard deviation: 385.8

Walk-in freezers available (h164a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1613
 Invalid: 12

How many Walk-in freezers available (h164b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 552
 Invalid: 1073
 Minimum: 0
 Maximum: 999
 Mean: 175.7
 Standard deviation: 380.5

No. of Walk-in freezers in working condition (h164c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 552
 Invalid: 1073
 Minimum: 0
 Maximum: 999
 Mean: 175.7
 Standard deviation: 380.5

Temperature maintained in Walk-in freezers (h164d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 552
 Invalid: 1073

If not in working order since when(in months)1st item (h164ea)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 533
 Invalid: 1092
 Minimum: 0
 Maximum: 999
 Mean: 181.8
 Standard deviation: 385.8

If not in working order since when(in months) 2nd item (h164eb)

File: CHC

Overview

Type: Continuous	Valid cases: 533
Format: numeric	Invalid: 1092
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 181.8
	Standard deviation: 385.8

Ice line freezer available (h165a)

File: CHC

Overview

Type: Discrete	Valid cases: 1621
Format: numeric	Invalid: 4
Width: 11	
Decimals: 0	
Range: 0-3	

How many Ice line freezer available (h165b)

File: CHC

Overview

Type: Continuous	Valid cases: 1409
Format: numeric	Invalid: 216
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 2.1
	Standard deviation: 26.6

No. of Ice line freezer in working condition (h165c)

File: CHC

Overview

Type: Continuous	Valid cases: 1409
Format: numeric	Invalid: 216
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 2
	Standard deviation: 26.6

Temperature maintained Ice line freezer (h165d)

File: CHC

Overview

Type: Discrete	Valid cases: 1399
Format: numeric	Invalid: 226
Width: 11	
Decimals: 0	
Range: 0-999	

If not in working order since when (in months) 1st item (h165ea)

File: CHC

Overview

Type: Continuous	Valid cases: 626
Format: numeric	Invalid: 999
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 124
	Standard deviation: 318.8

If not in working order since when (in months) 2nd item (h165eb)

File: CHC

Overview

Type: Continuous	Valid cases: 554
Format: numeric	Invalid: 1071
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 169.3
	Standard deviation: 373.1

Deep freezer available (h166a)

File: CHC

Overview

Type: Discrete	Valid cases: 1621
Format: numeric	Invalid: 4
Width: 11	
Decimals: 0	
Range: 0-2	

How many Deep freezer available (h166b)

File: CHC

Overview

Type: Continuous	Valid cases: 1423
Format: numeric	Invalid: 202
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 3.7
	Standard deviation: 45.8

No. of Deep freezer in working condition (h166c)

File: CHC

Overview

Type: Continuous	Valid cases: 1423
Format: numeric	Invalid: 202
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 3.5
	Standard deviation: 45.8

Temperature maintained in Deep freezer (h166d)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1412
 Invalid: 213

If not in working order since when (in months) 1st item (h166ea)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 649
 Invalid: 976
 Minimum: 0
 Maximum: 999
 Mean: 109.7
 Standard deviation: 302.4

If not in working order since when (in months) 2nd item (h166eb)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 564
 Invalid: 1061
 Minimum: 0
 Maximum: 999
 Mean: 168.4
 Standard deviation: 371.9

Refrigerator available (h167a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1621
 Invalid: 4

How many Refrigerator available (h167b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-999

Valid cases: 1030
 Invalid: 595
 Minimum: 0
 Maximum: 999
 Mean: 29.3
 Standard deviation: 165.2

No. of Refrigerator in working condition (h167c)

File: CHC

Overview

Type: Continuous	Valid cases: 1028
Format: numeric	Invalid: 597
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 29.1
	Standard deviation: 165.3

Temperature maintained in Refrigerator (h167d)

File: CHC

Overview

Type: Discrete	Valid cases: 882
Format: numeric	Invalid: 743
Width: 11	
Decimals: 0	
Range: 0-999	

If not in working order since when (in months) 1st item (h167ea)

File: CHC

Overview

Type: Continuous	Valid cases: 651
Format: numeric	Invalid: 974
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 127.7
	Standard deviation: 318.3

If not in working order since when (in months) 2nd item (h167eb)

File: CHC

Overview

Type: Continuous	Valid cases: 561
Format: numeric	Invalid: 1064
Width: 11	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 171.3
	Standard deviation: 374.2

Hospital linked with district blood bank (h168)

File: CHC

Overview

Type: Discrete	Valid cases: 1620
Format: numeric	Invalid: 5
Width: 11	
Decimals: 0	
Range: 0-3	

Established and regular blood supply available (h169)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1419
 Invalid: 206

Present stock of lubricated Nirodh pices (h170a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-400000

Valid cases: 1590
 Invalid: 35
 Minimum: 0
 Maximum: 400000
 Mean: 15568.1
 Standard deviation: 35523.7

Experience of stock out of lubricated Nirodh pices (h170b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1584
 Invalid: 41

Present stock of Oral pills cycles (h171a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-170000

Valid cases: 1590
 Invalid: 35
 Minimum: 0
 Maximum: 170000
 Mean: 2351.3
 Standard deviation: 8312.2

Experience of stock out of Oral pills cycles (h171b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1585
 Invalid: 40

Present stock of IUDs (h172a)

File: CHC

Overview

Type: Continuous	Valid cases: 1589
Format: numeric	Invalid: 36
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30000
Range: 0-30000	Mean: 297.5
	Standard deviation: 1160.1

Experience of stock out of IUDs (h172b)

File: CHC

Overview

Type: Discrete	Valid cases: 1582
Format: numeric	Invalid: 43
Width: 11	
Decimals: 0	
Range: 0-2	

Present stock of tubal ring (h173a)

File: CHC

Overview

Type: Continuous	Valid cases: 1584
Format: numeric	Invalid: 41
Width: 11	Minimum: 0
Decimals: 0	Maximum: 37000
Range: 0-37000	Mean: 74.4
	Standard deviation: 1008

Experience of stock out of tubal ring (h173b)

File: CHC

Overview

Type: Discrete	Valid cases: 1565
Format: numeric	Invalid: 60
Width: 11	
Decimals: 0	
Range: 0-2	

Present stock of DPT (h174a)

File: CHC

Overview

Type: Continuous	Valid cases: 1584
Format: numeric	Invalid: 41
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30000
Range: 0-30000	Mean: 943.9
	Standard deviation: 1851.6

Experience of stock out of DPT (h174b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1573
 Invalid: 52

Present stock of OPV (h175a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-80180

Valid cases: 1585
 Invalid: 40
 Minimum: 0
 Maximum: 80180
 Mean: 2489.9
 Standard deviation: 6316.2

Experience of stock out of OPV (h175b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1579
 Invalid: 46

Present stock of TT (h176a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-26000

Valid cases: 1586
 Invalid: 39
 Minimum: 0
 Maximum: 26000
 Mean: 1090.8
 Standard deviation: 1658.1

Experience of stock out of TT (h176b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1579
 Invalid: 46

Present stock of BCG (h177a)

File: CHC

Overview

Type: Continuous	Valid cases: 1585
Format: numeric	Invalid: 40
Width: 11	Minimum: 0
Decimals: 0	Maximum: 27000
Range: 0-27000	Mean: 571.6
	Standard deviation: 1310.4

Experience of stock out of BCG (h177b)

File: CHC

Overview

Type: Discrete	Valid cases: 1577
Format: numeric	Invalid: 48
Width: 11	
Decimals: 0	
Range: 0-2	

Present stock of Measels (h178a)

File: CHC

Overview

Type: Continuous	Valid cases: 1587
Format: numeric	Invalid: 38
Width: 11	Minimum: 0
Decimals: 0	Maximum: 17000
Range: 0-17000	Mean: 477.7
	Standard deviation: 924.3

Experience of stock out of Measels (h178b)

File: CHC

Overview

Type: Discrete	Valid cases: 1578
Format: numeric	Invalid: 47
Width: 11	
Decimals: 0	
Range: 0-2	

Present stock of DT (h179a)

File: CHC

Overview

Type: Continuous	Valid cases: 1586
Format: numeric	Invalid: 39
Width: 11	Minimum: 0
Decimals: 0	Maximum: 50000
Range: 0-50000	Mean: 440.5
	Standard deviation: 1620.1

Experience of stock out of DT (h179b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1578
 Invalid: 47

Present Stock of IFA tablet large (h180a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5885000

Valid cases: 1599
 Invalid: 26
 Minimum: 0
 Maximum: 5885000
 Mean: 34746.7
 Standard deviation: 178097.1

Experience of stock out of IFA tablet large (h180b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1592
 Invalid: 33

Present Stock of IFA large (h181a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5069400

Valid cases: 1600
 Invalid: 25
 Minimum: 0
 Maximum: 5069400
 Mean: 30492.7
 Standard deviation: 153960.8

Experience of stock out of IFA large (h181b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1591
 Invalid: 34

Present Stock of Vitamine A (h182a)

File: CHC

Overview

Type: Continuous	Valid cases: 1600
Format: numeric	Invalid: 25
Width: 11	Minimum: 0
Decimals: 0	Maximum: 300000
Range: 0-300000	Mean: 728.4
	Standard deviation: 8554.3

Experience of stock out of Vit.A (h182b)

File: CHC

Overview

Type: Discrete	Valid cases: 1592
Format: numeric	Invalid: 33
Width: 11	
Decimals: 0	
Range: 0-2	

Present Stock of ORS (h183a)

File: CHC

Overview

Type: Continuous	Valid cases: 1608
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 75000
Range: 0-75000	Mean: 1296.7
	Standard deviation: 4292.4

Experience of stock out of ORS (h183b)

File: CHC

Overview

Type: Discrete	Valid cases: 1599
Format: numeric	Invalid: 26
Width: 11	
Decimals: 0	
Range: 0-2	

Present stock of Contromisol tab. paediatric (h184a)

File: CHC

Overview

Type: Continuous	Valid cases: 1591
Format: numeric	Invalid: 34
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3327000
Range: 0-3327000	Mean: 5993.3
	Standard deviation: 84374.1

Experience of stock out of Contromisonal tab (h184b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-41

Valid cases: 1594
 Invalid: 31

Present stock of RTI/STI (h185a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-194710

Valid cases: 1597
 Invalid: 28
 Minimum: 0
 Maximum: 194710
 Mean: 851
 Standard deviation: 6254.1

Experience of stock out of RTI/STI (h185b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-22

Valid cases: 1585
 Invalid: 40

Present stock of life essential drugs i (h186a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-17517652

Valid cases: 1588
 Invalid: 37
 Minimum: 0
 Maximum: 17517652
 Mean: 27674.3
 Standard deviation: 455975.1

Experience of stock out of essential drugs (h186b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1583
 Invalid: 42

Present stock of Life saving drugs (h187a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-127450

Valid cases: 1592
 Invalid: 33
 Minimum: 0
 Maximum: 127450
 Mean: 308.2
 Standard deviation: 4162.5

Experience of stock out of life saving drugs (h187b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5

Valid cases: 1592
 Invalid: 33

Present stock of Laboratory reagent (h188a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-18900

Valid cases: 1594
 Invalid: 31
 Minimum: 0
 Maximum: 18900
 Mean: 127.7
 Standard deviation: 803.9

Experience of stock out of laboratory reagent (h188b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1591
 Invalid: 34

Present stock x-ray film (h189a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-7150

Valid cases: 1613
 Invalid: 12
 Minimum: 0
 Maximum: 7150
 Mean: 86.6
 Standard deviation: 354.7

Experience of stock out x-ray film (h189b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1594
 Invalid: 31

Condition of storage of drugs (h190)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1604
 Invalid: 21

OPV send for testing (h191)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1619
 Invalid: 6

What was the result (h192)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 604
 Invalid: 1021

supply of standered surgical set- kit E (h193a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

standered surgical set- kit E it is in use (h193b)

File: CHC

standered surgical set- kit E it is in use (h193b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1367
 Invalid: 258

supply of standered surgical set- kit F (h194a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

standered surgical set- kit F it is in use (h194b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1348
 Invalid: 277

supply of standered surgical set- kit H (h195a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

standered surgical set- kit H it is in use (h195b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1350
 Invalid: 275

supply of standered surgical set- kit J (h196a)

File: CHC

supply of standered surgical set- kit J (h196a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

standered surgical set- kit J it is in use (h196b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1337
 Invalid: 288

supply of standered surgical set- kit K (h197a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

standered surgical set- kit K it is in use (h197b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1331
 Invalid: 294

supply of standered surgical set- kit L (h198a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

standered surgical set- kit L it is in use (h198b)

File: CHC

standarded surgical set- kit L it is in use (h198b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1329
 Invalid: 296

supply of IUD insertion- kit G (h199a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

IUD insertion- kitG it is in use (h199b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1505
 Invalid: 120

supply of kit-I (h200a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

kit-I it is in use (h200b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1498
 Invalid: 127

supply of equipment kit-M (h201a)

File: CHC

supply of equipment kit-M (h201a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

equipment kit-M it is in use (h201b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1327
 Invalid: 298

supply of equipment for Neo-natal resuscitation kit-N (h202a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

equipment for Neo-natal resuscitation kit-N it is in use (h202b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1359
 Invalid: 266

supply of side laboratory test-Blood transfusion kit-O (h203a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

side laboratory test-Blood transfusion kit-O it is in use (h203b)

File: CHC

side laboratory test-Blood transfusion kit-O it is in use (h203b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1321
 Invalid: 304

supply of Donar-Blood transfusion kit-P (h204a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

Donar-Blood transfusion kit-P it is in use (h204b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1295
 Invalid: 330

supply of New born care equipment kit (h205a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

New born care equipment kit it is in use (h205b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1373
 Invalid: 252

supply of Emergency obstetric care drug kit (h206a)

File: CHC

supply of Emergency obstetric care drug kit (h206a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

Emergency obstetric care drug kit it is in use (h206b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1361
 Invalid: 264

supply of consumable items for RTI-STI kit (h207a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1623
 Invalid: 2

consumable items for RTI-STI kit it is in use (h207b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1304
 Invalid: 321

Store room to keep drugs, vaccines, contraceptives and equipments (h208)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1621
 Invalid: 4

Store room damp (h209)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1525
 Invalid: 100

Store room has proper lighting (h210)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1556
 Invalid: 69

Size of store room sufficient for keeping stock (h211)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1556
 Invalid: 69

How are Thermo labile drugs stored (h212)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1600
 Invalid: 25

Thermo labile drugs stored room is damp (h213)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 1564
 Invalid: 61

Stock registers maintained (h214)

File: CHC

Stock registers maintained (h214)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1620
 Invalid: 5

Expiry date drugs register maintained (h215)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1615
 Invalid: 10

Number of days Ante-natal clinics available (h216)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1618
 Invalid: 7
 Minimum: 0
 Maximum: 99
 Mean: 7.6
 Standard deviation: 9.7

Number of days Post-natal clinics available (h217)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1617
 Invalid: 8
 Minimum: 0
 Maximum: 99
 Mean: 8.4
 Standard deviation: 11

Number of days Immunization sessions available (h218)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 1619
 Invalid: 6
 Minimum: 0
 Maximum: 99
 Mean: 5.6
 Standard deviation: 6.9

special counter available for obtaining easily Oral pills (h219a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1621
 Invalid: 4

special counter available for obtaining easily Condom (h219b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-11

Valid cases: 1621
 Invalid: 4

special counter available for obtaining easily ORS Packets (h219c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1621
 Invalid: 4

A counter functioning regularly (OP) (h220a)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 693
 Invalid: 932

B counter functioning regularly (Condom) (h220b)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 715
 Invalid: 910

C counter functioning regularly (ORS) (h220c)

File: CHC

C counter functioning regularly (ORS) (h220c)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 685
 Invalid: 940

Accommodation facility for families of admitted patients (h221)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-38

Valid cases: 1621
 Invalid: 4

Cooking facility (h222)

File: CHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 1621
 Invalid: 4

Number of ANC examined at OPD (h223a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4733

Valid cases: 1613
 Invalid: 12
 Minimum: 0
 Maximum: 4733
 Mean: 176.3
 Standard deviation: 314.9

Number of ANC cases admitted (h223b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1413

Valid cases: 1604
 Invalid: 21
 Minimum: 0
 Maximum: 1413
 Mean: 21.6
 Standard deviation: 72.9

Number of post natal care examined at OPD (h224a)

File: CHC

Overview

Type: Continuous	Valid cases: 1608
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1452
Range: 0-1452	Mean: 59.7
	Standard deviation: 129.6

Number of post natal cases admitted (h224b)

File: CHC

Overview

Type: Continuous	Valid cases: 1603
Format: numeric	Invalid: 22
Width: 11	Minimum: 0
Decimals: 0	Maximum: 773
Range: 0-773	Mean: 12.1
	Standard deviation: 41.5

Total number of deliveries conducted (h225)

File: CHC

Overview

Type: Continuous	Valid cases: 1618
Format: numeric	Invalid: 7
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2235
Range: 0-2235	Mean: 62.9
	Standard deviation: 136.3

Total number of Normal deliveries (h226)

File: CHC

Overview

Type: Continuous	Valid cases: 1618
Format: numeric	Invalid: 7
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1700
Range: 0-1700	Mean: 55.8
	Standard deviation: 111.7

Number of complicated deliveries, direct admission (h227a)

File: CHC

Overview

Type: Continuous	Valid cases: 1614
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 390
Range: 0-390	Mean: 2.7
	Standard deviation: 14.9

Number of complicated deliveries Referred (h227b)

File: CHC

Overview

Type: Continuous	Valid cases: 1614
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 71
Range: 0-71	Mean: 0.8
	Standard deviation: 4.1

Total number of complicated deliveries (h227c)

File: CHC

Overview

Type: Continuous	Valid cases: 1613
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 390
Range: 0-390	Mean: 3.9
	Standard deviation: 18.3

Number of caesarian deliveries direct admission (h228a)

File: CHC

Overview

Type: Continuous	Valid cases: 1611
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 535
Range: 0-535	Mean: 2.7
	Standard deviation: 22.5

Number of caesarian deliveries referred (h228b)

File: CHC

Overview

Type: Continuous	Valid cases: 1613
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 0.1
	Standard deviation: 1.2

Total Number of caesarian deliveries (h228c)

File: CHC

Overview

Type: Continuous	Valid cases: 1612
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 535
Range: 0-535	Mean: 3.2
	Standard deviation: 23.2

Number of MTP cases (h229)

File: CHC

Overview

Type: Continuous	Valid cases: 1611
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1200
Range: 0-1200	Mean: 9.7
	Standard deviation: 41

Number of Vasectomy (h230a)

File: CHC

Overview

Type: Continuous	Valid cases: 1609
Format: numeric	Invalid: 16
Width: 11	Minimum: 0
Decimals: 0	Maximum: 180
Range: 0-180	Mean: 0.9
	Standard deviation: 7.9

Number of No scalpel vasectomy (h230b)

File: CHC

Overview

Type: Continuous	Valid cases: 1607
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 135
Range: 0-135	Mean: 1.1
	Standard deviation: 7.4

Number of Tubectomy cases (h231a)

File: CHC

Overview

Type: Continuous	Valid cases: 1610
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1043
Range: 0-1043	Mean: 28.2
	Standard deviation: 79.6

Number of Laparoscopic cases (h231b)

File: CHC

Overview

Type: Continuous	Valid cases: 1607
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1297
Range: 0-1297	Mean: 54.6
	Standard deviation: 118.4

Number of Mini-lap cases (h231c)

File: CHC

Overview

Type: Continuous	Valid cases: 1610
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4286
Range: 0-4286	Mean: 11.5
	Standard deviation: 128.4

No. Of Patients, examined in OPD (h232)

File: CHC

Overview

Type: Continuous	Valid cases: 1615
Format: numeric	Invalid: 10
Width: 11	Minimum: 0
Decimals: 0	Maximum: 175457
Range: 0-175457	Mean: 9724.8
	Standard deviation: 12398.3

No. Of in-patients examined during calendar year to last quarter (h233)

File: CHC

Overview

Type: Continuous	Valid cases: 1610
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 76147
Range: 0-76147	Mean: 781.8
	Standard deviation: 3159.4

No. Of patients examined during calendar year to last quarter All patients (h234a)

File: CHC

Overview

Type: Continuous	Valid cases: 1591
Format: numeric	Invalid: 34
Width: 11	Minimum: 0
Decimals: 0	Maximum: 189375
Range: 0-189375	Mean: 8893.3
	Standard deviation: 13254.2

No. Of patients examined during calendar year to last quarter Gynecology (h234b)

File: CHC

Overview

No. Of patients examined during calendar year to last quarter Gynecology (h234b)

File: CHC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-99999

Valid cases: 1505
Invalid: 120
Minimum: 0
Maximum: 99999
Mean: 623.3
Standard deviation: 4068.3

No. Of patients examined during calendar year to last quarter Pediatrics (h234c)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-99999

Valid cases: 1501
Invalid: 124
Minimum: 0
Maximum: 99999
Mean: 798.4
Standard deviation: 4218.7

No. Of patients examined during calendar year to last quarter Surgical (h234d)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-99999

Valid cases: 1508
Invalid: 117
Minimum: 0
Maximum: 99999
Mean: 441.9
Standard deviation: 4013.5

No. Of patients examined during calendar year to last quarter Medical (h234e)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-127802

Valid cases: 1500
Invalid: 125
Minimum: 0
Maximum: 127802
Mean: 2778.2
Standard deviation: 6933.2

Total No. Of beds (h235)

File: CHC

Overview

Total No. Of beds (h235)

File: CHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1352

Valid cases: 1614
 Invalid: 11
 Minimum: 0
 Maximum: 1352
 Mean: 29
 Standard deviation: 61.7

Number of Gyane operation (h236a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1043

Valid cases: 1598
 Invalid: 27
 Minimum: 0
 Maximum: 1043
 Mean: 18.1
 Standard deviation: 70.9

Number of Obstetric operation (h236b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99999

Valid cases: 1598
 Invalid: 27
 Minimum: 0
 Maximum: 99999
 Mean: 68.5
 Standard deviation: 2501.7

Number of Surgery operation (h236c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99999

Valid cases: 1601
 Invalid: 24
 Minimum: 0
 Maximum: 99999
 Mean: 105.2
 Standard deviation: 2506.9

No. Of caesarian sections performed (h237)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-396

Valid cases: 1605
 Invalid: 20
 Minimum: 0
 Maximum: 396
 Mean: 2.6
 Standard deviation: 19.4

No. Of MTP's performed (h238)

File: CHC

Overview

Type: Continuous	Valid cases: 1614
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1010
Range: 0-1010	Mean: 9.3
	Standard deviation: 36.2

No. Of male sterilization performed (h239)

File: CHC

Overview

Type: Continuous	Valid cases: 1611
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 256
Range: 0-256	Mean: 1.9
	Standard deviation: 11.7

No. Of female sterilization performed (h240)

File: CHC

Overview

Type: Continuous	Valid cases: 1614
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1971
Range: 0-1971	Mean: 92.2
	Standard deviation: 160.4

No. Of IUD insertion done (h241)

File: CHC

Overview

Type: Continuous	Valid cases: 1600
Format: numeric	Invalid: 25
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1696
Range: 0-1696	Mean: 45.9
	Standard deviation: 123.9

Number of children treated for Pneumonia (h242a)

File: CHC

Overview

Type: Continuous	Valid cases: 1567
Format: numeric	Invalid: 58
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10800
Range: 0-10800	Mean: 76
	Standard deviation: 416.7

Number of children treated for Acute gastroenteritis (h242b)

File: CHC

Overview

Type: Continuous	Valid cases: 1548
Format: numeric	Invalid: 77
Width: 11	Minimum: 0
Decimals: 0	Maximum: 7162
Range: 0-7162	Mean: 67.6
	Standard deviation: 266.2

Number of children treated for Other emergencies treated (h242c)

File: CHC

Overview

Type: Continuous	Valid cases: 1541
Format: numeric	Invalid: 84
Width: 11	Minimum: 0
Decimals: 0	Maximum: 13167
Range: 0-13167	Mean: 65.7
	Standard deviation: 503.4

No. Of cases provided emergency obst. Care (h243)

File: CHC

Overview

Type: Continuous	Valid cases: 1552
Format: numeric	Invalid: 73
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2960
Range: 0-2960	Mean: 19.3
	Standard deviation: 135.8

No. Of cases provided surgical emergency (h244)

File: CHC

Overview

Type: Continuous	Valid cases: 1556
Format: numeric	Invalid: 69
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99999
Range: 0-99999	Mean: 89.7
	Standard deviation: 2537.8

No. Of cases provided medical emergency care (h245)

File: CHC

Overview

Type: Continuous	Valid cases: 1555
Format: numeric	Invalid: 70
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99999
Range: 0-99999	Mean: 172.9
	Standard deviation: 2575.5

Number of lab test performed Routine test (h246a)

File: CHC

Overview

Type: Continuous	Valid cases: 1588
Format: numeric	Invalid: 37
Width: 11	Minimum: 0
Decimals: 0	Maximum: 22586
Range: 0-22586	Mean: 500.4
	Standard deviation: 1285.8

Number of lab test performed Malaria test (h246b)

File: CHC

Overview

Type: Continuous	Valid cases: 1598
Format: numeric	Invalid: 27
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35065
Range: 0-35065	Mean: 1316.8
	Standard deviation: 1991.2

Number of lab test performed Bio-chemistry test (h246c)

File: CHC

Overview

Type: Continuous	Valid cases: 1556
Format: numeric	Invalid: 69
Width: 11	Minimum: 0
Decimals: 0	Maximum: 65506
Range: 0-65506	Mean: 132.1
	Standard deviation: 2053.8

Number of lab test performed Hematology test (h246d)

File: CHC

Overview

Type: Continuous	Valid cases: 1558
Format: numeric	Invalid: 67
Width: 11	Minimum: 0
Decimals: 0	Maximum: 45011
Range: 0-45011	Mean: 227.1
	Standard deviation: 1328.3

Number of lab test performed STI/RTI test (h246e)

File: CHC

Overview

Type: Continuous	Valid cases: 1555
Format: numeric	Invalid: 70
Width: 11	Minimum: 0
Decimals: 0	Maximum: 12648
Range: 0-12648	Mean: 32.9
	Standard deviation: 385.1

No. Of ECG's performed (h247)

File: CHC

Overview

Type: Continuous	Valid cases: 1555
Format: numeric	Invalid: 70
Width: 11	Minimum: 0
Decimals: 0	Maximum: 27000
Range: 0-27000	Mean: 37.7
	Standard deviation: 738.8

No. Of X-rays done (h248)

File: CHC

Overview

Type: Continuous	Valid cases: 1587
Format: numeric	Invalid: 38
Width: 11	Minimum: 0
Decimals: 0	Maximum: 23250
Range: 0-23250	Mean: 127.4
	Standard deviation: 845.9

Number of in-service training programme conducted for Doctors (h249a)

File: CHC

Overview

Type: Continuous	Valid cases: 1564
Format: numeric	Invalid: 61
Width: 11	Minimum: 0
Decimals: 0	Maximum: 182
Range: 0-182	Mean: 0.8
	Standard deviation: 5

Number of in-service training programme conducted for Paramedical (h249b)

File: CHC

Overview

Type: Continuous	Valid cases: 1568
Format: numeric	Invalid: 57
Width: 11	Minimum: 0
Decimals: 0	Maximum: 70
Range: 0-70	Mean: 0.9
	Standard deviation: 3

No. of workshops/seminars held (h250)

File: CHC

Overview

No. of workshops/seminars held (h250)

File: CHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-28

Valid cases: 1560
 Invalid: 65
 Minimum: 0
 Maximum: 28
 Mean: 0.8
 Standard deviation: 2.3

Number of Maternity bed (h251a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-826

Valid cases: 1085
 Invalid: 540
 Minimum: 0
 Maximum: 826
 Mean: 15.5
 Standard deviation: 46

Number of Pediatric bed (h251b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-930

Valid cases: 1063
 Invalid: 562
 Minimum: 0
 Maximum: 930
 Mean: 4.5
 Standard deviation: 40.1

Number of children admitted for diarrhea (under age 5years)Male (h252a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-700

Valid cases: 1547
 Invalid: 78
 Minimum: 0
 Maximum: 700
 Mean: 7.2
 Standard deviation: 30.5

Number of children admitted for diarrhea (under age 5years)Female (h252b)

File: CHC

Overview

Number of children admitted for diarrhea (under age 5years)Female (h252b)

File: CHC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-501

Valid cases: 1549
Invalid: 76
Minimum: 0
Maximum: 501
Mean: 6.1
Standard deviation: 27.4

Number of children admitted for diarrhea (under age 5years)Total (h252c)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-874

Valid cases: 1580
Invalid: 45
Minimum: 0
Maximum: 874
Mean: 14.5
Standard deviation: 53.9

Number of children treated at OPD Male (h253a)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-3000

Valid cases: 1497
Invalid: 128
Minimum: 0
Maximum: 3000
Mean: 49
Standard deviation: 129.9

Number of children treated at OPD Female (h253b)

File: CHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-2000

Valid cases: 1497
Invalid: 128
Minimum: 0
Maximum: 2000
Mean: 42.2
Standard deviation: 116.5

Number of children treated at OPD Total (h253c)

File: CHC

Overview

Number of children treated at OPD Total (h253c)

File: CHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5000

Valid cases: 1578
 Invalid: 47
 Minimum: 0
 Maximum: 5000
 Mean: 100.4
 Standard deviation: 272.3

Total number of children Male (h254a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3056

Valid cases: 1501
 Invalid: 124
 Minimum: 0
 Maximum: 3056
 Mean: 55.6
 Standard deviation: 144.5

Total number of children Female (h254b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2038

Valid cases: 1501
 Invalid: 124
 Minimum: 0
 Maximum: 2038
 Mean: 45.6
 Standard deviation: 119

Total number of children Total (h254c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5083

Valid cases: 1582
 Invalid: 43
 Minimum: 0
 Maximum: 5083
 Mean: 111.4
 Standard deviation: 285.5

Number of children admitted for pneumonia (under age 5years)Male (h255a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-500

Valid cases: 1560
 Invalid: 65
 Minimum: 0
 Maximum: 500
 Mean: 3.2
 Standard deviation: 17.2

Number of children admitted for pneumonia (under age 5years)**Female (h255b)**

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-611

Valid cases: 1559
 Invalid: 66
 Minimum: 0
 Maximum: 611
 Mean: 3.1
 Standard deviation: 23.4

Number of children admitted for pneumonia (under age 5years)**Total (h255c)**

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1111

Valid cases: 1579
 Invalid: 46
 Minimum: 0
 Maximum: 1111
 Mean: 6.7
 Standard deviation: 39.6

Number of children treated at OPD Male (h256a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2802

Valid cases: 1504
 Invalid: 121
 Minimum: 0
 Maximum: 2802
 Mean: 28.9
 Standard deviation: 109.5

Number of children treated at OPD Female (h256b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1202

Valid cases: 1504
 Invalid: 121
 Minimum: 0
 Maximum: 1202
 Mean: 22.9
 Standard deviation: 76.8

Number of children treated at OPD Total (h256c)

File: CHC

Overview

Number of children treated at OPD Total (h256c)

File: CHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3374

Valid cases: 1582
 Invalid: 43
 Minimum: 0
 Maximum: 3374
 Mean: 56.7
 Standard deviation: 190.8

Total number of children Male (h257a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3302

Valid cases: 1505
 Invalid: 120
 Minimum: 0
 Maximum: 3302
 Mean: 31
 Standard deviation: 120.3

Total number of children Female (h257b)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6059

Valid cases: 1505
 Invalid: 120
 Minimum: 0
 Maximum: 6059
 Mean: 29
 Standard deviation: 175.5

Total number of children (h257c)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9361

Valid cases: 1585
 Invalid: 40
 Minimum: 0
 Maximum: 9361
 Mean: 64.9
 Standard deviation: 297.3

Total number of cases admitted for RTI/STIMale (h258a)

File: CHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-128

Valid cases: 1579
 Invalid: 46
 Minimum: 0
 Maximum: 128
 Mean: 0.7
 Standard deviation: 5.9

Total number of cases admitted for RTI/STI Female (h258b)

File: CHC

Overview

Type: Continuous	Valid cases: 1578
Format: numeric	Invalid: 47
Width: 11	Minimum: 0
Decimals: 0	Maximum: 271
Range: 0-271	Mean: 1.3
	Standard deviation: 12.4

Total number of cases admitted for RTI/STI (h258c)

File: CHC

Overview

Type: Continuous	Valid cases: 1582
Format: numeric	Invalid: 43
Width: 11	Minimum: 0
Decimals: 0	Maximum: 399
Range: 0-399	Mean: 2.2
	Standard deviation: 18.5

Total number of RTI/STI cases treated at OPD Male (h259a)

File: CHC

Overview

Type: Continuous	Valid cases: 1561
Format: numeric	Invalid: 64
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1781
Range: 0-1781	Mean: 18.7
	Standard deviation: 95.2

Total number of RTI/STI cases treated at OPD Female (h259b)

File: CHC

Overview

Type: Continuous	Valid cases: 1561
Format: numeric	Invalid: 64
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2432
Range: 0-2432	Mean: 31.1
	Standard deviation: 117.5

Total number of RTI/STI cases treated at OPD (h259c)

File: CHC

Overview

Type: Continuous	Valid cases: 1586
Format: numeric	Invalid: 39
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3303
Range: 0-3303	Mean: 53.9
	Standard deviation: 207.6

Total number of cases Male (h260a)

File: CHC

Overview

Type: Continuous	Valid cases: 1561
Format: numeric	Invalid: 64
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1781
Range: 0-1781	Mean: 19.2
	Standard deviation: 96.3

Total number of cases Female (h260b)

File: CHC

Overview

Type: Continuous	Valid cases: 1561
Format: numeric	Invalid: 64
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2432
Range: 0-2432	Mean: 32
	Standard deviation: 119.6

Total number of cases (h260c)

File: CHC

Overview

Type: Continuous	Valid cases: 1586
Format: numeric	Invalid: 39
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11039
Range: 0-11039	Mean: 62.7
	Standard deviation: 347.3

State code (state)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-35

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 35
 Mean: 17.3
 Standard deviation: 9.4

State name (s_name)

File: HH_R2_ind

Overview

Type: Discrete
 Format: character
 Width: 60

Valid cases: 620107
 Invalid: 0

District code (dist)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-70

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 70
 Mean: 15.3
 Standard deviation: 13.5

District name (d_name)

File: HH_R2_ind

Overview

Type: Discrete
 Format: character
 Width: 60

Valid cases: 620107
 Invalid: 0

PSU code (psu)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-50

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 50
 Mean: 20.7
 Standard deviation: 11.8

Tehsil code (tal)

File: HH_R2_ind

Tehsil code (tal)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 417455
Format: numeric	Invalid: 202652
Width: 4	Minimum: 0
Decimals: 0	Maximum: 920
Range: 0-920	Mean: 52.1
	Standard deviation: 63

Serial number of village (srv)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 420222
Format: numeric	Invalid: 199885
Width: 4	Minimum: 1
Decimals: 0	Maximum: 50
Range: 1-50	Mean: 14.8
	Standard deviation: 9.2

Case Identification (hh_pk)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2240
Range: 1-2240	Mean: 567.9
	Standard deviation: 336

Result of Household interview (hhst)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-8	

Serial number of household (srhh)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2047
Range: 0-2047	Mean: 556.6
	Standard deviation: 321.8

Number of eligible women interviewed (newi)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	Mean: 0.8
	Standard deviation: 0.6

Number of husband interviewed (nhi)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-5	Mean: 0.5
	Standard deviation: 0.6

Line number of respondent of household schedule (lnrhh)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 1
Decimals: 0	Maximum: 42
Range: 1-42	Mean: 2
	Standard deviation: 1.4

Number of visits (visits)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	Mean: 1.3
	Standard deviation: 0.6

Place of residence (type)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(hp01)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-41

Valid cases: 620106
 Invalid: 1
 Minimum: 0
 Maximum: 41
 Mean: 5.6
 Standard deviation: 2.8

(hm01)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-31

Valid cases: 620106
 Invalid: 1
 Minimum: 0
 Maximum: 31
 Mean: 2.9
 Standard deviation: 1.6

(hf01)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-24

Valid cases: 620106
 Invalid: 1
 Minimum: 0
 Maximum: 24
 Mean: 2.7
 Standard deviation: 1.7

(lineno)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 620106
 Invalid: 1

Line number of household head (h101\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 620106
 Invalid: 1
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

Head of the household (h102\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620105
Format: numeric	Invalid: 2
Width: 4	Minimum: 1
Decimals: 0	Maximum: 11
Range: 1-11	Mean: 1
	Standard deviation: 0

Usual resident (h103\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620105
Format: numeric	Invalid: 2
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	Mean: 1
	Standard deviation: 0

Duration of away from household (h104\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 619192
Format: numeric	Invalid: 915
Width: 4	Minimum: 0
Decimals: 0	Maximum: 120
Range: 0-120	

Duration of stay of visitor (h105\$1)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 919
Format: numeric	Invalid: 619188
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 39.3
	Standard deviation: 37.6

Sex of household head (h106\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household head (h107\$1)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 0
Decimals: 0	Maximum: 98
Range: 0-98	Mean: 45.8
	Standard deviation: 13.9

Marital Status of household head (h108\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620010
Format: numeric	Invalid: 97
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620040
Format: numeric	Invalid: 67
Width: 4	Minimum: 1
Decimals: 0	Maximum: 15
Range: 1-15	

Years of schooling (h110\$1)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 393091
Format: numeric	Invalid: 227016
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 8.6
	Standard deviation: 4

(edu\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620038
Format: numeric	Invalid: 69
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.8

Suffer from Blindness (h111\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620105
Format: numeric	Invalid: 2
Width: 4	Minimum: 1
Decimals: 0	Maximum: 41
Range: 1-41	

Suffer from Tuberculosis (h112\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620105
Format: numeric	Invalid: 2
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620105
Format: numeric	Invalid: 2
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 9.4
	Standard deviation: 2.1

(h017\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620006
Format: numeric	Invalid: 101
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 5.6
	Standard deviation: 1

(h0117\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620106
Format: numeric	Invalid: 1
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.6
	Standard deviation: 0.9

Line number of respondent (h101\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605734
Format: numeric	Invalid: 14373
Width: 4	Minimum: 2
Decimals: 0	Maximum: 2
Range: 2-2	Mean: 2
	Standard deviation: 0

Relationship to head (h102\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605724
Format: numeric	Invalid: 14383
Width: 4	Minimum: 2
Decimals: 0	Maximum: 13
Range: 2-13	

Usual resident (h103\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605723
Format: numeric	Invalid: 14384
Width: 4	Minimum: 1
Decimals: 0	Maximum: 10
Range: 1-10	

Duration of away from household (h104\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 602225
Format: numeric	Invalid: 17882
Width: 4	Minimum: 0
Decimals: 0	Maximum: 120
Range: 0-120	

Duration of stay of visitor (h105\$2)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 3642
Format: numeric	Invalid: 616465
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 32.4
	Standard deviation: 35

Sex of household member (h106\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605734
Format: numeric	Invalid: 14373
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$2)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 605734
Format: numeric	Invalid: 14373
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 37.8
	Standard deviation: 13.3

Marital Status of household member (h108\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 601572
Format: numeric	Invalid: 18535
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 603712
Format: numeric	Invalid: 16395
Width: 4	Minimum: 1
Decimals: 0	Maximum: 10
Range: 1-10	

Years of schooling (h110\$2)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 278686
Format: numeric	Invalid: 341421
Width: 4	Minimum: 0
Decimals: 0	Maximum: 151
Range: 0-151	Mean: 8.1
	Standard deviation: 3.8

(edu\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 603711
Format: numeric	Invalid: 16396
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.6
	Standard deviation: 0.8

Suffer from Blindness (h111\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605723
Format: numeric	Invalid: 14384
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605723
Format: numeric	Invalid: 14384
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 605723
Format: numeric	Invalid: 14384
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 605734
 Invalid: 14373
 Minimum: 1
 Maximum: 12
 Mean: 8
 Standard deviation: 2.4

(h017\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 601515
 Invalid: 18592
 Minimum: 1
 Maximum: 7
 Mean: 4.9
 Standard deviation: 1.2

(h0117\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 605734
 Invalid: 14373
 Minimum: 1
 Maximum: 4
 Mean: 2.1
 Standard deviation: 0.9

Line number of respondent (h101\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-3

Valid cases: 565915
 Invalid: 54192
 Minimum: 3
 Maximum: 3
 Mean: 3
 Standard deviation: 0

Relationship to head (h102\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 565901
 Invalid: 54206
 Minimum: 2
 Maximum: 13

Usual resident (h103\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 565901
 Invalid: 54206
 Minimum: 1
 Maximum: 2

Duration of away from household (h104\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-120

Valid cases: 554751
 Invalid: 65356
 Minimum: 0
 Maximum: 120

Duration of stay of visitor (h105\$3)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 11608
 Invalid: 608499
 Minimum: 0
 Maximum: 90
 Mean: 40.2
 Standard deviation: 36.9

Sex of household member (h106\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-11

Valid cases: 565915
 Invalid: 54192
 Minimum: 1
 Maximum: 11

Age of household member (h107\$3)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 565915
 Invalid: 54192
 Minimum: 0
 Maximum: 95
 Mean: 18.5
 Standard deviation: 12.1

Marital Status of household member (h108\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-11

Valid cases: 441665
 Invalid: 178442
 Minimum: 1
 Maximum: 11

Can read and write (h109\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 487989
 Invalid: 132118
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$3)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 399375
 Invalid: 220732
 Minimum: 0
 Maximum: 99
 Mean: 8
 Standard deviation: 4

(edu\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 487988
 Invalid: 132119
 Minimum: 1
 Maximum: 9
 Mean: 2.1
 Standard deviation: 0.7

Suffer from Blindness (h111\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 565899
 Invalid: 54208
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 565900
 Invalid: 54207
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 565899
 Invalid: 54208
 Minimum: 1
 Maximum: 2

(h007\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 565915
 Invalid: 54192
 Minimum: 1
 Maximum: 12
 Mean: 4.3
 Standard deviation: 2.3

(h017\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 441378
 Invalid: 178729
 Minimum: 1
 Maximum: 7
 Mean: 2.9
 Standard deviation: 1.6

(h0117\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 565915
 Invalid: 54192
 Minimum: 1
 Maximum: 4
 Mean: 1.2
 Standard deviation: 0.5

Line number of respondent (h101\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504111
Format: numeric	Invalid: 115996
Width: 4	Minimum: 4
Decimals: 0	Maximum: 4
Range: 4-4	Mean: 4
	Standard deviation: 0

Relationship to head (h102\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504084
Format: numeric	Invalid: 116023
Width: 4	Minimum: 2
Decimals: 0	Maximum: 14
Range: 2-14	

Usual resident (h103\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504084
Format: numeric	Invalid: 116023
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 491921
Format: numeric	Invalid: 128186
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$4)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 12769
Format: numeric	Invalid: 607338
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 35.5
	Standard deviation: 35.9

Sex of household member (h106\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504111
Format: numeric	Invalid: 115996
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$4)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 504111
Format: numeric	Invalid: 115996
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 16
	Standard deviation: 12.4

Marital Status of household member (h108\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 346370
Format: numeric	Invalid: 273737
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Can read and write (h109\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 401051
Format: numeric	Invalid: 219056
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$4)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 314877
Format: numeric	Invalid: 305230
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 7.2
	Standard deviation: 3.9

(edu\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 401051
Format: numeric	Invalid: 219056
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 2
	Standard deviation: 0.7

Suffer from Blindness (h111\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504082
Format: numeric	Invalid: 116025
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504081
Format: numeric	Invalid: 116026
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504081
Format: numeric	Invalid: 116026
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504111
Format: numeric	Invalid: 115996
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 3.8
	Standard deviation: 2.3

(h017\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 346055
Format: numeric	Invalid: 274052
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 2.6
	Standard deviation: 1.6

(h0117\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 504111
Format: numeric	Invalid: 115996
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.2
	Standard deviation: 0.5

Line number of respondent (h101\$5)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 392622
Format: numeric	Invalid: 227485
Width: 4	Minimum: 5
Decimals: 0	Maximum: 5
Range: 5-5	Mean: 5
	Standard deviation: 0

Relationship to head (h102\$5)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 392567
Format: numeric	Invalid: 227540
Width: 4	Minimum: 2
Decimals: 0	Maximum: 15
Range: 2-15	

Usual resident (h103\$5)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 392567
Format: numeric	Invalid: 227540
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$5)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 377665
Format: numeric	Invalid: 242442
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$5)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 15732
Format: numeric	Invalid: 604375
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 31.3
	Standard deviation: 34.1

Sex of household member (h106\$5)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 392622
Format: numeric	Invalid: 227485
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$5)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 392622
Format: numeric	Invalid: 227485
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 14.7
	Standard deviation: 15.5

Marital Status of household member (h108\$5)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 218800
Format: numeric	Invalid: 401307
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 271245
 Invalid: 348862
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$5)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 212890
 Invalid: 407217
 Minimum: 0
 Maximum: 99
 Mean: 6.4
 Standard deviation: 3.8

(edu\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 271245
 Invalid: 348862
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 0.6

Suffer from Blindness (h111\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 392566
 Invalid: 227541
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 392566
 Invalid: 227541
 Minimum: 1
 Maximum: 4

Suffer from Malaria (h113\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 392566
 Invalid: 227541
 Minimum: 1
 Maximum: 2

(h007\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 392622
 Invalid: 227485
 Minimum: 1
 Maximum: 12
 Mean: 3.4
 Standard deviation: 2.7

(h017\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 218392
 Invalid: 401715
 Minimum: 1
 Maximum: 7
 Mean: 2.6
 Standard deviation: 1.9

(h0117\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 392622
 Invalid: 227485
 Minimum: 1
 Maximum: 4
 Mean: 1.2
 Standard deviation: 0.7

Line number of respondent (h101\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 6-6

Valid cases: 272278
 Invalid: 347829
 Minimum: 6
 Maximum: 6
 Mean: 6
 Standard deviation: 0

Relationship to head (h102\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272207
Format: numeric	Invalid: 347900
Width: 4	Minimum: 2
Decimals: 0	Maximum: 15
Range: 2-15	

Usual resident (h103\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272206
Format: numeric	Invalid: 347901
Width: 4	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	

Duration of away from household (h104\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 256451
Format: numeric	Invalid: 363656
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$6)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 16545
Format: numeric	Invalid: 603562
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 28.6
	Standard deviation: 32.8

Sex of household member (h106\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272278
Format: numeric	Invalid: 347829
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$6)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 272278
Format: numeric	Invalid: 347829
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 16.3
	Standard deviation: 17.9

Marital Status of household member (h108\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 148807
Format: numeric	Invalid: 471300
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 182486
Format: numeric	Invalid: 437621
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$6)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 133382
Format: numeric	Invalid: 486725
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 6.5
	Standard deviation: 4

(edu\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 182486
Format: numeric	Invalid: 437621
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.7

Suffer from Blindness (h111\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272204
Format: numeric	Invalid: 347903
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272205
Format: numeric	Invalid: 347902
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272205
Format: numeric	Invalid: 347902
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272278
Format: numeric	Invalid: 347829
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 3.7
	Standard deviation: 3.1

(h017\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 148539
Format: numeric	Invalid: 471568
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 3
	Standard deviation: 2.1

(h0117\$6)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 272278
Format: numeric	Invalid: 347829
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.8

Line number of respondent (h101\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176488
Format: numeric	Invalid: 443619
Width: 4	Minimum: 7
Decimals: 0	Maximum: 7
Range: 7-7	Mean: 7
	Standard deviation: 0

Relationship to head (h102\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176431
Format: numeric	Invalid: 443676
Width: 4	Minimum: 2
Decimals: 0	Maximum: 15
Range: 2-15	

Usual resident (h103\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176430
Format: numeric	Invalid: 443677
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Duration of away from household (h104\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 162157
Format: numeric	Invalid: 457950
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$7)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 14918
Format: numeric	Invalid: 605189
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 27.6
	Standard deviation: 32

Sex of household member (h106\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176488
Format: numeric	Invalid: 443619
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$7)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 176488
Format: numeric	Invalid: 443619
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.6
	Standard deviation: 18.6

Marital Status of household member (h108\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 100653
Format: numeric	Invalid: 519454
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Can read and write (h109\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 119016
Format: numeric	Invalid: 501091
Width: 4	Minimum: 1
Decimals: 0	Maximum: 10
Range: 1-10	

Years of schooling (h110\$7)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 83688
Format: numeric	Invalid: 536419
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 7
	Standard deviation: 4.1

(edu\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 119014
Format: numeric	Invalid: 501093
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.7

Suffer from Blindness (h111\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176429
Format: numeric	Invalid: 443678
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176429
Format: numeric	Invalid: 443678
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Malaria (h113\$7)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 176429
Format: numeric	Invalid: 443678
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

(h007\$7)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 176488
 Invalid: 443619
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3.2

(h017\$7)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 100427
 Invalid: 519680
 Minimum: 1
 Maximum: 7
 Mean: 3.3
 Standard deviation: 2

(h0117\$7)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 176488
 Invalid: 443619
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

Line number of respondent (h101\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 8-8

Valid cases: 112215
 Invalid: 507892
 Minimum: 8
 Maximum: 8
 Mean: 8
 Standard deviation: 0

Relationship to head (h102\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-15

Valid cases: 112160
 Invalid: 507947
 Minimum: 2
 Maximum: 15

Usual resident (h103\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 112159
 Invalid: 507948
 Minimum: 1
 Maximum: 2

Duration of away from household (h104\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 100449
 Invalid: 519658
 Minimum: 0
 Maximum: 90

Duration of stay of visitor (h105\$8)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 12193
 Invalid: 607914
 Minimum: 0
 Maximum: 90
 Mean: 26.3
 Standard deviation: 31.2

Sex of household member (h106\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 112215
 Invalid: 507892
 Minimum: 1
 Maximum: 9

Age of household member (h107\$8)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 112215
 Invalid: 507892
 Minimum: 0
 Maximum: 95
 Mean: 18.1
 Standard deviation: 18.4

Marital Status of household member (h108\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 66439
 Invalid: 553668
 Minimum: 1
 Maximum: 9

Can read and write (h109\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 76243
 Invalid: 543864
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$8)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 52700
 Invalid: 567407
 Minimum: 0
 Maximum: 99
 Mean: 7.2
 Standard deviation: 4.1

(edu\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 76243
 Invalid: 543864
 Minimum: 1
 Maximum: 9
 Mean: 1.9
 Standard deviation: 0.7

Suffer from Blindness (h111\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 112158
 Invalid: 507949
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 112159
 Invalid: 507948
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 112159
 Invalid: 507948
 Minimum: 1
 Maximum: 2

(h007\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 112215
 Invalid: 507892
 Minimum: 1
 Maximum: 12
 Mean: 4.1
 Standard deviation: 3.2

(h017\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 66298
 Invalid: 553809
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.9

(h0117\$8)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 112215
 Invalid: 507892
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

Line number of respondent (h101\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71624
Format: numeric	Invalid: 548483
Width: 4	Minimum: 9
Decimals: 0	Maximum: 9
Range: 9-9	Mean: 9
	Standard deviation: 0

Relationship to head (h102\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71588
Format: numeric	Invalid: 548519
Width: 4	Minimum: 2
Decimals: 0	Maximum: 14
Range: 2-14	

Usual resident (h103\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71589
Format: numeric	Invalid: 548518
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 62723
Format: numeric	Invalid: 557384
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$9)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 9194
Format: numeric	Invalid: 610913
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 25.5
	Standard deviation: 30.6

Sex of household member (h106\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71624
Format: numeric	Invalid: 548483
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$9)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 71624
Format: numeric	Invalid: 548483
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.6
	Standard deviation: 18.3

Marital Status of household member (h108\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 41592
Format: numeric	Invalid: 578515
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 47646
Format: numeric	Invalid: 572461
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$9)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 32539
Format: numeric	Invalid: 587568
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 7.1
	Standard deviation: 3.9

(edu\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 47645
Format: numeric	Invalid: 572462
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.7

Suffer from Blindness (h111\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71588
Format: numeric	Invalid: 548519
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71588
Format: numeric	Invalid: 548519
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71588
Format: numeric	Invalid: 548519
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71624
Format: numeric	Invalid: 548483
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 4
	Standard deviation: 3.1

(h017\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 41469
Format: numeric	Invalid: 578638
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 3.4
	Standard deviation: 1.9

(h0117\$9)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 71624
Format: numeric	Invalid: 548483
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.8

Line number of respondent (h101\$10)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 46945
Format: numeric	Invalid: 573162
Width: 4	Minimum: 10
Decimals: 0	Maximum: 10
Range: 10-10	Mean: 10
	Standard deviation: 0

Relationship to head (h102\$10)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 46913
Format: numeric	Invalid: 573194
Width: 4	Minimum: 2
Decimals: 0	Maximum: 13
Range: 2-13	

Usual resident (h103\$10)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 46913
Format: numeric	Invalid: 573194
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$10)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 40430
Format: numeric	Invalid: 579677
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$10)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 6728
Format: numeric	Invalid: 613379
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 25.2
	Standard deviation: 30.6

Sex of household member (h106\$10)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 46945
Format: numeric	Invalid: 573162
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$10)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 46945
Format: numeric	Invalid: 573162
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.3
	Standard deviation: 18.2

Marital Status of household member (h108\$10)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 26639
Format: numeric	Invalid: 593468
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 30690
 Invalid: 589417
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$10)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 21144
 Invalid: 598963
 Minimum: 0
 Maximum: 99
 Mean: 7.1
 Standard deviation: 4.1

(edu\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 30690
 Invalid: 589417
 Minimum: 1
 Maximum: 9
 Mean: 1.9
 Standard deviation: 0.8

Suffer from Blindness (h111\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-5

Valid cases: 46913
 Invalid: 573194
 Minimum: 1
 Maximum: 5

Suffer from Tuberculosis (h112\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 46914
 Invalid: 573193
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 46914
 Invalid: 573193
 Minimum: 1
 Maximum: 2

(h007\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 46945
 Invalid: 573162
 Minimum: 1
 Maximum: 12
 Mean: 3.9
 Standard deviation: 3.1

(h017\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 26576
 Invalid: 593531
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.9

(h0117\$10)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 46945
 Invalid: 573162
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

Line number of respondent (h101\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 11-11

Valid cases: 31261
 Invalid: 588846
 Minimum: 11
 Maximum: 11
 Mean: 11
 Standard deviation: 0

Relationship to head (h102\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 31233
 Invalid: 588874
 Minimum: 2
 Maximum: 13

Usual resident (h103\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 31233
 Invalid: 588874
 Minimum: 1
 Maximum: 2

Duration of away from household (h104\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 26508
 Invalid: 593599
 Minimum: 0
 Maximum: 90

Duration of stay of visitor (h105\$11)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 4897
 Invalid: 615210
 Minimum: 0
 Maximum: 90
 Mean: 24.8
 Standard deviation: 30

Sex of household member (h106\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 31261
 Invalid: 588846
 Minimum: 1
 Maximum: 9

Age of household member (h107\$11)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 31261
Format: numeric	Invalid: 588846
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.3
	Standard deviation: 18.1

Marital Status of household member (h108\$11)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 17845
Format: numeric	Invalid: 602262
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$11)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 20570
Format: numeric	Invalid: 599537
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$11)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 14471
Format: numeric	Invalid: 605636
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 7.2
	Standard deviation: 4

(edu\$11)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 20570
Format: numeric	Invalid: 599537
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.8

Suffer from Blindness (h111\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 31233
 Invalid: 588874
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 31233
 Invalid: 588874
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 31233
 Invalid: 588874
 Minimum: 1
 Maximum: 2

(h007\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 31261
 Invalid: 588846
 Minimum: 1
 Maximum: 12
 Mean: 3.9
 Standard deviation: 3.1

(h017\$11)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 17792
 Invalid: 602315
 Minimum: 1
 Maximum: 7
 Mean: 3.3
 Standard deviation: 1.9

(h0117\$11)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 31261
Format: numeric	Invalid: 588846
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.8

Line number of respondent (h101\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21226
Format: numeric	Invalid: 598881
Width: 4	Minimum: 12
Decimals: 0	Maximum: 12
Range: 12-12	Mean: 12
	Standard deviation: 0

Relationship to head (h102\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21200
Format: numeric	Invalid: 598907
Width: 4	Minimum: 2
Decimals: 0	Maximum: 13
Range: 2-13	

Usual resident (h103\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21200
Format: numeric	Invalid: 598907
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 17869
Format: numeric	Invalid: 602238
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$12)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 3438
Format: numeric	Invalid: 616669
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 24.4
	Standard deviation: 29.5

Sex of household member (h106\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21226
Format: numeric	Invalid: 598881
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$12)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 21226
Format: numeric	Invalid: 598881
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.4
	Standard deviation: 17.9

Marital Status of household member (h108\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 12348
Format: numeric	Invalid: 607759
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 14110
Format: numeric	Invalid: 605997
Width: 4	Minimum: 1
Decimals: 0	Maximum: 151
Range: 1-151	

Years of schooling (h110\$12)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 10084
Format: numeric	Invalid: 610023
Width: 4	Minimum: 0
Decimals: 0	Maximum: 28
Range: 0-28	Mean: 7.3
	Standard deviation: 4

(edu\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 14109
Format: numeric	Invalid: 605998
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.8

Suffer from Blindness (h111\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21200
Format: numeric	Invalid: 598907
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21200
Format: numeric	Invalid: 598907
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$12)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 21200
Format: numeric	Invalid: 598907
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$12)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 21226
 Invalid: 598881
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3.1

(h017\$12)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 12298
 Invalid: 607809
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.9

(h0117\$12)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 21226
 Invalid: 598881
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

Line number of respondent (h101\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 13-13

Valid cases: 14363
 Invalid: 605744
 Minimum: 13
 Maximum: 13
 Mean: 13
 Standard deviation: 0

Relationship to head (h102\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 14345
 Invalid: 605762
 Minimum: 2
 Maximum: 13

Usual resident (h103\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 14345
 Invalid: 605762
 Minimum: 1
 Maximum: 2

Duration of away from household (h104\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 11924
 Invalid: 608183
 Minimum: 0
 Maximum: 90

Duration of stay of visitor (h105\$13)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 2480
 Invalid: 617627
 Minimum: 0
 Maximum: 90
 Mean: 25.1
 Standard deviation: 30.2

Sex of household member (h106\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 14363
 Invalid: 605744
 Minimum: 1
 Maximum: 9

Age of household member (h107\$13)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 14363
 Invalid: 605744
 Minimum: 0
 Maximum: 95
 Mean: 17.5
 Standard deviation: 17.8

Marital Status of household member (h108\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 8365
 Invalid: 611742
 Minimum: 1
 Maximum: 9

Can read and write (h109\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9524
 Invalid: 610583
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$13)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-30

Valid cases: 6723
 Invalid: 613384
 Minimum: 0
 Maximum: 30
 Mean: 7.4
 Standard deviation: 4.1

(edu\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9524
 Invalid: 610583
 Minimum: 1
 Maximum: 9
 Mean: 1.9
 Standard deviation: 0.8

Suffer from Blindness (h111\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 14345
 Invalid: 605762
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 14345
 Invalid: 605762
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 14345
 Invalid: 605762
 Minimum: 1
 Maximum: 2

(h007\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 14363
 Invalid: 605744
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3.1

(h017\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 8333
 Invalid: 611774
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.9

(h0117\$13)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 14363
 Invalid: 605744
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

Line number of respondent (h101\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10128
Format: numeric	Invalid: 609979
Width: 4	Minimum: 14
Decimals: 0	Maximum: 14
Range: 14-14	Mean: 14
	Standard deviation: 0

Relationship to head (h102\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10116
Format: numeric	Invalid: 609991
Width: 4	Minimum: 2
Decimals: 0	Maximum: 13
Range: 2-13	

Usual resident (h103\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10116
Format: numeric	Invalid: 609991
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 8413
Format: numeric	Invalid: 611694
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$14)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1739
Format: numeric	Invalid: 618368
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 24.1
	Standard deviation: 29.4

Sex of household member (h106\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10128
Format: numeric	Invalid: 609979
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$14)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 10128
Format: numeric	Invalid: 609979
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.9
	Standard deviation: 18.1

Marital Status of household member (h108\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5973
Format: numeric	Invalid: 614134
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Can read and write (h109\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 6775
Format: numeric	Invalid: 613332
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$14)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 4774
Format: numeric	Invalid: 615333
Width: 4	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	Mean: 7.5
	Standard deviation: 4.1

(edu\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 6775
Format: numeric	Invalid: 613332
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.8

Suffer from Blindness (h111\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10116
Format: numeric	Invalid: 609991
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10116
Format: numeric	Invalid: 609991
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10116
Format: numeric	Invalid: 609991
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10128
Format: numeric	Invalid: 609979
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 4.1
	Standard deviation: 3.1

(h017\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5960
Format: numeric	Invalid: 614147
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 3.4
	Standard deviation: 1.9

(h0117\$14)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10128
Format: numeric	Invalid: 609979
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.8

Line number of respondent (h101\$15)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 7232
Format: numeric	Invalid: 612875
Width: 4	Minimum: 15
Decimals: 0	Maximum: 15
Range: 15-15	Mean: 15
	Standard deviation: 0

Relationship to head (h102\$15)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 7223
Format: numeric	Invalid: 612884
Width: 4	Minimum: 2
Decimals: 0	Maximum: 13
Range: 2-13	

Usual resident (h103\$15)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 7223
Format: numeric	Invalid: 612884
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$15)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5976
Format: numeric	Invalid: 614131
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$15)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1272
Format: numeric	Invalid: 618835
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 24.7
	Standard deviation: 30.3

Sex of household member (h106\$15)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 7232
Format: numeric	Invalid: 612875
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$15)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 7232
Format: numeric	Invalid: 612875
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.8
	Standard deviation: 17.8

Marital Status of household member (h108\$15)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 4282
Format: numeric	Invalid: 615825
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Can read and write (h109\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4809
 Invalid: 615298
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-20

Valid cases: 3365
 Invalid: 616742
 Minimum: 0
 Maximum: 20
 Mean: 7.5
 Standard deviation: 4

(edu\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4809
 Invalid: 615298
 Minimum: 1
 Maximum: 9
 Mean: 1.9
 Standard deviation: 0.8

Suffer from Blindness (h111\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 7223
 Invalid: 612884
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 7223
 Invalid: 612884
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 7223
 Invalid: 612884
 Minimum: 1
 Maximum: 2

(h007\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 7232
 Invalid: 612875
 Minimum: 1
 Maximum: 12
 Mean: 4.1
 Standard deviation: 3.1

(h017\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 4269
 Invalid: 615838
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.8

(h0117\$15)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 7232
 Invalid: 612875
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

Line number of respondent (h101\$16)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 16-16

Valid cases: 5260
 Invalid: 614847
 Minimum: 16
 Maximum: 16
 Mean: 16
 Standard deviation: 0

Relationship to head (h102\$16)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 5252
 Invalid: 614855
 Minimum: 2
 Maximum: 13

Usual resident (h103\$16)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 5252
 Invalid: 614855
 Minimum: 1
 Maximum: 2

Duration of away from household (h104\$16)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 4310
 Invalid: 615797
 Minimum: 0
 Maximum: 90

Duration of stay of visitor (h105\$16)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 954
 Invalid: 619153
 Minimum: 0
 Maximum: 90
 Mean: 24.7
 Standard deviation: 30

Sex of household member (h106\$16)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5260
 Invalid: 614847
 Minimum: 1
 Maximum: 9

Age of household member (h107\$16)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 5260
Format: numeric	Invalid: 614847
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.9
	Standard deviation: 18.1

Marital Status of household member (h108\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3078
Format: numeric	Invalid: 617029
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Can read and write (h109\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3509
Format: numeric	Invalid: 616598
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$16)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 2465
Format: numeric	Invalid: 617642
Width: 4	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	Mean: 7.4
	Standard deviation: 4.1

(edu\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3509
Format: numeric	Invalid: 616598
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.9
	Standard deviation: 0.8

Suffer from Blindness (h111\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5252
Format: numeric	Invalid: 614855
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5252
Format: numeric	Invalid: 614855
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5252
Format: numeric	Invalid: 614855
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5260
Format: numeric	Invalid: 614847
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 4.1
	Standard deviation: 3.1

(h017\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3072
Format: numeric	Invalid: 617035
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 3.4
	Standard deviation: 1.9

(h0117\$16)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 5260
Format: numeric	Invalid: 614847
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.8

Line number of respondent (h101\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3848
Format: numeric	Invalid: 616259
Width: 4	Minimum: 17
Decimals: 0	Maximum: 17
Range: 17-17	Mean: 17
	Standard deviation: 0

Relationship to head (h102\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3839
Format: numeric	Invalid: 616268
Width: 4	Minimum: 2
Decimals: 0	Maximum: 13
Range: 2-13	

Usual resident (h103\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3839
Format: numeric	Invalid: 616268
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3143
Format: numeric	Invalid: 616964
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$17)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 705
Format: numeric	Invalid: 619402
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 23.2
	Standard deviation: 28.5

Sex of household member (h106\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3848
Format: numeric	Invalid: 616259
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$17)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 3848
Format: numeric	Invalid: 616259
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.7
	Standard deviation: 18

Marital Status of household member (h108\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2221
Format: numeric	Invalid: 617886
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Can read and write (h109\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2549
Format: numeric	Invalid: 617558
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (h110\$17)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1800
Format: numeric	Invalid: 618307
Width: 4	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	Mean: 7.5
	Standard deviation: 4.2

(edu\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2549
Format: numeric	Invalid: 617558
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 2
	Standard deviation: 0.9

Suffer from Blindness (h111\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3839
Format: numeric	Invalid: 616268
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Suffer from Tuberculosis (h112\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3839
Format: numeric	Invalid: 616268
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Suffer from Malaria (h113\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3839
Format: numeric	Invalid: 616268
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

(h007\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3848
Format: numeric	Invalid: 616259
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 4
	Standard deviation: 3.1

(h017\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2214
Format: numeric	Invalid: 617893
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 3.5
	Standard deviation: 1.9

(h0117\$17)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3848
Format: numeric	Invalid: 616259
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.8

Line number of respondent (h101\$18)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2831
Format: numeric	Invalid: 617276
Width: 4	Minimum: 18
Decimals: 0	Maximum: 18
Range: 18-18	Mean: 18
	Standard deviation: 0

Relationship to head (h102\$18)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2823
Format: numeric	Invalid: 617284
Width: 4	Minimum: 1
Decimals: 0	Maximum: 13
Range: 1-13	

Usual resident (h103\$18)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2823
Format: numeric	Invalid: 617284
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Duration of away from household (h104\$18)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2319
Format: numeric	Invalid: 617788
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	

Duration of stay of visitor (h105\$18)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 512
Format: numeric	Invalid: 619595
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 23.5
	Standard deviation: 29

Sex of household member (h106\$18)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 2831
Format: numeric	Invalid: 617276
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Age of household member (h107\$18)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 2831
Format: numeric	Invalid: 617276
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.7
	Standard deviation: 17.6

Marital Status of household member (h108\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 1638
 Invalid: 618469
 Minimum: 1
 Maximum: 4

Can read and write (h109\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 1909
 Invalid: 618198
 Minimum: 1
 Maximum: 9

Years of schooling (h110\$18)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-21

Valid cases: 1348
 Invalid: 618759
 Minimum: 0
 Maximum: 21
 Mean: 7.5
 Standard deviation: 4.2

(edu\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 1909
 Invalid: 618198
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 0.9

Suffer from Blindness (h111\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 2823
 Invalid: 617284
 Minimum: 1
 Maximum: 4

Suffer from Tuberculosis (h112\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2823
 Invalid: 617284
 Minimum: 1
 Maximum: 2

Suffer from Malaria (h113\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2823
 Invalid: 617284
 Minimum: 1
 Maximum: 2

(h007\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 2831
 Invalid: 617276
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3.1

(h017\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 1629
 Invalid: 618478
 Minimum: 1
 Maximum: 7
 Mean: 3.5
 Standard deviation: 1.8

(h0117\$18)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 2831
 Invalid: 617276
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

(h101\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 19-19

Valid cases: 2096
 Invalid: 618011
 Minimum: 19
 Maximum: 19
 Mean: 19
 Standard deviation: 0

(h102\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 2088
 Invalid: 618019
 Minimum: 2
 Maximum: 13
 Mean: 6.3
 Standard deviation: 2.8

(h103\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2088
 Invalid: 618019
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$19)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 1698
 Invalid: 618409
 Minimum: 0
 Maximum: 90
 Mean: 4
 Standard deviation: 15.5

(h105\$19)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 394
 Invalid: 619713
 Minimum: 0
 Maximum: 90
 Mean: 22.6
 Standard deviation: 28.3

(h106\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 2096
 Invalid: 618011
 Minimum: 1
 Maximum: 9
 Mean: 1.5
 Standard deviation: 0.7

(h107\$19)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 2096
 Invalid: 618011
 Minimum: 0
 Maximum: 95
 Mean: 17.6
 Standard deviation: 17.3

(h108\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 1236
 Invalid: 618871
 Minimum: 1
 Maximum: 4
 Mean: 2.3
 Standard deviation: 1.4

(h109\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 1427
 Invalid: 618680
 Minimum: 1
 Maximum: 9
 Mean: 1.3
 Standard deviation: 0.8

(h110\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-19

Valid cases: 1021
 Invalid: 619086
 Minimum: 0
 Maximum: 19
 Mean: 7.6
 Standard deviation: 4

(edu\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 1427
 Invalid: 618680
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 0.9

(h111\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 2088
 Invalid: 618019
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2088
 Invalid: 618019
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2088
 Invalid: 618019
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 2096
 Invalid: 618011
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3

(h017\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 1232
 Invalid: 618875
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.8

(h0117\$19)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 2096
 Invalid: 618011
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

(h101\$20)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 20-20

Valid cases: 1562
 Invalid: 618545
 Minimum: 20
 Maximum: 20
 Mean: 20
 Standard deviation: 0

(h102\$20)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 1555
 Invalid: 618552
 Minimum: 2
 Maximum: 13
 Mean: 6.4
 Standard deviation: 2.7

(h103\$20)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 1555
 Invalid: 618552
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$20)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1277
Format: numeric	Invalid: 618830
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 3.5
	Standard deviation: 14

(h105\$20)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 280
Format: numeric	Invalid: 619827
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 21.6
	Standard deviation: 27.2

(h106\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1562
Format: numeric	Invalid: 618545
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.6
	Standard deviation: 0.7

(h107\$20)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1562
Format: numeric	Invalid: 618545
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 18.4
	Standard deviation: 19.1

(h108\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 908
Format: numeric	Invalid: 619199
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.3
	Standard deviation: 1.4

(h109\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1040
Format: numeric	Invalid: 619067
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.4
	Standard deviation: 0.8

(h110\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 724
Format: numeric	Invalid: 619383
Width: 4	Minimum: 0
Decimals: 0	Maximum: 19
Range: 0-19	Mean: 7.4
	Standard deviation: 4

(edu\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1040
Format: numeric	Invalid: 619067
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 2
	Standard deviation: 0.9

(h111\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1555
Format: numeric	Invalid: 618552
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 3.9
	Standard deviation: 0.6

(h112\$20)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1556
Format: numeric	Invalid: 618551
Width: 4	Minimum: 1
Decimals: 0	Maximum: 151
Range: 1-151	Mean: 2.1
	Standard deviation: 3.8

(h113\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1555
Format: numeric	Invalid: 618552
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 2
	Standard deviation: 0.1

(h007\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1562
Format: numeric	Invalid: 618545
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 4.1
	Standard deviation: 3.2

(h017\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 903
Format: numeric	Invalid: 619204
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 3.5
	Standard deviation: 1.9

(h0117\$20)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1562
Format: numeric	Invalid: 618545
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 1.3
	Standard deviation: 0.9

(h101\$21)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 1132
Format: numeric	Invalid: 618975
Width: 4	Minimum: 21
Decimals: 0	Maximum: 21
Range: 21-21	Mean: 21
	Standard deviation: 0

(h102\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 1127
 Invalid: 618980
 Minimum: 2
 Maximum: 13
 Mean: 6.5
 Standard deviation: 2.8

(h103\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 1127
 Invalid: 618980
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$21)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 918
 Invalid: 619189
 Minimum: 0
 Maximum: 90
 Mean: 3.9
 Standard deviation: 14.7

(h105\$21)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 213
 Invalid: 619894
 Minimum: 0
 Maximum: 90
 Mean: 21
 Standard deviation: 26.5

(h106\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 1132
 Invalid: 618975
 Minimum: 1
 Maximum: 9
 Mean: 1.6
 Standard deviation: 0.7

(h107\$21)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 1132
Format: numeric	Invalid: 618975
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.4
	Standard deviation: 17.4

(h108\$21)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 664
Format: numeric	Invalid: 619443
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.3
	Standard deviation: 1.4

(h109\$21)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 759
Format: numeric	Invalid: 619348
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.3
	Standard deviation: 0.8

(h110\$21)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 546
Format: numeric	Invalid: 619561
Width: 4	Minimum: 0
Decimals: 0	Maximum: 24
Range: 0-24	Mean: 7.3
	Standard deviation: 4

(edu\$21)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 759
Format: numeric	Invalid: 619348
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 2
	Standard deviation: 0.9

(h111\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 1127
 Invalid: 618980
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 1127
 Invalid: 618980
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h113\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 1127
 Invalid: 618980
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 1132
 Invalid: 618975
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3.1

(h017\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 660
 Invalid: 619447
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.8

(h0117\$21)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 1132
 Invalid: 618975
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

(h101\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 22-22

Valid cases: 865
 Invalid: 619242
 Minimum: 22
 Maximum: 22
 Mean: 22
 Standard deviation: 0

(h102\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 860
 Invalid: 619247
 Minimum: 2
 Maximum: 13
 Mean: 6.5
 Standard deviation: 2.8

(h103\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 860
 Invalid: 619247
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$22)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 705
 Invalid: 619402
 Minimum: 0
 Maximum: 90
 Mean: 4.1
 Standard deviation: 16.2

(h105\$22)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 158
Format: numeric	Invalid: 619949
Width: 4	Minimum: 1
Decimals: 0	Maximum: 90
Range: 1-90	Mean: 21.5
	Standard deviation: 27.1

(h106\$22)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 865
Format: numeric	Invalid: 619242
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.6
	Standard deviation: 0.8

(h107\$22)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 865
Format: numeric	Invalid: 619242
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 17.9
	Standard deviation: 18.7

(h108\$22)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 493
Format: numeric	Invalid: 619614
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.4
	Standard deviation: 1.4

(h109\$22)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 574
Format: numeric	Invalid: 619533
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.4
	Standard deviation: 0.9

(h110\$22)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-24

Valid cases: 399
 Invalid: 619708
 Minimum: 0
 Maximum: 24
 Mean: 7.4
 Standard deviation: 4.2

(edu\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 574
 Invalid: 619533
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 1

(h111\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 860
 Invalid: 619247
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 860
 Invalid: 619247
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 860
 Invalid: 619247
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 865
 Invalid: 619242
 Minimum: 1
 Maximum: 12
 Mean: 4
 Standard deviation: 3.2

(h017\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 491
 Invalid: 619616
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.9

(h0117\$22)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 865
 Invalid: 619242
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

(h101\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 23-23

Valid cases: 669
 Invalid: 619438
 Minimum: 23
 Maximum: 23
 Mean: 23
 Standard deviation: 0

(h102\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-13

Valid cases: 663
 Invalid: 619444
 Minimum: 3
 Maximum: 13
 Mean: 6.6
 Standard deviation: 2.8

(h103\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 663
 Invalid: 619444
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$23)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 538
 Invalid: 619569
 Minimum: 0
 Maximum: 90
 Mean: 4
 Standard deviation: 16

(h105\$23)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 130
 Invalid: 619977
 Minimum: 0
 Maximum: 90
 Mean: 20.3
 Standard deviation: 27.1

(h106\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 669
 Invalid: 619438
 Minimum: 1
 Maximum: 9
 Mean: 1.6
 Standard deviation: 0.9

(h107\$23)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 669
 Invalid: 619438
 Minimum: 0
 Maximum: 95
 Mean: 18.4
 Standard deviation: 19.7

(h108\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 378
 Invalid: 619729
 Minimum: 1
 Maximum: 4
 Mean: 2.4
 Standard deviation: 1.4

(h109\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 444
 Invalid: 619663
 Minimum: 1
 Maximum: 9
 Mean: 1.4
 Standard deviation: 1

(h110\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-19

Valid cases: 303
 Invalid: 619804
 Minimum: 0
 Maximum: 19
 Mean: 7.5
 Standard deviation: 4

(edu\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 444
 Invalid: 619663
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 1.1

(h111\$23)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-151

Valid cases: 664
 Invalid: 619443
 Minimum: 1
 Maximum: 151
 Mean: 4.1
 Standard deviation: 5.7

(h112\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 663
 Invalid: 619444
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 663
 Invalid: 619444
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 669
 Invalid: 619438
 Minimum: 1
 Maximum: 12
 Mean: 4.1
 Standard deviation: 3.2

(h017\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 377
 Invalid: 619730
 Minimum: 1
 Maximum: 7
 Mean: 3.5
 Standard deviation: 1.9

(h0117\$23)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 669
 Invalid: 619438
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.9

(h101\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 24-24

Valid cases: 513
 Invalid: 619594
 Minimum: 24
 Maximum: 24
 Mean: 24
 Standard deviation: 0

(h102\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 509
 Invalid: 619598
 Minimum: 2
 Maximum: 13
 Mean: 6.6
 Standard deviation: 2.9

(h103\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 509
 Invalid: 619598
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$24)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 397
 Invalid: 619710
 Minimum: 0
 Maximum: 90
 Mean: 4.6
 Standard deviation: 17.6

(h105\$24)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 115
 Invalid: 619992
 Minimum: 0
 Maximum: 90
 Mean: 23.2
 Standard deviation: 29

(h106\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 513
 Invalid: 619594
 Minimum: 1
 Maximum: 9
 Mean: 1.6
 Standard deviation: 0.8

(h107\$24)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 513
 Invalid: 619594
 Minimum: 0
 Maximum: 95
 Mean: 18.9
 Standard deviation: 20.1

(h108\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 296
 Invalid: 619811
 Minimum: 1
 Maximum: 4
 Mean: 2.3
 Standard deviation: 1.4

(h109\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 339
 Invalid: 619768
 Minimum: 1
 Maximum: 9
 Mean: 1.4
 Standard deviation: 1

(h110\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-18

Valid cases: 222
 Invalid: 619885
 Minimum: 0
 Maximum: 18
 Mean: 7.6
 Standard deviation: 3.8

(edu\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 339
 Invalid: 619768
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 1.1

(h111\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 509
 Invalid: 619598
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 509
 Invalid: 619598
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h113\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 509
 Invalid: 619598
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 513
 Invalid: 619594
 Minimum: 1
 Maximum: 12
 Mean: 4.2
 Standard deviation: 3.3

(h017\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 296
 Invalid: 619811
 Minimum: 1
 Maximum: 7
 Mean: 3.6
 Standard deviation: 2

(h0117\$24)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 513
 Invalid: 619594
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.9

(h101\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 25-25

Valid cases: 384
 Invalid: 619723
 Minimum: 25
 Maximum: 25
 Mean: 25
 Standard deviation: 0

(h102\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 380
 Invalid: 619727
 Minimum: 2
 Maximum: 13
 Mean: 6.6
 Standard deviation: 2.9

(h103\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 380
 Invalid: 619727
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$25)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 294
Format: numeric	Invalid: 619813
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 3.8
	Standard deviation: 16

(h105\$25)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 86
Format: numeric	Invalid: 620021
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 26.9
	Standard deviation: 30.9

(h106\$25)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 384
Format: numeric	Invalid: 619723
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.6
	Standard deviation: 0.9

(h107\$25)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 384
Format: numeric	Invalid: 619723
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 19.2
	Standard deviation: 18.6

(h108\$25)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 230
Format: numeric	Invalid: 619877
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.2
	Standard deviation: 1.4

(h109\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 256
 Invalid: 619851
 Minimum: 1
 Maximum: 9
 Mean: 1.4
 Standard deviation: 1.1

(h110\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-17

Valid cases: 183
 Invalid: 619924
 Minimum: 0
 Maximum: 17
 Mean: 8
 Standard deviation: 4

(edu\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 256
 Invalid: 619851
 Minimum: 1
 Maximum: 9
 Mean: 2.1
 Standard deviation: 1.1

(h111\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 380
 Invalid: 619727
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 380
 Invalid: 619727
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h113\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 380
 Invalid: 619727
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 384
 Invalid: 619723
 Minimum: 1
 Maximum: 12
 Mean: 4.3
 Standard deviation: 3.3

(h017\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 230
 Invalid: 619877
 Minimum: 1
 Maximum: 7
 Mean: 3.7
 Standard deviation: 1.8

(h0117\$25)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 384
 Invalid: 619723
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.8

(h101\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 26-26

Valid cases: 297
 Invalid: 619810
 Minimum: 26
 Maximum: 26
 Mean: 26
 Standard deviation: 0

(h102\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 293
 Invalid: 619814
 Minimum: 2
 Maximum: 13
 Mean: 6.7
 Standard deviation: 2.9

(h103\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 293
 Invalid: 619814
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$26)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 225
 Invalid: 619882
 Minimum: 0
 Maximum: 90
 Mean: 2.1
 Standard deviation: 11.5

(h105\$26)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 68
 Invalid: 620039
 Minimum: 0
 Maximum: 90
 Mean: 25.7
 Standard deviation: 30.5

(h106\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 297
 Invalid: 619810
 Minimum: 1
 Maximum: 9
 Mean: 1.6
 Standard deviation: 1

(h107\$26)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 297
 Invalid: 619810
 Minimum: 0
 Maximum: 90
 Mean: 19.7
 Standard deviation: 18.7

(h108\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 188
 Invalid: 619919
 Minimum: 1
 Maximum: 4
 Mean: 2.3
 Standard deviation: 1.4

(h109\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 213
 Invalid: 619894
 Minimum: 1
 Maximum: 9
 Mean: 1.4
 Standard deviation: 1.1

(h110\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-18

Valid cases: 151
 Invalid: 619956
 Minimum: 0
 Maximum: 18
 Mean: 8
 Standard deviation: 4

(edu\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 213
 Invalid: 619894
 Minimum: 1
 Maximum: 9
 Mean: 2.1
 Standard deviation: 1.2

(h111\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 293
 Invalid: 619814
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.4

(h112\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 293
 Invalid: 619814
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 293
 Invalid: 619814
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 297
 Invalid: 619810
 Minimum: 1
 Maximum: 12
 Mean: 4.4
 Standard deviation: 3.2

(h017\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 188
 Invalid: 619919
 Minimum: 1
 Maximum: 7
 Mean: 3.6
 Standard deviation: 1.9

(h0117\$26)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 297
 Invalid: 619810
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.9

(h101\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 27-27

Valid cases: 226
 Invalid: 619881
 Minimum: 27
 Maximum: 27
 Mean: 27
 Standard deviation: 0

(h102\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-13

Valid cases: 222
 Invalid: 619885
 Minimum: 3
 Maximum: 13
 Mean: 6.9
 Standard deviation: 2.9

(h103\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 222
 Invalid: 619885
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$27)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 169
 Invalid: 619938
 Minimum: 0
 Maximum: 90
 Mean: 2.5
 Standard deviation: 11.1

(h105\$27)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 53
Format: numeric	Invalid: 620054
Width: 4	Minimum: 0
Decimals: 0	Maximum: 90
Range: 0-90	Mean: 20.2
	Standard deviation: 24.8

(h106\$27)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 226
Format: numeric	Invalid: 619881
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.6
	Standard deviation: 1.1

(h107\$27)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 226
Format: numeric	Invalid: 619881
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 19.4
	Standard deviation: 19.5

(h108\$27)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 619966
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.3
	Standard deviation: 1.4

(h109\$27)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 159
Format: numeric	Invalid: 619948
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1.5
	Standard deviation: 1.3

(h110\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-18

Valid cases: 113
 Invalid: 619994
 Minimum: 0
 Maximum: 18
 Mean: 7.7
 Standard deviation: 3.9

(edu\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 159
 Invalid: 619948
 Minimum: 1
 Maximum: 9
 Mean: 2.2
 Standard deviation: 1.3

(h111\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 222
 Invalid: 619885
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 222
 Invalid: 619885
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 222
 Invalid: 619885
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 226
 Invalid: 619881
 Minimum: 1
 Maximum: 12
 Mean: 4.3
 Standard deviation: 3.2

(h017\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 139
 Invalid: 619968
 Minimum: 1
 Maximum: 7
 Mean: 3.5
 Standard deviation: 1.9

(h0117\$27)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 226
 Invalid: 619881
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.8

(h101\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 28-28

Valid cases: 175
 Invalid: 619932
 Minimum: 28
 Maximum: 28
 Mean: 28
 Standard deviation: 0

(h102\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 172
 Invalid: 619935
 Minimum: 2
 Maximum: 13
 Mean: 7.1
 Standard deviation: 3.1

(h103\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 172
 Invalid: 619935
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$28)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 130
 Invalid: 619977
 Minimum: 0
 Maximum: 90
 Mean: 3.1
 Standard deviation: 14.3

(h105\$28)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-90

Valid cases: 42
 Invalid: 620065
 Minimum: 1
 Maximum: 90
 Mean: 17.7
 Standard deviation: 20.2

(h106\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 175
 Invalid: 619932
 Minimum: 1
 Maximum: 9
 Mean: 1.6
 Standard deviation: 1.1

(h107\$28)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 175
 Invalid: 619932
 Minimum: 0
 Maximum: 90
 Mean: 19.4
 Standard deviation: 19.7

(h108\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 100
 Invalid: 620007
 Minimum: 1
 Maximum: 4
 Mean: 2.4
 Standard deviation: 1.4

(h109\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 121
 Invalid: 619986
 Minimum: 1
 Maximum: 9
 Mean: 1.5
 Standard deviation: 1.3

(h110\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-17

Valid cases: 83
 Invalid: 620024
 Minimum: 0
 Maximum: 17
 Mean: 7.7
 Standard deviation: 4.2

(edu\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 121
 Invalid: 619986
 Minimum: 1
 Maximum: 9
 Mean: 2.1
 Standard deviation: 1.3

(h111\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 172
 Invalid: 619935
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.6

(h112\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 172
 Invalid: 619935
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 172
 Invalid: 619935
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 175
 Invalid: 619932
 Minimum: 1
 Maximum: 12
 Mean: 4.3
 Standard deviation: 3.4

(h017\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 100
 Invalid: 620007
 Minimum: 1
 Maximum: 7
 Mean: 3.8
 Standard deviation: 2

(h0117\$28)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 175
 Invalid: 619932
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.9

(h101\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 29-29

Valid cases: 134
 Invalid: 619973
 Minimum: 29
 Maximum: 29
 Mean: 29
 Standard deviation: 0

(h102\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-13

Valid cases: 131
 Invalid: 619976
 Minimum: 3
 Maximum: 13
 Mean: 7.2
 Standard deviation: 3

(h103\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 131
 Invalid: 619976
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.4

(h104\$29)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 97
 Invalid: 620010
 Minimum: 0
 Maximum: 90
 Mean: 3.6
 Standard deviation: 13.5

(h105\$29)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 35
 Invalid: 620072
 Minimum: 0
 Maximum: 90
 Mean: 21.7
 Standard deviation: 24.1

(h106\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 134
 Invalid: 619973
 Minimum: 1
 Maximum: 9
 Mean: 1.7
 Standard deviation: 1.2

(h107\$29)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-80

Valid cases: 134
 Invalid: 619973
 Minimum: 0
 Maximum: 80
 Mean: 17.9
 Standard deviation: 16.1

(h108\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 80
 Invalid: 620027
 Minimum: 1
 Maximum: 4
 Mean: 2.3
 Standard deviation: 1.4

(h109\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 96
 Invalid: 620011
 Minimum: 1
 Maximum: 9
 Mean: 1.5
 Standard deviation: 1.4

(h110\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-17

Valid cases: 66
 Invalid: 620041
 Minimum: 0
 Maximum: 17
 Mean: 7.8
 Standard deviation: 4.2

(edu\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 96
 Invalid: 620011
 Minimum: 1
 Maximum: 9
 Mean: 2.2
 Standard deviation: 1.4

(h111\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-4

Valid cases: 131
 Invalid: 619976
 Minimum: 2
 Maximum: 4
 Mean: 4
 Standard deviation: 0.2

(h112\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 131
 Invalid: 619976
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 131
 Invalid: 619976
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 134
 Invalid: 619973
 Minimum: 1
 Maximum: 12
 Mean: 4.1
 Standard deviation: 2.9

(h017\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 80
 Invalid: 620027
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 1.7

(h0117\$29)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 134
 Invalid: 619973
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.7

(h101\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 30-30

Valid cases: 106
 Invalid: 620001
 Minimum: 30
 Maximum: 30
 Mean: 30
 Standard deviation: 0

(h102\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 103
 Invalid: 620004
 Minimum: 3
 Maximum: 11
 Mean: 7.3
 Standard deviation: 3

(h103\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 103
 Invalid: 620004
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.4

(h104\$30)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 77
 Invalid: 620030
 Minimum: 0
 Maximum: 90
 Mean: 3.2
 Standard deviation: 13.6

(h105\$30)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-60

Valid cases: 26
 Invalid: 620081
 Minimum: 1
 Maximum: 60
 Mean: 13.2
 Standard deviation: 14.3

(h106\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 106
 Invalid: 620001
 Minimum: 1
 Maximum: 9
 Mean: 1.8
 Standard deviation: 1.3

(h107\$30)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 106
 Invalid: 620001
 Minimum: 0
 Maximum: 95
 Mean: 18
 Standard deviation: 18.5

(h108\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 65
 Invalid: 620042
 Minimum: 1
 Maximum: 4
 Mean: 2.5
 Standard deviation: 1.4

(h109\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 80
 Invalid: 620027
 Minimum: 1
 Maximum: 9
 Mean: 1.6
 Standard deviation: 1.5

(h110\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-17

Valid cases: 56
 Invalid: 620051
 Minimum: 0
 Maximum: 17
 Mean: 7.3
 Standard deviation: 4.4

(edu\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 80
 Invalid: 620027
 Minimum: 1
 Maximum: 9
 Mean: 2.2
 Standard deviation: 1.5

(h111\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-4

Valid cases: 103
 Invalid: 620004
 Minimum: 2
 Maximum: 4
 Mean: 4
 Standard deviation: 0.2

(h112\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 103
 Invalid: 620004
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 103
 Invalid: 620004
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 106
 Invalid: 620001
 Minimum: 1
 Maximum: 12
 Mean: 4.1
 Standard deviation: 3.1

(h017\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 64
 Invalid: 620043
 Minimum: 1
 Maximum: 7
 Mean: 3.2
 Standard deviation: 2

(h0117\$30)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 106
 Invalid: 620001
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.8

(h101\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 31-31

Valid cases: 78
 Invalid: 620029
 Minimum: 31
 Maximum: 31
 Mean: 31
 Standard deviation: 0

(h102\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 76
 Invalid: 620031
 Minimum: 3
 Maximum: 11
 Mean: 7.1
 Standard deviation: 3.1

(h103\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 76
 Invalid: 620031
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.4

(h104\$31)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 56
 Invalid: 620051
 Minimum: 0
 Maximum: 90
 Mean: 4.8
 Standard deviation: 18.5

(h105\$31)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-60

Valid cases: 20
 Invalid: 620087
 Minimum: 1
 Maximum: 60
 Mean: 11.9
 Standard deviation: 15.9

(h106\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 78
 Invalid: 620029
 Minimum: 1
 Maximum: 9
 Mean: 1.7
 Standard deviation: 1.3

(h107\$31)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-80

Valid cases: 78
 Invalid: 620029
 Minimum: 0
 Maximum: 80
 Mean: 15.1
 Standard deviation: 15.5

(h108\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 42
 Invalid: 620065
 Minimum: 1
 Maximum: 4
 Mean: 2.4
 Standard deviation: 1.5

(h109\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 52
 Invalid: 620055
 Minimum: 1
 Maximum: 9
 Mean: 1.5
 Standard deviation: 1.6

(h110\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-19

Valid cases: 40
 Invalid: 620067
 Minimum: 1
 Maximum: 19
 Mean: 8
 Standard deviation: 4.5

(edu\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 52
 Invalid: 620055
 Minimum: 1
 Maximum: 9
 Mean: 2.4
 Standard deviation: 1.5

(h111\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-4

Valid cases: 76
 Invalid: 620031
 Minimum: 2
 Maximum: 4
 Mean: 4
 Standard deviation: 0.2

(h112\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 76
 Invalid: 620031
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 76
 Invalid: 620031
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h007\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 78
 Invalid: 620029
 Minimum: 1
 Maximum: 12
 Mean: 3.5
 Standard deviation: 2.7

(h017\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 41
 Invalid: 620066
 Minimum: 1
 Maximum: 7
 Mean: 3
 Standard deviation: 1.9

(h0117\$31)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 78
 Invalid: 620029
 Minimum: 1
 Maximum: 4
 Mean: 1.2
 Standard deviation: 0.7

(h101\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 32-32

Valid cases: 68
 Invalid: 620039
 Minimum: 32
 Maximum: 32
 Mean: 32
 Standard deviation: 0

(h102\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-13

Valid cases: 66
 Invalid: 620041
 Minimum: 3
 Maximum: 13
 Mean: 6.9
 Standard deviation: 3.1

(h103\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 66
 Invalid: 620041
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.4

(h104\$32)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-90

Valid cases: 48
 Invalid: 620059
 Minimum: 0
 Maximum: 90
 Mean: 3
 Standard deviation: 13.7

(h105\$32)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-45

Valid cases: 18
 Invalid: 620089
 Minimum: 2
 Maximum: 45
 Mean: 10.8
 Standard deviation: 11.3

(h106\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 68
 Invalid: 620039
 Minimum: 1
 Maximum: 9
 Mean: 1.7
 Standard deviation: 1.4

(h107\$32)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-75

Valid cases: 68
 Invalid: 620039
 Minimum: 0
 Maximum: 75
 Mean: 18.4
 Standard deviation: 17.7

(h108\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 40
 Invalid: 620067
 Minimum: 1
 Maximum: 4
 Mean: 2
 Standard deviation: 1.4

(h109\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48
 Invalid: 620059
 Minimum: 1
 Maximum: 9
 Mean: 1.5
 Standard deviation: 1.6

(h110\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-17

Valid cases: 38
 Invalid: 620069
 Minimum: 0
 Maximum: 17
 Mean: 7.9
 Standard deviation: 4.2

(edu\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48
 Invalid: 620059
 Minimum: 1
 Maximum: 9
 Mean: 2.3
 Standard deviation: 1.5

(h111\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 66
 Invalid: 620041
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 66
 Invalid: 620041
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.1

(h113\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 66
 Invalid: 620041
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 68
 Invalid: 620039
 Minimum: 1
 Maximum: 12
 Mean: 4.2
 Standard deviation: 3.3

(h017\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 39
 Invalid: 620068
 Minimum: 1
 Maximum: 7
 Mean: 3.7
 Standard deviation: 2

(h0117\$32)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 68
 Invalid: 620039
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.9

(h101\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 33-33

Valid cases: 55
 Invalid: 620052
 Minimum: 33
 Maximum: 33
 Mean: 33
 Standard deviation: 0

(h102\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 53
 Invalid: 620054
 Minimum: 3
 Maximum: 11
 Mean: 7.2
 Standard deviation: 2.8

(h103\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 53
 Invalid: 620054
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$33)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-151

Valid cases: 45
 Invalid: 620062
 Minimum: 0
 Maximum: 151
 Mean: 4.4
 Standard deviation: 22.6

(h105\$33)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-45

Valid cases: 9
 Invalid: 620098
 Minimum: 1
 Maximum: 45
 Mean: 10.3
 Standard deviation: 13.8

(h106\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 55
 Invalid: 620052
 Minimum: 1
 Maximum: 9
 Mean: 1.8
 Standard deviation: 1.5

(h107\$33)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-80

Valid cases: 55
 Invalid: 620052
 Minimum: 0
 Maximum: 80
 Mean: 24.8
 Standard deviation: 21.9

(h108\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 37
 Invalid: 620070
 Minimum: 1
 Maximum: 4
 Mean: 1.9
 Standard deviation: 1.3

(h109\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 46
 Invalid: 620061
 Minimum: 1
 Maximum: 9
 Mean: 1.8
 Standard deviation: 1.6

(h110\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-15

Valid cases: 26
 Invalid: 620081
 Minimum: 0
 Maximum: 15
 Mean: 7.6
 Standard deviation: 4.4

(edu\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 46
 Invalid: 620061
 Minimum: 1
 Maximum: 9
 Mean: 2.1
 Standard deviation: 1.7

(h111\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 53
 Invalid: 620054
 Minimum: 1
 Maximum: 4
 Mean: 3.8
 Standard deviation: 0.8

(h112\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 53
 Invalid: 620054
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 53
 Invalid: 620054
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 55
 Invalid: 620052
 Minimum: 1
 Maximum: 12
 Mean: 5.2
 Standard deviation: 3.8

(h017\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 37
 Invalid: 620070
 Minimum: 1
 Maximum: 7
 Mean: 4.1
 Standard deviation: 2.1

(h0117\$33)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 55
 Invalid: 620052
 Minimum: 1
 Maximum: 4
 Mean: 1.6
 Standard deviation: 1.1

(h101\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 34-34

Valid cases: 41
 Invalid: 620066
 Minimum: 34
 Maximum: 34
 Mean: 34
 Standard deviation: 0

(h102\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-13

Valid cases: 39
 Invalid: 620068
 Minimum: 2
 Maximum: 13
 Mean: 7.2
 Standard deviation: 3.2

(h103\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 39
 Invalid: 620068
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.4

(h104\$34)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-60

Valid cases: 29
 Invalid: 620078
 Minimum: 0
 Maximum: 60
 Mean: 2.3
 Standard deviation: 11.2

(h105\$34)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-45

Valid cases: 10
 Invalid: 620097
 Minimum: 1
 Maximum: 45
 Mean: 11.2
 Standard deviation: 13.2

(h106\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 41
 Invalid: 620066
 Minimum: 1
 Maximum: 9
 Mean: 1.8
 Standard deviation: 1.7

(h107\$34)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-95

Valid cases: 41
 Invalid: 620066
 Minimum: 1
 Maximum: 95
 Mean: 18.6
 Standard deviation: 18.2

(h108\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 4
 Mean: 1.9
 Standard deviation: 1.4

(h109\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 9
 Mean: 1.7
 Standard deviation: 2

(h110\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-15

Valid cases: 23
 Invalid: 620084
 Minimum: 0
 Maximum: 15
 Mean: 6.7
 Standard deviation: 4.1

(edu\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 9
 Mean: 2.4
 Standard deviation: 1.9

(h111\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 39
 Invalid: 620068
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h112\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 39
 Invalid: 620068
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 39
 Invalid: 620068
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 41
 Invalid: 620066
 Minimum: 1
 Maximum: 12
 Mean: 4.1
 Standard deviation: 3

(h017\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 7
 Mean: 3.6
 Standard deviation: 1.9

(h0117\$34)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 41
 Invalid: 620066
 Minimum: 1
 Maximum: 4
 Mean: 1.3
 Standard deviation: 0.7

(h101\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 35-35

Valid cases: 33
 Invalid: 620074
 Minimum: 35
 Maximum: 35
 Mean: 35
 Standard deviation: 0

(h102\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 31
 Invalid: 620076
 Minimum: 3
 Maximum: 11
 Mean: 7.2
 Standard deviation: 3.1

(h103\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-7

Valid cases: 24
 Invalid: 620083
 Minimum: 0
 Maximum: 7
 Mean: 0.5
 Standard deviation: 1.6

(h105\$35)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-45

Valid cases: 7
 Invalid: 620100
 Minimum: 1
 Maximum: 45
 Mean: 13
 Standard deviation: 15

(h106\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 33
 Invalid: 620074
 Minimum: 1
 Maximum: 9
 Mean: 1.8
 Standard deviation: 1.4

(h107\$35)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-55

Valid cases: 33
 Invalid: 620074
 Minimum: 1
 Maximum: 55
 Mean: 15.1
 Standard deviation: 13.3

(h108\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 17
 Invalid: 620090
 Minimum: 1
 Maximum: 4
 Mean: 2.4
 Standard deviation: 1.5

(h109\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 2.3

(h110\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-13

Valid cases: 15
 Invalid: 620092
 Minimum: 0
 Maximum: 13
 Mean: 6.3
 Standard deviation: 3.6

(edu\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 9
 Mean: 2.5
 Standard deviation: 2.2

(h111\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 4
 Mean: 3.9
 Standard deviation: 0.5

(h112\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 31
 Invalid: 620076
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 31
 Invalid: 620076
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-11

Valid cases: 33
 Invalid: 620074
 Minimum: 1
 Maximum: 11
 Mean: 3.7
 Standard deviation: 2.7

(h017\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-6

Valid cases: 17
 Invalid: 620090
 Minimum: 1
 Maximum: 6
 Mean: 3.2
 Standard deviation: 1.9

(h0117\$35)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 33
 Invalid: 620074
 Minimum: 1
 Maximum: 3
 Mean: 1.2
 Standard deviation: 0.5

(h101\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 36-36

Valid cases: 31
 Invalid: 620076
 Minimum: 36
 Maximum: 36
 Mean: 36
 Standard deviation: 0

(h102\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 29
 Invalid: 620078
 Minimum: 3
 Maximum: 11
 Mean: 7.6
 Standard deviation: 3.1

(h103\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.5

(h104\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-7

Valid cases: 21
 Invalid: 620086
 Minimum: 0
 Maximum: 7
 Mean: 0.7
 Standard deviation: 1.9

(h105\$36)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-90

Valid cases: 8
 Invalid: 620099
 Minimum: 1
 Maximum: 90
 Mean: 26.5
 Standard deviation: 29.5

(h106\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 1.9

(h107\$36)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-80

Valid cases: 31
 Invalid: 620076
 Minimum: 0
 Maximum: 80
 Mean: 13.1
 Standard deviation: 15.1

(h108\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 16
 Invalid: 620091
 Minimum: 1
 Maximum: 4
 Mean: 2.6
 Standard deviation: 1.5

(h109\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21
 Invalid: 620086
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 2.4

(h110\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-15

Valid cases: 15
 Invalid: 620092
 Minimum: 2
 Maximum: 15
 Mean: 6.7
 Standard deviation: 3.8

(edu\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21
 Invalid: 620086
 Minimum: 1
 Maximum: 9
 Mean: 2.6
 Standard deviation: 2.2

(h111\$36)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 29
Format: numeric	Invalid: 620078
Width: 4	Minimum: 4
Decimals: 0	Maximum: 4
Range: 4-4	Mean: 4
	Standard deviation: 0

(h112\$36)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 29
Format: numeric	Invalid: 620078
Width: 4	Minimum: 2
Decimals: 0	Maximum: 2
Range: 2-2	Mean: 2
	Standard deviation: 0

(h113\$36)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 29
Format: numeric	Invalid: 620078
Width: 4	Minimum: 2
Decimals: 0	Maximum: 2
Range: 2-2	Mean: 2
	Standard deviation: 0

(h007\$36)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 31
Format: numeric	Invalid: 620076
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 3
	Standard deviation: 2.4

(h017\$36)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 15
Format: numeric	Invalid: 620092
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	Mean: 2.7
	Standard deviation: 1.5

(h0117\$36)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 4
 Mean: 1.1
 Standard deviation: 0.5

(h101\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 37-37

Valid cases: 24
 Invalid: 620083
 Minimum: 37
 Maximum: 37
 Mean: 37
 Standard deviation: 0

(h102\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 22
 Invalid: 620085
 Minimum: 3
 Maximum: 11
 Mean: 8.1
 Standard deviation: 2.9

(h103\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-7

Valid cases: 17
 Invalid: 620090
 Minimum: 0
 Maximum: 7
 Mean: 0.4
 Standard deviation: 1.7

(h105\$37)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-90

Valid cases: 5
 Invalid: 620102
 Minimum: 1
 Maximum: 90
 Mean: 31.4
 Standard deviation: 36.9

(h106\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 24
 Invalid: 620083
 Minimum: 1
 Maximum: 9
 Mean: 2
 Standard deviation: 2.2

(h107\$37)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-46

Valid cases: 24
 Invalid: 620083
 Minimum: 0
 Maximum: 46
 Mean: 14.5
 Standard deviation: 13.7

(h108\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 4
 Mean: 2.3
 Standard deviation: 1.5

(h109\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 17
 Invalid: 620090
 Minimum: 1
 Maximum: 9
 Mean: 2.1
 Standard deviation: 2.6

(h110\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-15

Valid cases: 12
 Invalid: 620095
 Minimum: 2
 Maximum: 15
 Mean: 9.3
 Standard deviation: 3.8

(edu\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 17
 Invalid: 620090
 Minimum: 1
 Maximum: 9
 Mean: 3
 Standard deviation: 2.4

(h111\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 22
 Invalid: 620085
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h112\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 22
 Invalid: 620085
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 2
 Mean: 2
 Standard deviation: 0.2

(h007\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-10

Valid cases: 24
 Invalid: 620083
 Minimum: 1
 Maximum: 10
 Mean: 3.6
 Standard deviation: 2.7

(h017\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-6

Valid cases: 12
 Invalid: 620095
 Minimum: 2
 Maximum: 6
 Mean: 3.5
 Standard deviation: 1.3

(h0117\$37)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 24
 Invalid: 620083
 Minimum: 1
 Maximum: 3
 Mean: 1.2
 Standard deviation: 0.5

(h101\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 38-38

Valid cases: 20
 Invalid: 620087
 Minimum: 38
 Maximum: 38
 Mean: 38
 Standard deviation: 0

(h102\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 18
 Invalid: 620089
 Minimum: 3
 Maximum: 11
 Mean: 7.7
 Standard deviation: 2.8

(h103\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 18
 Invalid: 620089
 Minimum: 1
 Maximum: 2
 Mean: 1.2
 Standard deviation: 0.4

(h104\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-0

Valid cases: 15
 Invalid: 620092
 Minimum: 0
 Maximum: 0
 Mean: 0
 Standard deviation: 0

(h105\$38)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-45

Valid cases: 3
 Invalid: 620104
 Minimum: 1
 Maximum: 45
 Mean: 17.3
 Standard deviation: 24.1

(h106\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 20
 Invalid: 620087
 Minimum: 1
 Maximum: 9
 Mean: 2.3
 Standard deviation: 2.4

(h107\$38)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-70

Valid cases: 20
 Invalid: 620087
 Minimum: 1
 Maximum: 70
 Mean: 22
 Standard deviation: 15.4

(h108\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 15
 Invalid: 620092
 Minimum: 1
 Maximum: 4
 Mean: 2.5
 Standard deviation: 1.5

(h109\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 19
 Invalid: 620088
 Minimum: 1
 Maximum: 9
 Mean: 2.2
 Standard deviation: 2.5

(h110\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-10

Valid cases: 11
 Invalid: 620096
 Minimum: 1
 Maximum: 10
 Mean: 7.5
 Standard deviation: 2.9

(edu\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 19
 Invalid: 620088
 Minimum: 1
 Maximum: 9
 Mean: 2.6
 Standard deviation: 2.4

(h111\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 18
 Invalid: 620089
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h112\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 18
 Invalid: 620089
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 18
 Invalid: 620089
 Minimum: 1
 Maximum: 2
 Mean: 1.9
 Standard deviation: 0.2

(h007\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 20
 Invalid: 620087
 Minimum: 1
 Maximum: 12
 Mean: 4.9
 Standard deviation: 2.8

(h017\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 15
 Invalid: 620092
 Minimum: 1
 Maximum: 7
 Mean: 3.5
 Standard deviation: 1.6

(h0117\$38)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 20
 Invalid: 620087
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 0.7

(h101\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 39-39

Valid cases: 16
 Invalid: 620091
 Minimum: 39
 Maximum: 39
 Mean: 39
 Standard deviation: 0

(h102\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 14
 Invalid: 620093
 Minimum: 3
 Maximum: 11
 Mean: 7.5
 Standard deviation: 3.3

(h103\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 14
 Invalid: 620093
 Minimum: 1
 Maximum: 2
 Mean: 1.3
 Standard deviation: 0.5

(h104\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-15

Valid cases: 10
 Invalid: 620097
 Minimum: 0
 Maximum: 15
 Mean: 1.7
 Standard deviation: 4.7

(h105\$39)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-30

Valid cases: 4
 Invalid: 620103
 Minimum: 1
 Maximum: 30
 Mean: 10.5
 Standard deviation: 13.2

(h106\$39)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 16
Format: numeric	Invalid: 620091
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 2.3
	Standard deviation: 2.7

(h107\$39)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 16
Format: numeric	Invalid: 620091
Width: 4	Minimum: 2
Decimals: 0	Maximum: 65
Range: 2-65	Mean: 16
	Standard deviation: 14.5

(h108\$39)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10
Format: numeric	Invalid: 620097
Width: 4	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	Mean: 2.6
	Standard deviation: 1.5

(h109\$39)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 13
Format: numeric	Invalid: 620094
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 2.3
	Standard deviation: 3

(h110\$39)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 10
Format: numeric	Invalid: 620097
Width: 4	Minimum: 7
Decimals: 0	Maximum: 17
Range: 7-17	Mean: 9.6
	Standard deviation: 2.8

(edu\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 9
 Mean: 3.3
 Standard deviation: 2.6

(h111\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 14
 Invalid: 620093
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h112\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 14
 Invalid: 620093
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 14
 Invalid: 620093
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 16
 Invalid: 620091
 Minimum: 1
 Maximum: 12
 Mean: 3.6
 Standard deviation: 2.6

(h017\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 10
 Invalid: 620097
 Minimum: 1
 Maximum: 7
 Mean: 2.4
 Standard deviation: 1.7

(h0117\$39)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 16
 Invalid: 620091
 Minimum: 1
 Maximum: 4
 Mean: 1.2
 Standard deviation: 0.8

(h101\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 40-40

Valid cases: 13
 Invalid: 620094
 Minimum: 40
 Maximum: 40
 Mean: 40
 Standard deviation: 0

(h102\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 11
 Invalid: 620096
 Minimum: 3
 Maximum: 11
 Mean: 7.5
 Standard deviation: 2.8

(h103\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 11
 Invalid: 620096
 Minimum: 1
 Maximum: 2
 Mean: 1.4
 Standard deviation: 0.5

(h104\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-0

Valid cases: 7
 Invalid: 620100
 Minimum: 0
 Maximum: 0
 Mean: 0
 Standard deviation: 0

(h105\$40)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-30

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 30
 Mean: 10.8
 Standard deviation: 12.9

(h106\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 9
 Mean: 2.5
 Standard deviation: 2.9

(h107\$40)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-70

Valid cases: 13
 Invalid: 620094
 Minimum: 0
 Maximum: 70
 Mean: 19.5
 Standard deviation: 21.1

(h108\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 7
 Invalid: 620100
 Minimum: 1
 Maximum: 4
 Mean: 2.3
 Standard deviation: 1.6

(h109\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 10
 Invalid: 620097
 Minimum: 1
 Maximum: 9
 Mean: 2.7
 Standard deviation: 3.3

(h110\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 7
 Invalid: 620100
 Minimum: 0
 Maximum: 9
 Mean: 5.4
 Standard deviation: 3.6

(edu\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 10
 Invalid: 620097
 Minimum: 1
 Maximum: 9
 Mean: 3.3
 Standard deviation: 3

(h111\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 11
 Invalid: 620096
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h112\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 11
 Invalid: 620096
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 620097
 Minimum: 1
 Maximum: 2
 Mean: 1.9
 Standard deviation: 0.3

(h007\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 12
 Mean: 4.2
 Standard deviation: 3.6

(h017\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 7
 Invalid: 620100
 Minimum: 1
 Maximum: 7
 Mean: 3.4
 Standard deviation: 2.4

(h0117\$40)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 4
 Mean: 1.4
 Standard deviation: 1

(h101\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 41-41

Valid cases: 2
 Invalid: 620105
 Minimum: 41
 Maximum: 41
 Mean: 41
 Standard deviation: 0

(h102\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 6-11

Valid cases: 2
 Invalid: 620105
 Minimum: 6
 Maximum: 11
 Mean: 8.5
 Standard deviation: 3.5

(h103\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 2
 Invalid: 620105
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

(h104\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-0

Valid cases: 2
 Invalid: 620105
 Minimum: 0
 Maximum: 0
 Mean: 0
 Standard deviation: 0

(h105\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h106\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 2
 Invalid: 620105
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h107\$41)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 22-65

Valid cases: 2
 Invalid: 620105
 Minimum: 22
 Maximum: 65
 Mean: 43.5
 Standard deviation: 30.4

(h108\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 2
 Invalid: 620105
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

(h109\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 2
 Invalid: 620105
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h110\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(edu\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 2
 Invalid: 620105
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

(h111\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 2
 Invalid: 620105
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h112\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 2
 Invalid: 620105
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h113\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 2
 Invalid: 620105
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h007\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5-12

Valid cases: 2
 Invalid: 620105
 Minimum: 5
 Maximum: 12
 Mean: 8.5
 Standard deviation: 5

(h017\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-7

Valid cases: 2
 Invalid: 620105
 Minimum: 3
 Maximum: 7
 Mean: 5
 Standard deviation: 2.8

(h0117\$41)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-4

Valid cases: 2
 Invalid: 620105
 Minimum: 1
 Maximum: 4
 Mean: 2.5
 Standard deviation: 2.1

(h101\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h102\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h103\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h104\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h105\$42)

File: HH_R2_ind

Overview

(h105\$42)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h106\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h107\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h108\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h109\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h110\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(edu\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h111\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h112\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h113\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h007\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h017\$42)

File: HH_R2_ind

Overview

(h017\$42)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h0117\$42)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h101\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h102\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h103\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h104\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h105\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h106\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h107\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h108\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h109\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h110\$43)

File: HH_R2_ind

Overview

(h110\$43)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(edu\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h111\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h112\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h113\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h007\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h017\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h0117\$43)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h101\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h102\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h103\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h104\$44)

File: HH_R2_ind

Overview

(h104\$44)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h105\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h106\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h107\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h108\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h109\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h110\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(edu\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h111\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h112\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h113\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h007\$44)

File: HH_R2_ind

Overview

(h007\$44)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h017\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h0117\$44)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h101\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h102\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h103\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h104\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h105\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h106\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h107\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h108\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h109\$45)

File: HH_R2_ind

Overview

(h109\$45)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h110\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(edu\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h111\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h112\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h113\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h007\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h017\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h0117\$45)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h101\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h102\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h103\$46)

File: HH_R2_ind

Overview

(h103\$46)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h104\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h105\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h106\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h107\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h108\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h109\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h110\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(edu\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h111\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h112\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h113\$46)

File: HH_R2_ind

Overview

(h113\$46)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h007\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h017\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h0117\$46)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

Religion of Household Head (h114)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 99

Caste or tribe of household head (h115)

File: HH_R2_ind

Overview

Caste or tribe of household head (h115)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 99

Source of drinking water (h116)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 99

Type of house (h117)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Type of toilet facility (h118)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Source of lighting (h119)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Type of fuel for cooking (h120)

File: HH_R2_ind

Overview

Type of fuel for cooking (h120)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing fan (h121a)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing Radio-Transistor (h121b)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 620107
 Invalid: 0
 Minimum: 0
 Maximum: 9

Household owing Sewing machine (h121c)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing Television (h121d)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing Telephone (h121e)

File: HH_R2_ind

Overview

Household owing Telephone (h121e)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing Bicycle (h121f)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing Motor cycle-scooter (h121g)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing car-jeep (h121h)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household owing Tractor (h121i)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Household standard of living index (sli)

File: HH_R2_ind

Overview

Household standard of living index (sli)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620106
 Invalid: 1
 Minimum: 1
 Maximum: 3

Marriage of usual residents since 1999 (h122)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 620107
 Invalid: 0
 Minimum: 1
 Maximum: 9

Number of marriage of boys (h123ab)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 126302
 Invalid: 493805
 Minimum: 0
 Maximum: 4

Number of marriage of girls (h123ag)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 126299
 Invalid: 493808
 Minimum: 0
 Maximum: 4

Total Number of marriages (h123at)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-20

Valid cases: 126300
 Invalid: 493807
 Minimum: 0
 Maximum: 20

Line number of marriage (mar\$1)

File: HH_R2_ind

Overview

Line number of marriage (mar\$1)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 126257
 Invalid: 493850
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

Age at marriage of boy (h123bb\$1)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9-71

Valid cases: 71352
 Invalid: 548755
 Minimum: 9
 Maximum: 71
 Mean: 23.7
 Standard deviation: 4.9

Age at marriage of girl (h123bg\$1)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 6-73

Valid cases: 62247
 Invalid: 557860
 Minimum: 6
 Maximum: 73
 Mean: 19.3
 Standard deviation: 3.9

Line number of marriage (mar\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 8829
 Invalid: 611278
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

Age at marriage of boy (h123bb\$2)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 10-71

Valid cases: 4396
 Invalid: 615711
 Minimum: 10
 Maximum: 71
 Mean: 22
 Standard deviation: 4.8

Age at marriage of girl (h123bg\$2)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 4528
Format: numeric	Invalid: 615579
Width: 4	Minimum: 9
Decimals: 0	Maximum: 70
Range: 9-70	Mean: 18
	Standard deviation: 3.9

Line number of marriage (mar\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 453
Format: numeric	Invalid: 619654
Width: 4	Minimum: 3
Decimals: 0	Maximum: 3
Range: 3-3	Mean: 3
	Standard deviation: 0

Age at marriage of boy (h123bb\$3)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 172
Format: numeric	Invalid: 619935
Width: 4	Minimum: 10
Decimals: 0	Maximum: 34
Range: 10-34	Mean: 20.8
	Standard deviation: 5

Age at marriage of girl (h123bg\$3)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 283
Format: numeric	Invalid: 619824
Width: 4	Minimum: 10
Decimals: 0	Maximum: 70
Range: 10-70	Mean: 16.4
	Standard deviation: 6.7

Line number of marriage (mar\$4)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 76
Format: numeric	Invalid: 620031
Width: 4	Minimum: 4
Decimals: 0	Maximum: 4
Range: 4-4	Mean: 4
	Standard deviation: 0

Age at marriage of boy (h123bb\$4)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 26
Format: numeric	Invalid: 620081
Width: 4	Minimum: 10
Decimals: 0	Maximum: 45
Range: 10-45	Mean: 21
	Standard deviation: 7.5

Age at marriage of girl (h123bg\$4)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 50
Format: numeric	Invalid: 620057
Width: 4	Minimum: 10
Decimals: 0	Maximum: 70
Range: 10-70	Mean: 15.3
	Standard deviation: 9.1

Deaths of usual residents since 1999 (h124)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of death of male (h125m)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 77643
Format: numeric	Invalid: 542464
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-9	

Number of death of female (h125f)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 77525
Format: numeric	Invalid: 542582
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4
Range: 0-9	

Total number of deaths (h125t)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 77815
 Invalid: 542292
 Minimum: 0
 Maximum: 5

(death\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 66587
 Invalid: 553520
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

Line number of death (h126\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 66587
 Invalid: 553520
 Minimum: 1
 Maximum: 2
 Mean: 1
 Standard deviation: 0

Sex (h127\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 66587
 Invalid: 553520
 Minimum: 1
 Maximum: 2

Unit code (h128u\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 66587
 Invalid: 553520
 Minimum: 1
 Maximum: 3

Age at death (h128ad\$1)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 66587
Format: numeric	Invalid: 553520
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 48
	Standard deviation: 29.7

Date of death - Month (h129m\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 66587
Format: numeric	Invalid: 553520
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 6.3
	Standard deviation: 3.5

Date of death - Year (h129y\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 66585
Format: numeric	Invalid: 553522
Width: 4	Minimum: 1999
Decimals: 0	Maximum: 2004
Range: 1999-2004	Mean: 2001.5
	Standard deviation: 1.4

Female 15 - 44 (h130\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 66586
Format: numeric	Invalid: 553521
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Was pregnant when she died (h131\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3876
Format: numeric	Invalid: 616231
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Died within 6 weeks of abortion or time of abortion (h132\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3657
Format: numeric	Invalid: 616450
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Died during childbirth (h133\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3613
Format: numeric	Invalid: 616494
Width: 4	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	

Died within 6 weeks of childbirth or end of pregnancy (h134\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 3537
Format: numeric	Invalid: 616570
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Line number of maternal death (h135\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 557
Format: numeric	Invalid: 619550
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1
	Standard deviation: 0

Maternal death (h135a\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 557
Format: numeric	Invalid: 619550
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-1	Mean: 1
	Standard deviation: 0

Parity (h136\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 582
Format: numeric	Invalid: 619525
Width: 4	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0-15	Mean: 2.5
	Standard deviation: 2.6

Month of pregnancy (h137\$1)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 616
Format: numeric	Invalid: 619491
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 12.3
	Standard deviation: 23.7

Place of delivery- abortion (h138\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 404
Format: numeric	Invalid: 619703
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

Unit code of death after delivery-abortion (h139\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620
Format: numeric	Invalid: 619487
Width: 4	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	

Swelling of hands and feet (h140a\$1)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 647
Format: numeric	Invalid: 619460
Width: 4	Minimum: 1
Decimals: 0	Maximum: 97
Range: 1-97	

Paleness (h140b\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 647
 Invalid: 619460
 Minimum: 1
 Maximum: 97

Visual disturbance (h140c\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 647
 Invalid: 619460
 Minimum: 1
 Maximum: 97

Bleeding (h140d\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 647
 Invalid: 619460
 Minimum: 1
 Maximum: 97

Convulsions (h140e\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 647
 Invalid: 619460
 Minimum: 1
 Maximum: 97

Weak or no movement of fetus (h140f\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 647
 Invalid: 619460
 Minimum: 1
 Maximum: 97

Abnormal position of fetus (h140g\$1)

File: HH_R2_ind

Abnormal position of fetus (h140g\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 647
 Invalid: 619460
 Minimum: 1
 Maximum: 97

Premature labour (h140h\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 360
 Invalid: 619747
 Minimum: 1
 Maximum: 97

Prolonged labour (h140i\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 360
 Invalid: 619747
 Minimum: 1
 Maximum: 97

Breech presentation (h140j\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 360
 Invalid: 619747
 Minimum: 1
 Maximum: 97

High fever (h140k\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 329
 Invalid: 619778
 Minimum: 1
 Maximum: 97

Lower abdominal pain (h140l\$1)

File: HH_R2_ind

Lower abdominal pain (h140l\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 329
 Invalid: 619778
 Minimum: 1
 Maximum: 97

Foul smelling vaginal discharge (h140m\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 329
 Invalid: 619778
 Minimum: 1
 Maximum: 97

Excessive bleeding (h140n\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 329
 Invalid: 619778
 Minimum: 1
 Maximum: 97

Dizziness (h140o\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 329
 Invalid: 619778
 Minimum: 1
 Maximum: 97

Severe headache (h140p\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 329
 Invalid: 619778
 Minimum: 1
 Maximum: 97

Abortion (h141\$1)

File: HH_R2_ind

Abortion (h141\$1)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129
 Invalid: 619978
 Minimum: 1
 Maximum: 9

(death\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 4841
 Invalid: 615266
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

Line number of death (h126\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 4841
 Invalid: 615266
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

Sex (h127\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 4841
 Invalid: 615266
 Minimum: 1
 Maximum: 2

Unit code (h128u\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 4841
 Invalid: 615266
 Minimum: 1
 Maximum: 3

Age at death (h128ad\$2)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 4841
Format: numeric	Invalid: 615266
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 35.9
	Standard deviation: 31.4

Date of death - Month (h129m\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 4841
Format: numeric	Invalid: 615266
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 6.3
	Standard deviation: 3.4

Date of death - Year (h129y\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 4841
Format: numeric	Invalid: 615266
Width: 4	Minimum: 1999
Decimals: 0	Maximum: 2004
Range: 1999-2004	Mean: 2001.7
	Standard deviation: 1.4

Female 15 - 44 (h130\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 4840
Format: numeric	Invalid: 615267
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Was pregnant when she died (h131\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 296
Format: numeric	Invalid: 619811
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Died within 6 weeks of abortion or time of abortion (h132\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 281
Format: numeric	Invalid: 619826
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Died during childbirth (h133\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 275
Format: numeric	Invalid: 619832
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Died within 6 weeks of childbirth or end of pregnancy (h134\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 269
Format: numeric	Invalid: 619838
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Line number of maternal death (h135\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 41
Format: numeric	Invalid: 620066
Width: 4	Minimum: 2
Decimals: 0	Maximum: 2
Range: 2-2	Mean: 2
	Standard deviation: 0

Maternal death (h135a\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 41
Format: numeric	Invalid: 620066
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-1	Mean: 1
	Standard deviation: 0

Parity (h136\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 42
Format: numeric	Invalid: 620065
Width: 4	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 2.7
	Standard deviation: 2.4

Month of pregnancy (h137\$2)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 48
Format: numeric	Invalid: 620059
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 16.8
	Standard deviation: 31.6

Place of delivery- abortion (h138\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 36
Format: numeric	Invalid: 620071
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

Unit code of death after delivery-abortion (h139\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 47
Format: numeric	Invalid: 620060
Width: 4	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	

Swelling of hands and feet (h140a\$2)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 51
Format: numeric	Invalid: 620056
Width: 4	Minimum: 1
Decimals: 0	Maximum: 97
Range: 1-97	

Paleness (h140b\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 51
 Invalid: 620056
 Minimum: 1
 Maximum: 97

Visual disturbance (h140c\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 51
 Invalid: 620056
 Minimum: 1
 Maximum: 97

Bleeding (h140d\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 51
 Invalid: 620056
 Minimum: 1
 Maximum: 97

Convulsions (h140e\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 51
 Invalid: 620056
 Minimum: 1
 Maximum: 97

Weak or no movement of fetus (h140f\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 51
 Invalid: 620056
 Minimum: 1
 Maximum: 97

Abnormal position of fetus (h140g\$2)

File: HH_R2_ind

Abnormal position of fetus (h140g\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 51
 Invalid: 620056
 Minimum: 1
 Maximum: 97

Premature labour (h140h\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 30
 Invalid: 620077
 Minimum: 2
 Maximum: 97

Prolonged labour (h140i\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 30
 Invalid: 620077
 Minimum: 1
 Maximum: 97

Breech presentation (h140j\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 30
 Invalid: 620077
 Minimum: 1
 Maximum: 97

High fever (h140k\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 97

Lower abdominal pain (h140l\$2)

File: HH_R2_ind

Lower abdominal pain (h140l\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 97

Foul smelling vaginal discharge (h140m\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 97

Excessive bleeding (h140n\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 97

Dizziness (h140o\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 97

Severe headache (h140p\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 97

Abortion (h141\$2)

File: HH_R2_ind

Abortion (h141\$2)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 15
 Invalid: 620092
 Minimum: 1
 Maximum: 9

(death\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-3

Valid cases: 398
 Invalid: 619709
 Minimum: 3
 Maximum: 3
 Mean: 3
 Standard deviation: 0

Line number of death (h126\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-3

Valid cases: 398
 Invalid: 619709
 Minimum: 3
 Maximum: 3
 Mean: 3
 Standard deviation: 0

Sex (h127\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 398
 Invalid: 619709
 Minimum: 1
 Maximum: 2

Unit code (h128u\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 398
 Invalid: 619709
 Minimum: 1
 Maximum: 3

Age at death (h128ad\$3)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 398
Format: numeric	Invalid: 619709
Width: 4	Minimum: 0
Decimals: 0	Maximum: 95
Range: 0-95	Mean: 22.3
	Standard deviation: 26.7

Date of death - Month (h129m\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 398
Format: numeric	Invalid: 619709
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 6.3
	Standard deviation: 3.3

Date of death - Year (h129y\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 398
Format: numeric	Invalid: 619709
Width: 4	Minimum: 1999
Decimals: 0	Maximum: 2004
Range: 1999-2004	Mean: 2001.8
	Standard deviation: 1.3

Female 15 - 44 (h130\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 398
Format: numeric	Invalid: 619709
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Was pregnant when she died (h131\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 33
Format: numeric	Invalid: 620074
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Died within 6 weeks of abortion or time of abortion (h132\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 31
 Invalid: 620076
 Minimum: 1
 Maximum: 2

Died during childbirth (h133\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 29
 Invalid: 620078
 Minimum: 1
 Maximum: 2

Died within 6 weeks of childbirth or end of pregnancy (h134\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 22
 Invalid: 620085
 Minimum: 1
 Maximum: 2

Line number of maternal death (h135\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-3

Valid cases: 12
 Invalid: 620095
 Minimum: 3
 Maximum: 3
 Mean: 3
 Standard deviation: 0

Maternal death (h135a\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 12
 Invalid: 620095
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

Parity (h136\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 11
Format: numeric	Invalid: 620096
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	Mean: 0.6
	Standard deviation: 0.9

Month of pregnancy (h137\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 11
Format: numeric	Invalid: 620096
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	Mean: 2.3
	Standard deviation: 3.5

Place of delivery- abortion (h138\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 11
Format: numeric	Invalid: 620096
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

Unit code of death after delivery-abortion (h139\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 11
Format: numeric	Invalid: 620096
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Swelling of hands and feet (h140a\$3)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 13
Format: numeric	Invalid: 620094
Width: 4	Minimum: 1
Decimals: 0	Maximum: 97
Range: 1-97	

Paleness (h140b\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 97

Visual disturbance (h140c\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 13
 Invalid: 620094
 Minimum: 2
 Maximum: 97

Bleeding (h140d\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 97

Convulsions (h140e\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 97

Weak or no movement of fetus (h140f\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 13
 Invalid: 620094
 Minimum: 1
 Maximum: 97

Abnormal position of fetus (h140g\$3)

File: HH_R2_ind

Abnormal position of fetus (h140g\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 13
 Invalid: 620094
 Minimum: 2
 Maximum: 97

Premature labour (h140h\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 9
 Invalid: 620098
 Minimum: 1
 Maximum: 97

Prolonged labour (h140i\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 9
 Invalid: 620098
 Minimum: 1
 Maximum: 97

Breech presentation (h140j\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 9
 Invalid: 620098
 Minimum: 2
 Maximum: 97

High fever (h140k\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 4
 Invalid: 620103
 Minimum: 1
 Maximum: 97

Lower abdominal pain (h140l\$3)

File: HH_R2_ind

Lower abdominal pain (h140l\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 4
 Invalid: 620103
 Minimum: 1
 Maximum: 97

Foul smelling vaginal discharge (h140m\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 97

Excessive bleeding (h140n\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 97

Dizziness (h140o\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 97

Severe headache (h140p\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-97

Valid cases: 4
 Invalid: 620103
 Minimum: 1
 Maximum: 97

Abortion (h141\$3)

File: HH_R2_ind

Abortion (h141\$3)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-8

Valid cases: 3
 Invalid: 620104
 Minimum: 1
 Maximum: 8

(death\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 48
 Invalid: 620059
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h126\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 48
 Invalid: 620059
 Minimum: 4
 Maximum: 4
 Mean: 4
 Standard deviation: 0

(h127\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 48
 Invalid: 620059
 Minimum: 1
 Maximum: 2
 Mean: 1.5
 Standard deviation: 0.5

(h128u\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 48
 Invalid: 620059
 Minimum: 1
 Maximum: 3
 Mean: 1.9
 Standard deviation: 1

(h128ad\$4)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-95

Valid cases: 48
 Invalid: 620059
 Minimum: 0
 Maximum: 95
 Mean: 17.8
 Standard deviation: 23.5

(h129m\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 48
 Invalid: 620059
 Minimum: 1
 Maximum: 12
 Mean: 6.5
 Standard deviation: 3.7

(h129y\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1999-2004

Valid cases: 48
 Invalid: 620059
 Minimum: 1999
 Maximum: 2004
 Mean: 2002
 Standard deviation: 1.4

(h130\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 48
 Invalid: 620059
 Minimum: 1
 Maximum: 2
 Mean: 1.9
 Standard deviation: 0.3

(h131\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h132\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 4
 Invalid: 620103
 Minimum: 1
 Maximum: 2
 Mean: 1.8
 Standard deviation: 0.5

(h133\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h134\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 4
 Invalid: 620103
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h135\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-4

Valid cases: 1
 Invalid: 620106
 Minimum: 4
 Maximum: 4
 Mean: 4

(h135a\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 1
 Invalid: 620106
 Minimum: 1
 Maximum: 1
 Mean: 1

(h136\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h137\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 99-99

Valid cases: 1
 Invalid: 620106
 Minimum: 99
 Maximum: 99
 Mean: 99

(h138\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 99-99

Valid cases: 1
 Invalid: 620106
 Minimum: 99
 Maximum: 99
 Mean: 99

(h139\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 999-999

Valid cases: 1
 Invalid: 620106
 Minimum: 999
 Maximum: 999
 Mean: 999

(h140a\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140b\$4)

File: HH_R2_ind

(h140b\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140c\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140d\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140e\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140f\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140g\$4)

File: HH_R2_ind

(h140g\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140h\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140i\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140j\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140k\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140l\$4)

File: HH_R2_ind

Overview

(h140l\$4)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140m\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140n\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140o\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h140p\$4)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 97-97

Valid cases: 1
 Invalid: 620106
 Minimum: 97
 Maximum: 97
 Mean: 97

(h141\$4)

File: HH_R2_ind

Overview

(h141\$4)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 9-9

Valid cases: 1
 Invalid: 620106
 Minimum: 9
 Maximum: 9
 Mean: 9

(death\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5-5

Valid cases: 2
 Invalid: 620105
 Minimum: 5
 Maximum: 5
 Mean: 5
 Standard deviation: 0

(h126\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 5-5

Valid cases: 2
 Invalid: 620105
 Minimum: 5
 Maximum: 5
 Mean: 5
 Standard deviation: 0

(h127\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 2
 Invalid: 620105
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

(h128u\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-3

Valid cases: 2
 Invalid: 620105
 Minimum: 2
 Maximum: 3
 Mean: 2.5
 Standard deviation: 0.7

(h128ad\$5)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 7-70

Valid cases: 2
 Invalid: 620105
 Minimum: 7
 Maximum: 70
 Mean: 38.5
 Standard deviation: 44.5

(h129m\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-11

Valid cases: 2
 Invalid: 620105
 Minimum: 3
 Maximum: 11
 Mean: 7
 Standard deviation: 5.7

(h129y\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2001-2003

Valid cases: 2
 Invalid: 620105
 Minimum: 2001
 Maximum: 2003
 Mean: 2002
 Standard deviation: 1.4

(h130\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-2

Valid cases: 2
 Invalid: 620105
 Minimum: 2
 Maximum: 2
 Mean: 2
 Standard deviation: 0

(h131\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h132\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h133\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h134\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h135\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h135a\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h136\$5)

File: HH_R2_ind

Overview

(h136\$5)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h137\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h138\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h139\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140a\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140b\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140c\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140d\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140e\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140f\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140g\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140h\$5)

File: HH_R2_ind

Overview

(h140h\$5)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140i\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140j\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140k\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140l\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140m\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140n\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140o\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140p\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h141\$5)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(death\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h126\$6)

File: HH_R2_ind

Overview

(h126\$6)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h127\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h128u\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h128ad\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h129m\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h129y\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h130\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h131\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h132\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h133\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h134\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h135\$6)

File: HH_R2_ind

Overview

(h135\$6)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h135a\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h136\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h137\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h138\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h139\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140a\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140b\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140c\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140d\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140e\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140f\$6)

File: HH_R2_ind

Overview

(h140f\$6)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140g\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140h\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140i\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140j\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140k\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140l\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140m\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140n\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140o\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h140p\$6)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

(h141\$6)

File: HH_R2_ind

Overview

(h141\$6)

File: HH_R2_ind

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 620107

Type of salt used for cooking (h142)

File: HH_R2_ind

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-6

Valid cases: 619989
 Invalid: 118
 Minimum: 1
 Maximum: 6

h100Hours (h100hour)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 2
 Range: 1-23

Valid cases: 288490
 Invalid: 331617
 Minimum: 1
 Maximum: 23
 Mean: 11.9
 Standard deviation: 3.5

(h100min)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 2
 Range: 0-59

Valid cases: 288490
 Invalid: 331617
 Minimum: 0
 Maximum: 59
 Mean: 21.8
 Standard deviation: 18

h143Hours (h143hour)

File: HH_R2_ind

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 2
 Range: 1-23

Valid cases: 288465
 Invalid: 331642
 Minimum: 1
 Maximum: 23
 Mean: 12
 Standard deviation: 3.5

(h143min)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 288465
Format: numeric	Invalid: 331642
Width: 4	Minimum: 0
Decimals: 2	Maximum: 59
Range: 0-59	Mean: 25.7
	Standard deviation: 16.5

Sample weight (hhwt)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 12.2
Range: 0.000114-12.1960724	Mean: 1
	Standard deviation: 0.5

(phase)

File: HH_R2_ind

Overview

Type: Discrete	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.5
	Standard deviation: 0.5

(shhwt)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 26.5
Range: 0.000114018475296-26.51476577995	Mean: 1
	Standard deviation: 0.9

(hcmc)

File: HH_R2_ind

Overview

Type: Continuous	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 4	Minimum: 1225
Decimals: 0	Maximum: 1260
Range: 1225-1260	Mean: 1243.1
	Standard deviation: 11.4

(ihhwt)
File: HH_R2_ind

Overview	
Type: Continuous	Valid cases: 620107
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 49.5
Range: 7.07644509076632e-05-49.4679490009283	Mean: 1
	Standard deviation: 2.4

State code (state)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 35
Range: 1-35	Mean: 16.9
	Standard deviation: 9.3

State name (s_name)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: character	Invalid: 0
Width: 60	

District code (dist)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 70
Range: 1-70	Mean: 15.8
	Standard deviation: 14.1

District name (d_name)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: character	Invalid: 0
Width: 60	

PSU code (psu)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 50
Range: 1-50	Mean: 20.5
	Standard deviation: 11.8

Tehsil code (tal)

File: INDIA_WOMEN

Tehsil code (tal)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 347685
Format: numeric	Invalid: 159937
Width: 4	Minimum: 0
Decimals: 0	Maximum: 920
Range: 0-920	Mean: 51.9
	Standard deviation: 61.7

Serial number of village (srv)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 349905
Format: numeric	Invalid: 157717
Width: 4	Minimum: 1
Decimals: 0	Maximum: 50
Range: 1-50	Mean: 14.7
	Standard deviation: 9.1

Result of Household interview (hhst)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507620
Format: numeric	Invalid: 2
Width: 4	
Decimals: 0	
Range: 1-8	

Serial number of household (srhh)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2047
Range: 0-2047	Mean: 551.5
	Standard deviation: 321.2

Serial number of eligible women (srew)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507560
Format: numeric	Invalid: 62
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9968
Range: 0-9968	Mean: 227.6
	Standard deviation: 302.2

Serial number of husband (srh)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 326334
Format: numeric	Invalid: 181288
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9520
Range: 0-9520	Mean: 167.2
	Standard deviation: 237.6

Number of eligible women interviewed (newi)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507621
Format: numeric	Invalid: 1
Width: 4	
Decimals: 0	
Range: 0-6	

Number of husband interviewed (nhi)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507621
Format: numeric	Invalid: 1
Width: 4	
Decimals: 0	
Range: 0-5	

Line number of respondent of household schedule (lnrhh)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507621
Format: numeric	Invalid: 1
Width: 4	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 2.1
	Standard deviation: 1.7

Case Identification (hh_pk)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2240
Range: 1-2240	Mean: 569.1
	Standard deviation: 337.3

Line number of women in household (lineno)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 38
Range: 1-38	Mean: 3.2
	Standard deviation: 2.4

Place of residence (type)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	
Decimals: 0	
Range: 1-2	

Religion of Household Head (h114)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	
Decimals: 0	
Range: 1-99	

Caste or tribe of household head (h115)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	
Decimals: 0	
Range: 1-99	

Source of drinking water (h116)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	
Decimals: 0	
Range: 1-99	

Type of house (h117)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507622
 Invalid: 0

Type of toilet facility (h118)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507622
 Invalid: 0

Source of lighting (h119)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507622
 Invalid: 0

Type of fuel for cooking (h120)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507622
 Invalid: 0

Household standard of living index (sli)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507621
 Invalid: 1
 Minimum: 1
 Maximum: 3

Date of interview: CMC (icmc)

File: INDIA_WOMEN

Date of interview: CMC (icmc)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507612
Format: numeric	Invalid: 10
Width: 4	Minimum: 1225
Decimals: 0	Maximum: 1271
Range: 1225-1271	Mean: 1243.1
	Standard deviation: 11.4

Line number of eligible women (w100a)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 38
Range: 1-38	Mean: 3.2
	Standard deviation: 2.4

Line number of Husband (w100b)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 455939
Format: numeric	Invalid: 51683
Width: 4	Minimum: 0
Decimals: 0	Maximum: 42
Range: 0-42	Mean: 2
	Standard deviation: 2.3

Age in completed years (w101)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507571
Format: numeric	Invalid: 51
Width: 4	Minimum: 13
Decimals: 0	Maximum: 44
Range: 13-44	Mean: 29.9
	Standard deviation: 7.5

Can read and write (w102)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	
Decimals: 0	
Range: -3-9	

Year of Schooling (w103)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 266172
Format: numeric	Invalid: 241450
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 8.4
	Standard deviation: 3.6

Can read and write (husband) (w104)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 1.3
	Standard deviation: 1.9

Year of Schooling of husband (w105)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 375771
Format: numeric	Invalid: 131851
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 9.8
	Standard deviation: 7.8

Age at consummation of marriage (w106)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507571
Format: numeric	Invalid: 51
Width: 4	Minimum: 10
Decimals: 0	Maximum: 99
Range: 10-99	Mean: 17.8
	Standard deviation: 3.4

Live births (w107)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	
Decimals: 0	
Range: 1-9	

Child living with women (w108)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-11

Valid cases: 452569
 Invalid: 55053

Son at home (w109a)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 443283
 Invalid: 64339
 Minimum: 0
 Maximum: 99
 Mean: 1.5
 Standard deviation: 3.5

Daughter at home (w109b)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 443282
 Invalid: 64340
 Minimum: 0
 Maximum: 99
 Mean: 1.5
 Standard deviation: 5.3

Child living elsewhere (w110)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-2

Valid cases: 452502
 Invalid: 55120

Sons elsewhere (w111a)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 55335
 Invalid: 452287
 Minimum: 0
 Maximum: 99
 Mean: 1.1
 Standard deviation: 8.4

Daughters elsewhere (w111b)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 55334
 Invalid: 452288
 Minimum: 0
 Maximum: 99
 Mean: 1.5
 Standard deviation: 7.2

Child who have died (w112)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 452475
 Invalid: 55147

Sons who have died (w113a)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 96952
 Invalid: 410670
 Minimum: 0
 Maximum: 99
 Mean: 1.3
 Standard deviation: 7.3

Daughters who have died (w113b)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 96951
 Invalid: 410671
 Minimum: 0
 Maximum: 99
 Mean: 2.1
 Standard deviation: 11.8

Number of still birth (excluding last pregnancy) (w121)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 507622
 Invalid: 0

Number of induced abortion (excluding last pregnancy) (w122i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 507622
 Invalid: 0

Number of spontaneous abortion (excluding last pregnancy) (w122s)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 507622
 Invalid: 0

Number of still birth within reference period (w123a)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 22153
 Invalid: 485469
 Minimum: 0
 Maximum: 99
 Mean: 1.7
 Standard deviation: 12.1

Number of induced abortion within reference period (w123b)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 23485
 Invalid: 484137
 Minimum: 0
 Maximum: 99
 Mean: 2.4
 Standard deviation: 14

Number of spontaneous abortion within reference period (w123c)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 43567
 Invalid: 464055
 Minimum: 0
 Maximum: 99
 Mean: 1.4
 Standard deviation: 10

Son ever born: Surviving (s108b)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 1.3
	Standard deviation: 1.1

Daughter ever born: Surviving (s108g)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0-15	Mean: 1.2
	Standard deviation: 1.2

Son ever born: Died (s109b)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 0.1
	Standard deviation: 0.4

Daughter ever born: Died (s109g)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 8
Range: 0-8	Mean: 0.1
	Standard deviation: 0.4

Son ever born (s110b)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 1.4
	Standard deviation: 1.2

Daughter ever born (s110g)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0-15	Mean: 1.3
	Standard deviation: 1.3

Children ever born: Total (s111a)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 16
Range: 0-16	Mean: 2.7
	Standard deviation: 1.9

Children ever born: Surviving (s111s)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 16
Range: 0-16	Mean: 2.5
	Standard deviation: 1.7

Index to birth (b01\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 450308
Format: numeric	Invalid: 57314
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-1	Mean: 1
	Standard deviation: 0

Child is twin (b02\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 450308
Format: numeric	Invalid: 57314
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Sex of child (b03\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 450308
 Invalid: 57314
 Minimum: 0
 Maximum: 9

Month of birth (b04\$1)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 450308
 Invalid: 57314
 Minimum: 1
 Maximum: 99
 Mean: 6.3
 Standard deviation: 3.5

Year of birth (b05\$1)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1967-9999

Valid cases: 450308
 Invalid: 57314
 Minimum: 1967
 Maximum: 9999
 Mean: 1992.3
 Standard deviation: 71.9

CMC of birth (b06\$1)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 800-9999

Valid cases: 450308
 Invalid: 57314
 Minimum: 800
 Maximum: 9999
 Mean: 1107
 Standard deviation: 117.3

Child is alive (b07\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 450243
 Invalid: 57379
 Minimum: 1
 Maximum: 9

Unit code of child death (b08\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 47534
Format: numeric	Invalid: 460088
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Age at death (b09\$1)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 47365
Format: numeric	Invalid: 460257
Width: 4	Minimum: 0
Decimals: 0	Maximum: 48
Range: 0-48	Mean: 5.5
	Standard deviation: 5.8

Age in month at the time of death (b10\$1)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 47502
Format: numeric	Invalid: 460120
Width: 4	Minimum: 0
Decimals: 0	Maximum: 576
Range: 0-576	Mean: 16.5
	Standard deviation: 42.3

Age in month (b11\$1)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 450308
Format: numeric	Invalid: 57314
Width: 4	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 137
	Standard deviation: 86.2

Age in completed years (b12\$1)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 450308
Format: numeric	Invalid: 57314
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 11
	Standard deviation: 7.2

Age of mother at child birth (b13\$1)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 450308
Format: numeric	Invalid: 57314
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 19
	Standard deviation: 3.5

Index to birth (b01\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 371689
Format: numeric	Invalid: 135933
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	Mean: 2
	Standard deviation: 0

Child is twin (b02\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 371689
Format: numeric	Invalid: 135933
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1991
Range: 1-1991	

Sex of child (b03\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 371689
Format: numeric	Invalid: 135933
Width: 4	Minimum: -3
Decimals: 0	Maximum: 1101
Range: -3-1101	

Month of birth (b04\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 371645
Format: numeric	Invalid: 135977
Width: 4	Minimum: 0
Decimals: 0	Maximum: 12
Range: 0-12	Mean: 6.5
	Standard deviation: 3.3

Year of birth (b05\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 371687
Format: numeric	Invalid: 135935
Width: 4	Minimum: 1971
Decimals: 0	Maximum: 10007
Range: 1971-10007	Mean: 1993.1
	Standard deviation: 54.5

CMC of birth (b06\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 371646
Format: numeric	Invalid: 135976
Width: 4	Minimum: 857
Decimals: 0	Maximum: 1400
Range: 857-1400	Mean: 1118.7
	Standard deviation: 78.6

Child is alive (b07\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 371604
Format: numeric	Invalid: 136018
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Unit code of child death (b08\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 33315
Format: numeric	Invalid: 474307
Width: 4	Minimum: 0
Decimals: 0	Maximum: 130
Range: 0-130	

Age at death (b09\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 33200
Format: numeric	Invalid: 474422
Width: 4	Minimum: 0
Decimals: 0	Maximum: 32
Range: 0-32	Mean: 5.7
	Standard deviation: 5.6

Age in month at the time of death (b10\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 33276
Format: numeric	Invalid: 474346
Width: 4	Minimum: 0
Decimals: 0	Maximum: 384
Range: 0-384	Mean: 17.3
	Standard deviation: 37.5

Age in month (b11\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 371635
Format: numeric	Invalid: 135987
Width: 4	Minimum: -170
Decimals: 0	Maximum: 918
Range: -170-918	Mean: 124.4
	Standard deviation: 78.1

Age in completed years (b12\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 371635
Format: numeric	Invalid: 135987
Width: 4	Minimum: -14
Decimals: 0	Maximum: 40
Range: -14-40	Mean: 9.9
	Standard deviation: 6.5

Age of mother at child birth (b13\$2)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 371633
Format: numeric	Invalid: 135989
Width: 4	Minimum: 6
Decimals: 0	Maximum: 43
Range: 6-43	Mean: 21.4
	Standard deviation: 3.6

Index to birth (b01\$3)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 250719
Format: numeric	Invalid: 256903
Width: 4	Minimum: 3
Decimals: 0	Maximum: 10
Range: 3-10	Mean: 3
	Standard deviation: 0

Child is twin (b02\$3)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1994

Valid cases: 250719
 Invalid: 256903
 Minimum: 1
 Maximum: 1994

Sex of child (b03\$3)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1138

Valid cases: 250719
 Invalid: 256903
 Minimum: 1
 Maximum: 1138

Month of birth (b04\$3)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 250677
 Invalid: 256945
 Minimum: 1
 Maximum: 12
 Mean: 6.5
 Standard deviation: 3.3

Year of birth (b05\$3)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1973-10009

Valid cases: 250711
 Invalid: 256911
 Minimum: 1973
 Maximum: 10009
 Mean: 1993.6
 Standard deviation: 58

CMC of birth (b06\$3)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 876-1305

Valid cases: 250675
 Invalid: 256947
 Minimum: 876
 Maximum: 1305
 Mean: 1125.2
 Standard deviation: 71.8

Child is alive (b07\$3)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 250635
 Invalid: 256987
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$3)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-279

Valid cases: 23068
 Invalid: 484554
 Minimum: 1
 Maximum: 279

Age at death (b09\$3)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-40

Valid cases: 22988
 Invalid: 484634
 Minimum: 0
 Maximum: 40
 Mean: 5.7
 Standard deviation: 5.5

Age in month at the time of death (b10\$3)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-324

Valid cases: 23050
 Invalid: 484572
 Minimum: 0
 Maximum: 324
 Mean: 16.6
 Standard deviation: 33.9

Age in month (b11\$3)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -55-359

Valid cases: 250670
 Invalid: 256952
 Minimum: -55
 Maximum: 359
 Mean: 118
 Standard deviation: 71.3

Age in completed years (b12\$3)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 250670
Format: numeric	Invalid: 256952
Width: 4	Minimum: -4
Decimals: 0	Maximum: 42
Range: -4-42	Mean: 9.4
	Standard deviation: 5.9

Age of mother at child birth (b13\$3)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 250664
Format: numeric	Invalid: 256958
Width: 4	Minimum: 4
Decimals: 0	Maximum: 46
Range: 4-46	Mean: 23.3
	Standard deviation: 3.6

Index to birth (b01\$4)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 148084
Format: numeric	Invalid: 359538
Width: 4	Minimum: 4
Decimals: 0	Maximum: 4
Range: 4-4	Mean: 4
	Standard deviation: 0

Child is twin (b02\$4)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 148084
Format: numeric	Invalid: 359538
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	

Sex of child (b03\$4)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 148084
Format: numeric	Invalid: 359538
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	

Month of birth (b04\$4)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 148051
 Invalid: 359571
 Minimum: 1
 Maximum: 12
 Mean: 6.5
 Standard deviation: 3.4

Year of birth (b05\$4)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1974-10013

Valid cases: 148082
 Invalid: 359540
 Minimum: 1974
 Maximum: 10013
 Mean: 1994.4
 Standard deviation: 59.1

CMC of birth (b06\$4)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 890-1346

Valid cases: 148055
 Invalid: 359567
 Minimum: 890
 Maximum: 1346
 Mean: 1133.6
 Standard deviation: 66.1

Child is alive (b07\$4)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 148032
 Invalid: 359590
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$4)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-7

Valid cases: 15332
 Invalid: 492290
 Minimum: 1
 Maximum: 7

Age at death (b09\$4)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 15283
Format: numeric	Invalid: 492339
Width: 4	Minimum: 0
Decimals: 0	Maximum: 32
Range: 0-32	Mean: 5.7
	Standard deviation: 5.6

Age in month at the time of death (b10\$4)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 15321
Format: numeric	Invalid: 492301
Width: 4	Minimum: 0
Decimals: 0	Maximum: 384
Range: 0-384	Mean: 15.2
	Standard deviation: 31.1

Age in month (b11\$4)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 148049
Format: numeric	Invalid: 359573
Width: 4	Minimum: -116
Decimals: 0	Maximum: 346
Range: -116-346	Mean: 109.6
	Standard deviation: 65.6

Age in completed years (b12\$4)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 148048
Format: numeric	Invalid: 359574
Width: 4	Minimum: -9
Decimals: 0	Maximum: 43
Range: -9-43	Mean: 8.7
	Standard deviation: 5.5

Age of mother at child birth (b13\$4)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 148044
Format: numeric	Invalid: 359578
Width: 4	Minimum: 3
Decimals: 0	Maximum: 48
Range: 3-48	Mean: 25.2
	Standard deviation: 3.7

Index to birth (b01\$5)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 82239
Format: numeric	Invalid: 425383
Width: 4	Minimum: 5
Decimals: 0	Maximum: 5
Range: 5-5	Mean: 5
	Standard deviation: 0

Child is twin (b02\$5)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 82240
Format: numeric	Invalid: 425382
Width: 4	Minimum: 0.4
Decimals: 0	Maximum: 7
Range: 0.42-7	

Sex of child (b03\$5)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 82239
Format: numeric	Invalid: 425383
Width: 4	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	

Month of birth (b04\$5)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 82224
Format: numeric	Invalid: 425398
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 6.5
	Standard deviation: 3.4

Year of birth (b05\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 82240
Format: numeric	Invalid: 425382
Width: 4	Minimum: 1886
Decimals: 0	Maximum: 10008
Range: 1886-10008	Mean: 1995.3
	Standard deviation: 62.7

CMC of birth (b06\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 82227
Format: numeric	Invalid: 425395
Width: 4	Minimum: 904
Decimals: 0	Maximum: 1315
Range: 904-1315	Mean: 1143.9
	Standard deviation: 60.9

Child is alive (b07\$5)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 82205
Format: numeric	Invalid: 425417
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Unit code of child death (b08\$5)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 9147
Format: numeric	Invalid: 498475
Width: 4	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	

Age at death (b09\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 9129
Format: numeric	Invalid: 498493
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 5.7
	Standard deviation: 5.5

Age in month at the time of death (b10\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 9144
Format: numeric	Invalid: 498478
Width: 4	Minimum: 0
Decimals: 0	Maximum: 300
Range: 0-300	Mean: 14.3
	Standard deviation: 28.3

Age in month (b11\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 82225
Format: numeric	Invalid: 425397
Width: 4	Minimum: -84
Decimals: 0	Maximum: 332
Range: -84-332	Mean: 99.3
	Standard deviation: 60.5

Age in completed years (b12\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 82225
Format: numeric	Invalid: 425397
Width: 4	Minimum: -7
Decimals: 0	Maximum: 217
Range: -7-217	Mean: 7.8
	Standard deviation: 5.1

Age of mother at child birth (b13\$5)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 82222
Format: numeric	Invalid: 425400
Width: 4	Minimum: 14
Decimals: 0	Maximum: 44
Range: 14-44	Mean: 27
	Standard deviation: 3.8

Index to birth (b01\$6)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 44584
Format: numeric	Invalid: 463038
Width: 4	Minimum: 6
Decimals: 0	Maximum: 12
Range: 6-12	Mean: 6
	Standard deviation: 0

Child is twin (b02\$6)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 44584
Format: numeric	Invalid: 463038
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1989
Range: 1-1989	

Sex of child (b03\$6)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1080

Valid cases: 44584
 Invalid: 463038
 Minimum: 1
 Maximum: 1080

Month of birth (b04\$6)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 44573
 Invalid: 463049
 Minimum: 1
 Maximum: 12
 Mean: 6.6
 Standard deviation: 3.4

Year of birth (b05\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1974-10010

Valid cases: 44578
 Invalid: 463044
 Minimum: 1974
 Maximum: 10010
 Mean: 1996
 Standard deviation: 53.9

CMC of birth (b06\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 900-1285

Valid cases: 44571
 Invalid: 463051
 Minimum: 900
 Maximum: 1285
 Mean: 1154.1
 Standard deviation: 56.3

Child is alive (b07\$6)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 44564
 Invalid: 463058
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$6)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-150

Valid cases: 5358
 Invalid: 502264
 Minimum: 1
 Maximum: 150

Age at death (b09\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-30

Valid cases: 5336
 Invalid: 502286
 Minimum: 0
 Maximum: 30
 Mean: 5.5
 Standard deviation: 5.3

Age in month at the time of death (b10\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-228

Valid cases: 5353
 Invalid: 502269
 Minimum: 0
 Maximum: 228
 Mean: 13.1
 Standard deviation: 25

Age in month (b11\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -33-330

Valid cases: 44571
 Invalid: 463051
 Minimum: -33
 Maximum: 330
 Mean: 89.2
 Standard deviation: 55.8

Age in completed years (b12\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -2-31

Valid cases: 44571
 Invalid: 463051
 Minimum: -2
 Maximum: 31
 Mean: 7
 Standard deviation: 4.6

Age of mother at child birth (b13\$6)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 15-44

Valid cases: 44570
 Invalid: 463052
 Minimum: 15
 Maximum: 44
 Mean: 28.7
 Standard deviation: 3.8

Index to birth (b01\$7)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-7

Valid cases: 23095
 Invalid: 484527
 Minimum: 2
 Maximum: 7
 Mean: 7
 Standard deviation: 0

Child is twin (b02\$7)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1993

Valid cases: 23095
 Invalid: 484527
 Minimum: 1
 Maximum: 1993

Sex of child (b03\$7)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1118

Valid cases: 23095
 Invalid: 484527
 Minimum: 1
 Maximum: 1118

Month of birth (b04\$7)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 23093
 Invalid: 484529
 Minimum: 1
 Maximum: 12
 Mean: 6.6
 Standard deviation: 3.4

Year of birth (b05\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 23094
Format: numeric	Invalid: 484528
Width: 4	Minimum: 1976
Decimals: 0	Maximum: 10003
Range: 1976-10003	Mean: 1996.8
	Standard deviation: 52.9

CMC of birth (b06\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 23092
Format: numeric	Invalid: 484530
Width: 4	Minimum: 919
Decimals: 0	Maximum: 1292
Range: 919-1292	Mean: 1163.5
	Standard deviation: 51.8

Child is alive (b07\$7)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 23089
Format: numeric	Invalid: 484533
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Unit code of child death (b08\$7)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 2954
Format: numeric	Invalid: 504668
Width: 4	Minimum: 1
Decimals: 0	Maximum: 111
Range: 1-111	

Age at death (b09\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 2941
Format: numeric	Invalid: 504681
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 5.5
	Standard deviation: 5.5

Age in month at the time of death (b10\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 2953
Format: numeric	Invalid: 504669
Width: 4	Minimum: 0
Decimals: 0	Maximum: 240
Range: 0-240	Mean: 11.5
	Standard deviation: 22.6

Age in month (b11\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 23092
Format: numeric	Invalid: 484530
Width: 4	Minimum: -42
Decimals: 0	Maximum: 313
Range: -42-313	Mean: 79.9
	Standard deviation: 51.4

Age in completed years (b12\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 23092
Format: numeric	Invalid: 484530
Width: 4	Minimum: -3
Decimals: 0	Maximum: 33
Range: -3-33	Mean: 6.2
	Standard deviation: 4.3

Age of mother at child birth (b13\$7)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 23091
Format: numeric	Invalid: 484531
Width: 4	Minimum: 16
Decimals: 0	Maximum: 43
Range: 16-43	Mean: 30.3
	Standard deviation: 3.8

Index to birth (b01\$8)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 11609
Format: numeric	Invalid: 496013
Width: 4	Minimum: 8
Decimals: 0	Maximum: 8
Range: 8-8	Mean: 8
	Standard deviation: 0

Child is twin (b02\$8)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 11609
 Invalid: 496013
 Minimum: 1
 Maximum: 2

Sex of child (b03\$8)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 11609
 Invalid: 496013
 Minimum: 1
 Maximum: 2

Month of birth (b04\$8)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 11607
 Invalid: 496015
 Minimum: 1
 Maximum: 12
 Mean: 6.5
 Standard deviation: 3.4

Year of birth (b05\$8)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1199-10007

Valid cases: 11608
 Invalid: 496014
 Minimum: 1199
 Maximum: 10007
 Mean: 1997.8
 Standard deviation: 74.8

CMC of birth (b06\$8)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 960-1260

Valid cases: 11607
 Invalid: 496015
 Minimum: 960
 Maximum: 1260
 Mean: 1172.9
 Standard deviation: 47.1

Child is alive (b07\$8)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 11605
 Invalid: 496017
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$8)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 1556
 Invalid: 506066
 Minimum: 1
 Maximum: 3

Age at death (b09\$8)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-30

Valid cases: 1553
 Invalid: 506069
 Minimum: 0
 Maximum: 30
 Mean: 5.8
 Standard deviation: 5.7

Age in month at the time of death (b10\$8)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-288

Valid cases: 1556
 Invalid: 506066
 Minimum: 0
 Maximum: 288
 Mean: 10.2
 Standard deviation: 21.8

Age in month (b11\$8)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-287

Valid cases: 11606
 Invalid: 496016
 Minimum: 0
 Maximum: 287
 Mean: 70.7
 Standard deviation: 46.6

Age in completed years (b12\$8)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 11606
Format: numeric	Invalid: 496016
Width: 4	Minimum: 0
Decimals: 0	Maximum: 36
Range: 0-36	Mean: 5.4
	Standard deviation: 3.9

Age of mother at child birth (b13\$8)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 11606
Format: numeric	Invalid: 496016
Width: 4	Minimum: 14
Decimals: 0	Maximum: 43
Range: 14-43	Mean: 31.9
	Standard deviation: 3.8

Index to birth (b01\$9)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 5335
Format: numeric	Invalid: 502287
Width: 4	Minimum: 9
Decimals: 0	Maximum: 9
Range: 9-9	Mean: 9
	Standard deviation: 0

Child is twin (b02\$9)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 5335
Format: numeric	Invalid: 502287
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Sex of child (b03\$9)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 5335
Format: numeric	Invalid: 502287
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Month of birth (b04\$9)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 5334
 Invalid: 502288
 Minimum: 1
 Maximum: 12
 Mean: 6.6
 Standard deviation: 3.4

Year of birth (b05\$9)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1980-10012

Valid cases: 5335
 Invalid: 502287
 Minimum: 1980
 Maximum: 10012
 Mean: 1999.2
 Standard deviation: 109.8

CMC of birth (b06\$9)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 967-1260

Valid cases: 5334
 Invalid: 502288
 Minimum: 967
 Maximum: 1260
 Mean: 1178.7
 Standard deviation: 43.9

Child is alive (b07\$9)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 5333
 Invalid: 502289
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$9)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 730
 Invalid: 506892
 Minimum: 1
 Maximum: 3

Age at death (b09\$9)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 726
Format: numeric	Invalid: 506896
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 6
	Standard deviation: 5.8

Age in month at the time of death (b10\$9)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 730
Format: numeric	Invalid: 506892
Width: 4	Minimum: 0
Decimals: 0	Maximum: 180
Range: 0-180	Mean: 9.9
	Standard deviation: 19.1

Age in month (b11\$9)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 5333
Format: numeric	Invalid: 502289
Width: 4	Minimum: 0
Decimals: 0	Maximum: 287
Range: 0-287	Mean: 65.3
	Standard deviation: 43.3

Age in completed years (b12\$9)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 5333
Format: numeric	Invalid: 502289
Width: 4	Minimum: 0
Decimals: 0	Maximum: 43
Range: 0-43	Mean: 5
	Standard deviation: 3.6

Age of mother at child birth (b13\$9)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 5333
Format: numeric	Invalid: 502289
Width: 4	Minimum: 19
Decimals: 0	Maximum: 44
Range: 19-44	Mean: 33
	Standard deviation: 3.7

Index to birth (b01\$10)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 10-10

Valid cases: 2386
 Invalid: 505236
 Minimum: 10
 Maximum: 10
 Mean: 10
 Standard deviation: 0

Child is twin (b02\$10)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2386
 Invalid: 505236
 Minimum: 1
 Maximum: 2

Sex of child (b03\$10)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 2386
 Invalid: 505236
 Minimum: 1
 Maximum: 2

Month of birth (b04\$10)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 2387
 Invalid: 505235
 Minimum: 1
 Maximum: 12
 Mean: 6.5
 Standard deviation: 3.4

Year of birth (b05\$10)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 12-2004

Valid cases: 2387
 Invalid: 505235
 Minimum: 12
 Maximum: 2004
 Mean: 1997.4
 Standard deviation: 40.8

CMC of birth (b06\$10)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 2387
Format: numeric	Invalid: 505235
Width: 4	Minimum: -22649
Decimals: 0	Maximum: 1260
Range: -22649-1260	Mean: 1175.6
	Standard deviation: 489.5

Child is alive (b07\$10)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 2384
Format: numeric	Invalid: 505238
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Unit code of child death (b08\$10)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 348
Format: numeric	Invalid: 507274
Width: 4	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	

Age at death (b09\$10)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 346
Format: numeric	Invalid: 507276
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 5.4
	Standard deviation: 5.5

Age in month at the time of death (b10\$10)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 348
Format: numeric	Invalid: 507274
Width: 4	Minimum: 0
Decimals: 0	Maximum: 216
Range: 0-216	Mean: 9
	Standard deviation: 20.8

Age in month (b11\$10)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 2386
Format: numeric	Invalid: 505236
Width: 4	Minimum: 0
Decimals: 0	Maximum: 23902
Range: 0-23902	Mean: 68.7
	Standard deviation: 489.8

Age in completed years (b12\$10)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 2386
Format: numeric	Invalid: 505236
Width: 4	Minimum: 0
Decimals: 0	Maximum: 1991
Range: 0-1991	Mean: 5.3
	Standard deviation: 40.8

Age of mother at child birth (b13\$10)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 2386
Format: numeric	Invalid: 505236
Width: 4	Minimum: -1952
Decimals: 0	Maximum: 43
Range: -1952-43	Mean: 33.3
	Standard deviation: 40.8

Index to birth (b01\$11)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 885
Format: numeric	Invalid: 506737
Width: 4	Minimum: 11
Decimals: 0	Maximum: 11
Range: 11-11	Mean: 11
	Standard deviation: 0

Child is twin (b02\$11)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 885
Format: numeric	Invalid: 506737
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Sex of child (b03\$11)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 885
 Invalid: 506737
 Minimum: 1
 Maximum: 2

Month of birth (b04\$11)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 885
 Invalid: 506737
 Minimum: 1
 Maximum: 12
 Mean: 6.7
 Standard deviation: 3.3

Year of birth (b05\$11)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1986-2004

Valid cases: 885
 Invalid: 506737
 Minimum: 1986
 Maximum: 2004
 Mean: 1998.6
 Standard deviation: 3.1

CMC of birth (b06\$11)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1036-1259

Valid cases: 885
 Invalid: 506737
 Minimum: 1036
 Maximum: 1259
 Mean: 1190.4
 Standard deviation: 37.6

Child is alive (b07\$11)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 884
 Invalid: 506738
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$11)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 136
Format: numeric	Invalid: 507486
Width: 4	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	

Age at death (b09\$11)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 135
Format: numeric	Invalid: 507487
Width: 4	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	Mean: 5.9
	Standard deviation: 5.3

Age in month at the time of death (b10\$11)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 136
Format: numeric	Invalid: 507486
Width: 4	Minimum: 0
Decimals: 0	Maximum: 144
Range: 0-144	Mean: 8.8
	Standard deviation: 18.3

Age in month (b11\$11)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 885
Format: numeric	Invalid: 506737
Width: 4	Minimum: 0
Decimals: 0	Maximum: 194
Range: 0-194	Mean: 54
	Standard deviation: 36.7

Age in completed years (b12\$11)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 885
Format: numeric	Invalid: 506737
Width: 4	Minimum: 0
Decimals: 0	Maximum: 16
Range: 0-16	Mean: 4.1
	Standard deviation: 3.1

Age of mother at child birth (b13\$11)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 885
Format: numeric	Invalid: 506737
Width: 4	Minimum: 21
Decimals: 0	Maximum: 43
Range: 21-43	Mean: 34.9
	Standard deviation: 3.6

Index to birth (b01\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 12
Decimals: 0	Maximum: 12
Range: 12-12	Mean: 12
	Standard deviation: 0

Child is twin (b02\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Sex of child (b03\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Month of birth (b04\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 1
Decimals: 0	Maximum: 12
Range: 1-12	Mean: 6.8
	Standard deviation: 3.4

Year of birth (b05\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 1987
Decimals: 0	Maximum: 2004
Range: 1987-2004	Mean: 1999.2
	Standard deviation: 2.9

CMC of birth (b06\$12)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 1049
Decimals: 0	Maximum: 1257
Range: 1049-1257	Mean: 1196.7
	Standard deviation: 34.9

Child is alive (b07\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 350
Format: numeric	Invalid: 507272
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Unit code of child death (b08\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 59
Format: numeric	Invalid: 507563
Width: 4	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-3	

Age at death (b09\$12)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 59
Format: numeric	Invalid: 507563
Width: 4	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 4.9
	Standard deviation: 5.8

Age in month at the time of death (b10\$12)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 59
Format: numeric	Invalid: 507563
Width: 4	Minimum: 0
Decimals: 0	Maximum: 48
Range: 0-48	Mean: 3.3
	Standard deviation: 8.9

Age in month (b11\$12)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 0
Decimals: 0	Maximum: 181
Range: 0-181	Mean: 48.4
	Standard deviation: 32.8

Age in completed years (b12\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0-15	Mean: 3.6
	Standard deviation: 2.7

Age of mother at child birth (b13\$12)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 351
Format: numeric	Invalid: 507271
Width: 4	Minimum: 24
Decimals: 0	Maximum: 43
Range: 24-43	Mean: 35.6
	Standard deviation: 3.6

Index to birth (b01\$13)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 103
Format: numeric	Invalid: 507519
Width: 4	Minimum: 13
Decimals: 0	Maximum: 13
Range: 13-13	Mean: 13
	Standard deviation: 0

Child is twin (b02\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 103
 Invalid: 507519
 Minimum: 1
 Maximum: 2

Sex of child (b03\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 103
 Invalid: 507519
 Minimum: 1
 Maximum: 2

Month of birth (b04\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 102
 Invalid: 507520
 Minimum: 1
 Maximum: 12
 Mean: 6.9
 Standard deviation: 3.5

Year of birth (b05\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1991-2004

Valid cases: 102
 Invalid: 507520
 Minimum: 1991
 Maximum: 2004
 Mean: 1999.5
 Standard deviation: 2.7

CMC of birth (b06\$13)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1095-1257

Valid cases: 102
 Invalid: 507520
 Minimum: 1095
 Maximum: 1257
 Mean: 1201.3
 Standard deviation: 31.5

Child is alive (b07\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 102
 Invalid: 507520
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 18
 Invalid: 507604
 Minimum: 1
 Maximum: 3

Age at death (b09\$13)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-14

Valid cases: 18
 Invalid: 507604
 Minimum: 0
 Maximum: 14
 Mean: 5
 Standard deviation: 4.4

Age in month at the time of death (b10\$13)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-36

Valid cases: 18
 Invalid: 507604
 Minimum: 0
 Maximum: 36
 Mean: 4.6
 Standard deviation: 10.1

Age in month (b11\$13)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-135

Valid cases: 102
 Invalid: 507520
 Minimum: 1
 Maximum: 135
 Mean: 44.3
 Standard deviation: 28.2

Age in completed years (b12\$13)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 102
Format: numeric	Invalid: 507520
Width: 4	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 3.3
	Standard deviation: 2.3

Age of mother at child birth (b13\$13)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 102
Format: numeric	Invalid: 507520
Width: 4	Minimum: 27
Decimals: 0	Maximum: 42
Range: 27-42	Mean: 35.6
	Standard deviation: 3.4

Index to birth (b01\$14)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37
Format: numeric	Invalid: 507585
Width: 4	Minimum: 14
Decimals: 0	Maximum: 14
Range: 14-14	Mean: 14
	Standard deviation: 0

Child is twin (b02\$14)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37
Format: numeric	Invalid: 507585
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Sex of child (b03\$14)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37
Format: numeric	Invalid: 507585
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Month of birth (b04\$14)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 37
 Invalid: 507585
 Minimum: 1
 Maximum: 12
 Mean: 7.8
 Standard deviation: 3.3

Year of birth (b05\$14)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1996-2004

Valid cases: 37
 Invalid: 507585
 Minimum: 1996
 Maximum: 2004
 Mean: 2000.4
 Standard deviation: 2.1

CMC of birth (b06\$14)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1158-1260

Valid cases: 37
 Invalid: 507585
 Minimum: 1158
 Maximum: 1260
 Mean: 1213
 Standard deviation: 25

Child is alive (b07\$14)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 37
 Invalid: 507585
 Minimum: 1
 Maximum: 2

Unit code of child death (b08\$14)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 7
 Invalid: 507615
 Minimum: 1
 Maximum: 3

Age at death (b09\$14)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 7
Format: numeric	Invalid: 507615
Width: 4	Minimum: 0
Decimals: 0	Maximum: 12
Range: 0-12	Mean: 4.6
	Standard deviation: 4.5

Age in month at the time of death (b10\$14)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 7
Format: numeric	Invalid: 507615
Width: 4	Minimum: 0
Decimals: 0	Maximum: 144
Range: 0-144	Mean: 25.1
	Standard deviation: 53.2

Age in month (b11\$14)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 37
Format: numeric	Invalid: 507585
Width: 4	Minimum: 0
Decimals: 0	Maximum: 81
Range: 0-81	Mean: 31.3
	Standard deviation: 23

Age in completed years (b12\$14)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37
Format: numeric	Invalid: 507585
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	Mean: 2.2
	Standard deviation: 1.8

Age of mother at child birth (b13\$14)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37
Format: numeric	Invalid: 507585
Width: 4	Minimum: 27
Decimals: 0	Maximum: 43
Range: 27-43	Mean: 37.1
	Standard deviation: 3.7

Index to birth (b01\$15)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 15-15

Valid cases: 10
 Invalid: 507612
 Minimum: 15
 Maximum: 15
 Mean: 15
 Standard deviation: 0

Child is twin (b02\$15)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 507612
 Minimum: 1
 Maximum: 1

Sex of child (b03\$15)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 10
 Invalid: 507612
 Minimum: 1
 Maximum: 2

Month of birth (b04\$15)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-11

Valid cases: 10
 Invalid: 507612
 Minimum: 1
 Maximum: 11
 Mean: 6.3
 Standard deviation: 3.5

Year of birth (b05\$15)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1998-2004

Valid cases: 10
 Invalid: 507612
 Minimum: 1998
 Maximum: 2004
 Mean: 2001.5
 Standard deviation: 2.2

CMC of birth (b06\$15)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 10
Format: numeric	Invalid: 507612
Width: 4	Minimum: 1185
Decimals: 0	Maximum: 1253
Range: 1185-1253	Mean: 1224.3
	Standard deviation: 24.8

Child is alive (b07\$15)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 10
Format: numeric	Invalid: 507612
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-2	

Unit code of child death (b08\$15)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 507622
Width: 4	
Decimals: 0	
Range: 1-3	

Age at death (b09\$15)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 507622
Width: 4	
Decimals: 0	

Age in month at the time of death (b10\$15)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 507622
Width: 4	
Decimals: 0	

Age in month (b11\$15)

File: INDIA_WOMEN

Age in month (b11\$15)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 10
Format: numeric	Invalid: 507612
Width: 4	Minimum: 0
Decimals: 0	Maximum: 53
Range: 0-53	Mean: 21.9
	Standard deviation: 20.9

Age in completed years (b12\$15)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 10
Format: numeric	Invalid: 507612
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4
Range: 0-4	Mean: 1.5
	Standard deviation: 1.6

Age of mother at child birth (b13\$15)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 10
Format: numeric	Invalid: 507612
Width: 4	Minimum: 28
Decimals: 0	Maximum: 43
Range: 28-43	Mean: 38
	Standard deviation: 4.8

Index to birth (b01\$16)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 3
Format: numeric	Invalid: 507619
Width: 4	Minimum: 16
Decimals: 0	Maximum: 16
Range: 16-16	Mean: 16
	Standard deviation: 0

Child is twin (b02\$16)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 3
Format: numeric	Invalid: 507619
Width: 4	Minimum: 1
Decimals: 0	Maximum: 1
Range: 1-2	

Sex of child (b03\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 3
 Invalid: 507619
 Minimum: 1
 Maximum: 2

Month of birth (b04\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 4-12

Valid cases: 3
 Invalid: 507619
 Minimum: 4
 Maximum: 12
 Mean: 7.3
 Standard deviation: 4.2

Year of birth (b05\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1999-2003

Valid cases: 3
 Invalid: 507619
 Minimum: 1999
 Maximum: 2003
 Mean: 2001.3
 Standard deviation: 2.1

CMC of birth (b06\$16)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1194-1248

Valid cases: 3
 Invalid: 507619
 Minimum: 1194
 Maximum: 1248
 Mean: 1223.3
 Standard deviation: 27.3

Child is alive (b07\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 3
 Invalid: 507619
 Minimum: 1
 Maximum: 1

Unit code of child death (b08\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-3

Valid cases: 0
 Invalid: 507622

Age at death (b09\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 507622

Age in month at the time of death (b10\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0

Valid cases: 0
 Invalid: 507622

Age in month (b11\$16)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 3-43

Valid cases: 3
 Invalid: 507619
 Minimum: 3
 Maximum: 43
 Mean: 24
 Standard deviation: 20.1

Age in completed years (b12\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-3

Valid cases: 3
 Invalid: 507619
 Minimum: 0
 Maximum: 3
 Mean: 1.7
 Standard deviation: 1.5

Age of mother at child birth (b13\$16)

File: INDIA_WOMEN

Age of mother at child birth (b13\$16)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 29-40

Valid cases: 3
 Invalid: 507619
 Minimum: 29
 Maximum: 40
 Mean: 34
 Standard deviation: 5.6

Year of last pregnancy (w201)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 507406
 Invalid: 216

Out come of last pregnancy (w202)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 210754
 Invalid: 296868

Government /municipal hospital (w203a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5539
 Invalid: 502083

Government dispensary (w203b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

UHC/UHP/UFWC (w203c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

CHC/rural hospital (w203d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

Primary health centre (w203e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

Sub centre (w203f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

NGO/Trust hospital (w203g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

Government ISM hospital/clinic (w203h)

File: INDIA_WOMEN

Government ISM hospital/clinic (w203h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

Private ISM hospital/clinic (w203i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5563
 Invalid: 502059

Private hospital/clinic (w203j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5537
 Invalid: 502085

Home (w203k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5537
 Invalid: 502085

Other (w203l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5536
 Invalid: 502086

Abortion performed (by person) (w204)

File: INDIA_WOMEN

Abortion performed (by person) (w204)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5537
 Invalid: 502085

Reason for induced abortion (w205)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 5537
 Invalid: 502085

Month of pregnancy end (w206)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 13757
 Invalid: 493865

Did go for sonography/amniocentesis (w207)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 13756
 Invalid: 493866

Any health problem after abortion (within 6 weeks) (w208)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 13757
 Invalid: 493865

Excessive bleeding (w209a)

File: INDIA_WOMEN

Excessive bleeding (w209a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4196
 Invalid: 503426

High fever (w209b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4198
 Invalid: 503424

Foul smelling discharge (w209c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4196
 Invalid: 503426

Pain in lower abdomen (w209d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4196
 Invalid: 503426

Convulsion (w209e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4196
 Invalid: 503426

Severe headache (w209f)

File: INDIA_WOMEN

Severe headache (w209f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4196
 Invalid: 503426

Other (w209g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4196
 Invalid: 503426

Seek advice for health problem (w210)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 4219
 Invalid: 503403

Government /municipal hospital (w211a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3030
 Invalid: 504592

Government dispensary (w211b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

UHC/UHP/UFWC (w211c)

File: INDIA_WOMEN

UHC/UHP/UFWC (w211c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

CHC/rural hospital (w211d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Primary health centre (w211e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Sub centre (w211f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

NGO/Trust hospital (w211g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Government ISM hospital/clinic (w211h)

File: INDIA_WOMEN

Government ISM hospital/clinic (w211h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Private ISM hospital/clinic (w211i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Private hospital/clinic (w211j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Chemist/medical shop (w211k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3033
 Invalid: 504589

Other (w211l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 3032
 Invalid: 504590

Consult any one for health problem (w212)

File: INDIA_WOMEN

Consult any one for health problem (w212)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 3030
 Invalid: 504592

Went for antenatal care (w213)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196918
 Invalid: 310704

Received antenatal check-up from Government /municipal hospital (w214a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129290
 Invalid: 378332

Received antenatal check-up from Government dispensary (w214b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129290
 Invalid: 378332

Received antenatal check-up from UHC/UHP/UFWC (w214c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129290
 Invalid: 378332

Received antenatal check-up from CHC/rural hospital (w214d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129291
 Invalid: 378331

Received antenatal check-up from Primary health centre (w214e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-151

Valid cases: 129291
 Invalid: 378331

Received antenatal check-up from Sub centre (w214f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129290
 Invalid: 378332

Received antenatal check-up from NGO/Trust hospital (w214g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129289
 Invalid: 378333

Received antenatal check-up from Government ISM hospital/clinic (w214h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129292
 Invalid: 378330

Received antenatal check-up from Private ISM hospital/clinic (w214i)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 129289
Invalid: 378333

Received antenatal check-up from Private hospital/clinic (w214j)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 129289
Invalid: 378333

Other (w214k)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 129289
Invalid: 378333

Received antenatal check-up by Doctor (w215a)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9

Valid cases: 129293
Invalid: 378329

Received antenatal check-up by ANM/nurse/mid-wife/LHV (w215b)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 129291
Invalid: 378331

Received antenatal check-up by other health professional (w215c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129291
 Invalid: 378331

Received antenatal check-up by trained dai (w215d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129291
 Invalid: 378331

Received antenatal check-up by untrained dai (w215e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-151

Valid cases: 129292
 Invalid: 378330

Other (w215f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 129291
 Invalid: 378331

Month in first visit for antenatal check-up (w216)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 129303
 Invalid: 378319

Number of visits (w217)

File: INDIA_WOMEN

Number of visits (w217)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 129302
 Invalid: 378320

antenatall visit by health worker (w218)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196918
 Invalid: 310704

First visit made by health worker (month) (w219)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 2-99

Valid cases: 32229
 Invalid: 475393

Number of visits by health worker (w220)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 32222
 Invalid: 475400

Weight measured (w221a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Height measured (w221b)

File: INDIA_WOMEN

Height measured (w221b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Blood pressure checked (w221c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Blood test (w221d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Urine test (w221e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Abdomen examined (w221f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Internal exam (w221g)

File: INDIA_WOMEN

Internal exam (w221g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196814
 Invalid: 310808

Breast exam (w221h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

X-ray (w221i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Sonogram or ultrasound (w221j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196815
 Invalid: 310807

Amniocentesis (w221k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196812
 Invalid: 310810

Diet (w222a)

File: INDIA_WOMEN

Diet (w222a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196796
 Invalid: 310826

Danger signs of pregnancy (w222b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196796
 Invalid: 310826

Delivery care (w222c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196795
 Invalid: 310827

Breast feeding (w222d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196796
 Invalid: 310826

Newborn care (w222e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196796
 Invalid: 310826

Family planning (w222f)

File: INDIA_WOMEN

Family planning (w222f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196794
 Invalid: 310828

Not necessary (w223a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 55834
 Invalid: 451788

Not customary (w223b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

Cost too much (w223c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

Too far/no transport (w223d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

Poor quality service (w223e)

File: INDIA_WOMEN

Poor quality service (w223e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

No time to go (w223f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55833
 Invalid: 451789

Family did not allow (w223g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

Lack of knowledge (w223h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

Other reason (w223i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 55834
 Invalid: 451788

Given iron folic tablets during pregnancy (w224)

File: INDIA_WOMEN

Given iron folic tablets during pregnancy (w224)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196918
 Invalid: 310704

Consumed tablets per day (w225)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 120280
 Invalid: 387342

Consumed IFA tablets during pregnancy (Number) (w226a)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-420

Valid cases: 111212
 Invalid: 396410
 Minimum: 0
 Maximum: 420
 Mean: 77.3
 Standard deviation: 60.5

consumed IFA syrup (Bottles) (w226b)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-222

Valid cases: 111232
 Invalid: 396390
 Minimum: 0
 Maximum: 222
 Mean: 0.2
 Standard deviation: 1.3

Received iron folic tablets from Government /municipal hospital (w227a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120290
 Invalid: 387332

Received iron folic tablets from Government dispensary (w227b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120282
 Invalid: 387340

Received iron folic tablets from UHC/UHP/UFWC (w227c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Received iron folic tablets from CHC/rural hospital (w227d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Received iron folic tablets from Primary health centre (w227e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Received iron folic tablets from Sub centre (w227f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120282
 Invalid: 387340

Received iron folic tablets from NGO/Trust hospital (w227g)

File: INDIA_WOMEN

Received iron folic tablets from NGO/Trust hospital (w227g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Received iron folic tablets from Government ISM hospital/clinic (w227h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Received iron folic tablets from Private ISM hospital/clinic (w227i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Received iron folic tablets from Private hospital/clinic (w227j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120283
 Invalid: 387339

Received iron folic tablets from chemist/pharmacy (w227k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120283
 Invalid: 387339

Received iron folic tablets by health worker at home (w227l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120281
 Invalid: 387341

Other (w227m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 120282
 Invalid: 387340

Given tetanus injection during pregnancy (w228)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196918
 Invalid: 310704

Number of times given tetanus injections (w229)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 154769
 Invalid: 352853

Swelling of hands and feet during pregnancy (w230a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196918
 Invalid: 310704

Paleness during pregnancy (w230b)

File: INDIA_WOMEN

Paleness during pregnancy (w230b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 196918
 Invalid: 310704

Visual disturbances during pregnancy (w230c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196918
 Invalid: 310704

Excessive bleeding during pregnancy (w230d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196918
 Invalid: 310704

Convulsions during pregnancy (w230e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-22

Valid cases: 196918
 Invalid: 310704

Weak or no movement of foetus during pregnancy (w230f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196918
 Invalid: 310704

Abnormal position of foetus during pregnancy (w230g)

File: INDIA_WOMEN

Abnormal position of foetus during pregnancy (w230g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196918
 Invalid: 310704

Other problems during pregnancy (w230h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 196918
 Invalid: 310704

Consult or seek treatment for pregnancy complications (w231)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 68099
 Invalid: 439523

Received treatment for pregnancy complication from Government /municipal hospital (w232a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 32513
 Invalid: 475109

Received treatment for pregnancy complication from Government dispensary (w232b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 32485
 Invalid: 475137

Received treatment for pregnancy complication from UHC/UHP/UFWC (w232c)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 32483
Invalid: 475139

Received treatment for pregnancy complication from CHC/rural hospital (w232d)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 32480
Invalid: 475142

Received treatment for pregnancy complication from Primary health centre (w232e)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 32481
Invalid: 475141

Received treatment for pregnancy complication from Sub centre (w232f)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 32481
Invalid: 475141

Received treatment for pregnancy complication from NGO/Trust hospital (w232g)

File: INDIA_WOMEN

Overview

Received treatment for pregnancy complication from NGO/Trust hospital (w232g)

File: INDIA_WOMEN

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 32481
 Invalid: 475141

Received treatment for pregnancy complication from Government ISM hospital/clinic (w232h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 32482
 Invalid: 475140

Received treatment for pregnancy complication from Private ISM hospital/clinic (w232i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 32481
 Invalid: 475141

Received treatment for pregnancy complication from Private hospital/clinic (w232j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 32483
 Invalid: 475139

Other (w232k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 32520
 Invalid: 475102

Received treatment for pregnancy complication (w233)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 32661
 Invalid: 474961

Were advised by doctor/health worker to go to health facility for delivery (w234)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Place of delivery (w235)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 197050
 Invalid: 310572

Main reason did not go to health facility for delivery (w236)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 122487
 Invalid: 385135

Delivery conducted by (w237)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 122529
 Invalid: 385093

Was delivery normal (w238)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Was delivery caesarian (w239)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18891
 Invalid: 488731

Delivery :premature (w240a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Delivery: excessive bleeding (w240b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Delivery: prolonged (12+hours) (w240c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Delivery: obstructed (w240d)

File: INDIA_WOMEN

Delivery: obstructed (w240d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Delivery: breech presentation (w240e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Delivery: other (w240f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Post delivery complication: high fever (w241a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197049
 Invalid: 310573

Post delivery complication: lower abdominal pain (w241b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 197050
 Invalid: 310572

Post delivery complication: foul smelling vaginal discharge (w241c)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 197050
Invalid: 310572

Post delivery complication: excessive bleeding (w241d)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 197050
Invalid: 310572

Post delivery complication: convulsion (w241e)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 197050
Invalid: 310572

Post delivery complication: severe headache (w241f)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 197050
Invalid: 310572

Post delivery complication: Other (w241g)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 197050
Invalid: 310572

Consult or seek treatment for post delivery complications (w242)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 63830
 Invalid: 443792

Received treatment for post delivery complication from Government /municipal hospital (w243a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 29961
 Invalid: 477661

Received treatment for post delivery complication from Government dispensary (w243b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 29950
 Invalid: 477672

Received treatment for post delivery complication from UHC/UHP/UFWC (w243c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 29949
 Invalid: 477673

Received treatment for post delivery complication from CHC/rural hospital (w243d)

File: INDIA_WOMEN

Overview

Received treatment for post delivery complication from CHC/rural hospital (w243d)

File: INDIA_WOMEN

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-22

Valid cases: 29953
 Invalid: 477669

Received treatment for post delivery complication from Primary health centre (w243e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 29952
 Invalid: 477670

Received treatment for post delivery complication from Sub centre (w243f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 29952
 Invalid: 477670

Received treatment for post delivery complication from NGO/Trust hospital (w243g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 29952
 Invalid: 477670

Received treatment for post delivery complication from Government ISM hospital/clinic (w243h)

File: INDIA_WOMEN

Overview

Received treatment for post delivery complication from Government ISM hospital/clinic (w243h)

File: INDIA_WOMEN

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 29953
Invalid: 477669

Received treatment for post delivery complication from Private ISM hospital/clinic (w243i)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 29955
Invalid: 477667

Received treatment for post delivery complication from Private hospital/clinic (w243j)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 29959
Invalid: 477663

Other (w243k)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 29958
Invalid: 477664

Received treatment for post delivery complication (w244)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 29961
Invalid: 477661

Did ANM visit within 2 weeks of delivery (w245)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 197050
 Invalid: 310572

Number of visits made by ANM within 6 weeks of delivery (w246)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 197046
 Invalid: 310576

Times breastfeeding (w304)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 193699
 Invalid: 313923

Squeeze milk from breast (w305)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 192127
 Invalid: 315495

Currently breastfeeding (w306)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 192127
 Invalid: 315495

Duration of breastfeeding (w307)

File: INDIA_WOMEN

Duration of breastfeeding (w307)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 192130
 Invalid: 315492

Aware of Diarrhea: give ORS (w308a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193413
 Invalid: 314209

Aware of Diarrhea: salt and sugar solution (w308b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193411
 Invalid: 314211

Aware of Diarrhea: continue normal food (w308c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193406
 Invalid: 314216

Aware of Diarrhea: continue breastfeeding (w308d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193406
 Invalid: 314216

Aware of Diarrhea: give plenty of fluids (w308e)

File: INDIA_WOMEN

Aware of Diarrhea: give plenty of fluids (w308e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193405
 Invalid: 314217

Aware of Diarrhea: other (w308f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193411
 Invalid: 314211

Aware of Diarrhea: do not know (w308g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 192789
 Invalid: 314833

advised of Diarrhea by ANM/health worker (w309)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193766
 Invalid: 313856

Had diarrhea during last two weeks (w310)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193858
 Invalid: 313764

Continue breastfeeding with diarrhea (w311)

File: INDIA_WOMEN

Continue breastfeeding with diarrhea (w311)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 192353
 Invalid: 315269

Drinking pattern with diarrhea (w312)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 26434
 Invalid: 481188

Eating pattern with diarrhea (w313)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 26433
 Invalid: 481189

Given ORS (w314)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 26433
 Invalid: 481189

Diarrhea: seek treatment (w315)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 26436
 Invalid: 481186

Diarrhea: Government /municipal hospital (w316a)

File: INDIA_WOMEN

Diarrhea: Government /municipal hospital (w316a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18542
 Invalid: 489080

Diarrhea: Government dispensary (w316b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: UHC/UHP/UFWC (w316c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: CHC/rural hospital (w316d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: Primary health centre (w316e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: Sub centre (w316f)

File: INDIA_WOMEN

Diarrhea: Sub centre (w316f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: NGO/Trust hospital (w316g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: Government ISM hospital/clinic (w316h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18531
 Invalid: 489091

Diarrhea: Private ISM hospital/clinic (w316i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: Private hospital/clinic (w316j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18535
 Invalid: 489087

Diarrhea: Home remedy (w316k)

File: INDIA_WOMEN

Diarrhea: Home remedy (w316k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Diarrhea: Other (w316l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18533
 Invalid: 489089

Diarrhea: seek treatment or advised by (w317)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18532
 Invalid: 489090

Aware of danger signs of pneumonia (w318)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193720
 Invalid: 313902

Pneumonia: Difficulty in breathing (w319a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82705
 Invalid: 424917

Pneumonia: Chest indrawing (w319b)

File: INDIA_WOMEN

Pneumonia: Chest indrawing (w319b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82700
 Invalid: 424922

Pneumonia: Not able to drink or take a feed (w319c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82702
 Invalid: 424920

Pneumonia: Excessively drowsy and difficult to keep awake (w319d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82701
 Invalid: 424921

Pneumonia: Pain in chest and productive cough (w319e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82704
 Invalid: 424918

Pneumonia: Condition gets worse than before (w319f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82702
 Invalid: 424920

Pneumonia: Wheezing/whistling (w319g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82701
 Invalid: 424921

Pneumonia: Rapid breathing (w319h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 82706
 Invalid: 424916

Danger signs of pneumonia informed by ANM/health worker (w320)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 194029
 Invalid: 313593

Had pneumonia during last two weeks (w321)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193627
 Invalid: 313995

Pneumonia: seek treatment (w322)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 32022
 Invalid: 475600

Pneumonia: Government /municipal hospital (w323a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22572
 Invalid: 485050

Pneumonia: Government dispensary (w323b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22564
 Invalid: 485058

Pneumonia: UHC/UHP/UFWC (w323c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22563
 Invalid: 485059

Pneumonia: CHC/rural hospital (w323d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22565
 Invalid: 485057

Pneumonia: Primary health centre (w323e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22566
 Invalid: 485056

Pneumonia: Sub centre (w323f)

File: INDIA_WOMEN

Pneumonia: Sub centre (w323f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22567
 Invalid: 485055

Pneumonia: NGO/Trust hospital (w323g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22566
 Invalid: 485056

Pneumonia: Government ISM hospital/clinic (w323h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22565
 Invalid: 485057

Pneumonia: Private ISM hospital/clinic (w323i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22566
 Invalid: 485056

Pneumonia: Private hospital/clinic (w323j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22571
 Invalid: 485051

Pneumonia: Home remedy" (w323k)

File: INDIA_WOMEN

Pneumonia: Home remedy" (w323k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22564
 Invalid: 485058

Pneumonia: Other (w323l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22569
 Invalid: 485053

Pneumonia: seek treatment or advised by (w324)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 22570
 Invalid: 485052

Index of child (w301\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-16

Valid cases: 193292
 Invalid: 314330
 Minimum: 1
 Maximum: 16
 Mean: 2.8
 Standard deviation: 1.9

Last child (seq\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-1

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 1
 Mean: 1
 Standard deviation: 0

Sex of the child (w302\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-10

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 10

Month of birth of child (w303a\$1)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 193242
 Invalid: 314380
 Minimum: 0
 Maximum: 99
 Mean: 6.4
 Standard deviation: 3.5

Year of birth of child (w303b\$1)

File: INDIA_WOMEN

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1977-2005

Valid cases: 193283
 Invalid: 314339
 Minimum: 1977
 Maximum: 2005
 Mean: 2001.5
 Standard deviation: 1.4

Has health card (w325\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 9

Received POLIO 0 (w326\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 9

Received BCG (w327\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 9

Received DPT (w328\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 9

Number of injections of DPT (w329\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 131539
 Invalid: 376083
 Minimum: 0
 Maximum: 99

Received POLIO (w330\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 193293
 Invalid: 314329
 Minimum: 1
 Maximum: 9

Number of drops of POLIO (Excluding Pulse & 0 polio) (w331\$1)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 133105
 Invalid: 374517
 Minimum: 1
 Maximum: 99

Received MEASLES (w332\$1)

File: INDIA_WOMEN

Received MEASLES (w332\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 193293
Format: numeric	Invalid: 314329
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Received HEPATITIS B (w333\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 193293
Format: numeric	Invalid: 314329
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Were advised by doctor/health worker to give vaccines (w334\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 193293
Format: numeric	Invalid: 314329
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Place where last vaccinations given (w335\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 147854
Format: numeric	Invalid: 359768
Width: 4	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	

Reason for not given vaccines (w336\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 47902
Format: numeric	Invalid: 459720
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Vitamin A given to prevent night blindness (w337\$1)

File: INDIA_WOMEN

Vitamin A given to prevent night blindness (w337\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 193293
Format: numeric	Invalid: 314329
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of Vitamin A doses (w338\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 48199
Format: numeric	Invalid: 459423
Width: 4	Minimum: 0
Decimals: 0	Maximum: 151
Range: 0-151	

Iron folic tablets/liquid given to prevent Anemia (w339\$1)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 193293
Format: numeric	Invalid: 314329
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of Iron folic tablets (w340\$1a)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 9409
Format: numeric	Invalid: 498213
Width: 4	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	

Number of bottles of Iron folic liquid (in ml) (w340\$1b)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 9252
Format: numeric	Invalid: 498370
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Index of child (w301\$2)

File: INDIA_WOMEN

Index of child (w301\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37599
Format: numeric	Invalid: 470023
Width: 4	Minimum: 1
Decimals: 0	Maximum: 15
Range: 1-15	Mean: 2.4
	Standard deviation: 1.7

Last but one child (seq\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37604
Format: numeric	Invalid: 470018
Width: 4	Minimum: 2
Decimals: 0	Maximum: 2
Range: 2-2	Mean: 2
	Standard deviation: 0

Sex of the child (w302\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37603
Format: numeric	Invalid: 470019
Width: 4	Minimum: 1
Decimals: 0	Maximum: 21
Range: 1-21	

Month of birth of child (w303a\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37583
Format: numeric	Invalid: 470039
Width: 4	Minimum: 0
Decimals: 0	Maximum: 12
Range: 0-12	Mean: 6
	Standard deviation: 3.4

Year of birth of child (w303b\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37601
Format: numeric	Invalid: 470021
Width: 4	Minimum: 1992
Decimals: 0	Maximum: 2004
Range: 1992-2004	Mean: 2000.3
	Standard deviation: 1.1

Has health card (w325\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Received POLIO 0 (w326\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Received BCG (w327\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Received DPT (w328\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Number of injections of DPT (w329\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 25407
 Invalid: 482215
 Minimum: 0
 Maximum: 99

Received POLIO (w330\$2)

File: INDIA_WOMEN

Received POLIO (w330\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Number of drops of POLIO (Excluding Pulse & 0 polio) (w331\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 25546
 Invalid: 482076
 Minimum: 0
 Maximum: 99

Received MEASLES (w332\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Received HEPATITIS B (w333\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Were advised by doctor/health worker to give vaccines (w334\$2)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 37604
 Invalid: 470018
 Minimum: 1
 Maximum: 9

Place where last vaccinations given (w335\$2)

File: INDIA_WOMEN

Place where last vaccinations given (w335\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 27998
Format: numeric	Invalid: 479624
Width: 4	Minimum: 1
Decimals: 0	Maximum: 999
Range: 1-999	

Reason for not given vaccines (w336\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 9189
Format: numeric	Invalid: 498433
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Vitamin A given to prevent night blindness (w337\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37604
Format: numeric	Invalid: 470018
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of Vitamin A doses (w338\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 10396
Format: numeric	Invalid: 497226
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Iron folic tablets/liquid given to prevent Anemia (w339\$2)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 37604
Format: numeric	Invalid: 470018
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of Iron folic tablets (w340\$2a)

File: INDIA_WOMEN

Number of Iron folic tablets (w340\$2a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-999

Valid cases: 1557
 Invalid: 506065
 Minimum: 0
 Maximum: 999

Number of bottles of Iron folic liquid (in ml) (w340\$2b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 1530
 Invalid: 506092
 Minimum: 0
 Maximum: 99

Aware of family planning methods: Female sterilization (w401a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Tubectomy (w401b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Laparoscope (w401c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Male sterilization (w401d)

File: INDIA_WOMEN

Aware of family planning methods: Male sterilization (w401d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Vasectomy (w401e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: NSV (w401f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: IUD (w401g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Pills (w401h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Pills (Daily) (w401i)

File: INDIA_WOMEN

Aware of family planning methods: Pills (Daily) (w401i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Pills (Weekly) (w401j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Condom (w401k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Sponge (Today) (w401l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-22

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: injectbale (w401m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Norplant (w401n)

File: INDIA_WOMEN

Aware of family planning methods: Norplant (w401n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Contraceptive herbs (w401o)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: Rhythm/periodic abstinence (w401p)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: withdrawal (w401q)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Aware of family planning methods: ISM contraceptives (w401r)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Currently pregnant (w402)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507612
 Invalid: 10

Currently using any family planning method (w403)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 462886
 Invalid: 44736

Current use by method type (w404)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 258011
 Invalid: 249611

Duration of use (w405)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-999

Valid cases: 255497
 Invalid: 252125
 Minimum: 0
 Maximum: 99

Last source for current users (w406)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-999

Valid cases: 221230
 Invalid: 286392

Informed of any other methods (w407)

File: INDIA_WOMEN

Informed of any other methods (w407)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 163792
 Invalid: 343830

Who inserted IUD/loop (w408)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 11168
 Invalid: 496454

Difficult to get condoms/pills (w409)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 45978
 Invalid: 461644

Told about side effects (w410)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 223214
 Invalid: 284408

Follow up for current method (w411)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 222348
 Invalid: 285274

Problems with current method (w412)

File: INDIA_WOMEN

Problems with current method (w412)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 222358
 Invalid: 285264

Problem related to use of current method: Weakness/inability to work (w413a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 31005
 Invalid: 476617

Problem related to use of current method: Bodyache/backache (w413b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30995
 Invalid: 476627

Problem related to use of current method: Cramps (w413c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30995
 Invalid: 476627

Problem related to use of current method: weight gain (w413d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30995
 Invalid: 476627

Problem related to use of current method: Dizziness (w413e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30995
 Invalid: 476627

Problem related to use of current method: Nausea/vomiting (w413f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30993
 Invalid: 476629

Problem related to use of current method: Breast tenderness (w413g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30992
 Invalid: 476630

Problem related to use of current method: irregular periods (w413h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 30992
 Invalid: 476630

Problem related to use of current method: Excessive bleedings (w413i)

File: INDIA_WOMEN

Overview

Problem related to use of current method: Excessive bleedings (w413i)

File: INDIA_WOMEN

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9

Valid cases: 30992
Invalid: 476630

Problem related to use of current method: Spotting (w413j)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9

Valid cases: 30992
Invalid: 476630

Problem related to use of current method: White discharge (w413k)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9

Valid cases: 30997
Invalid: 476625

Problem related to use of current method: Other (w413l)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-9

Valid cases: 30967
Invalid: 476655

Talk to someone about problems (w414)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 30975
Invalid: 476647

Went: Government /municipal hospital (w415a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18254
 Invalid: 489368

Went: Government dispensary (w415b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18243
 Invalid: 489379

Went: UHC/UHP/UFWC (w415c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18241
 Invalid: 489381

Went: CHC/rural hospital (w415d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18241
 Invalid: 489381

Went: Primary health centre (w415e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-11

Valid cases: 18241
 Invalid: 489381

Went: Sub centre (w415f)

File: INDIA_WOMEN

Went: Sub centre (w415f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18242
 Invalid: 489380

Went: out reach/ MCP clinic in village (w415g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18242
 Invalid: 489380

Went: NGO/Trust hospital (w415h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18240
 Invalid: 489382

Went: Government ISM hospital/clinic (w415i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18240
 Invalid: 489382

Went: Private ISM hospital/clinic (w415j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18240
 Invalid: 489382

Went: Private hospital/clinic (w415k)

File: INDIA_WOMEN

Went: Private hospital/clinic (w415k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18242
 Invalid: 489380

Went: Chemist/medical shop (w415l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-22

Valid cases: 18240
 Invalid: 489382

Home remedy (w415m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18242
 Invalid: 489380

Went: Other (w415n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18243
 Invalid: 489379

Spoken with health personnel (w416)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 18246
 Invalid: 489376

Satisfaction with current method (w417)

File: INDIA_WOMEN

Satisfaction with current method (w417)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 221259
 Invalid: 286363

Ever used (w418)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 249517
 Invalid: 258105

Used by method type (w419)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25371
 Invalid: 482251

Main reason discontinued a method (w420)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 25363
 Invalid: 482259

Currently menstruating (w421)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-11

Valid cases: 204209
 Invalid: 303413

Advised to adopt FP method by health worker/ANM (w422)

File: INDIA_WOMEN

Advised to adopt FP method by health worker/ANM (w422)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 237847
 Invalid: 269775

Advised by method type (w423)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 31157
 Invalid: 476465

Intention to use (w424)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 237444
 Invalid: 270178

Time to use (w425)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 73598
 Invalid: 434024

Preferred future method (w426)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 73583
 Invalid: 434039

Desire for future child (w427)

File: INDIA_WOMEN

Desire for future child (w427)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 211139
Format: numeric	Invalid: 296483
Width: 4	
Decimals: 0	
Range: 1-9	

Desire for future child (SEX) (w428)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 123360
Format: numeric	Invalid: 384262
Width: 4	
Decimals: 0	
Range: 1-9	

Waiting time for next child (w429)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 123391
Format: numeric	Invalid: 384231
Width: 4	
Decimals: 0	
Range: 0-99	

Main reason not using a method (w430)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 118036
Format: numeric	Invalid: 389586
Width: 4	
Decimals: 0	
Range: 0-99	

Visited by FP/health worker (w501)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507611
Format: numeric	Invalid: 11
Width: 4	
Decimals: 0	
Range: 1-9	

Visited by Doctor (w502a)

File: INDIA_WOMEN

Visited by Doctor (w502a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44597
 Invalid: 463025

Visited by ANM/LHV (w502b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44598
 Invalid: 463024

Visited by health worker (male) (w502c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44598
 Invalid: 463024

Discussed with FP worker - family planning (w503a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44597
 Invalid: 463025

Discussed with FP worker - breastfeeding (w503b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - supplementary feeding (w503c)

File: INDIA_WOMEN

Discussed with FP worker - supplementary feeding (w503c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - immunization (w503d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - nutrition (w503e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - disease prevention (w503f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - treat. of health prob. (w503g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - antenatal care (w503h)

File: INDIA_WOMEN

Discussed with FP worker - antenatal care (w503h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - delivery care (w503i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - postpartum care (w503j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - child care (w503k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - sanitation/cleanliness (w503l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Discussed with FP worker - oral rehydration (w503m)

File: INDIA_WOMEN

Discussed with FP worker - oral rehydration (w503m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44600
 Invalid: 463022

Discussed with FP worker - other (w503n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44600
 Invalid: 463022

Received pill supply (w504a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44597
 Invalid: 463025

Received condom supply (w504b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Follow-up for sterilization (w504c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Follow-up for IUD insertion (w504d)

File: INDIA_WOMEN

Follow-up for IUD insertion (w504d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Family planning advice (w504e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Other family planning service (w504f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Received immunization (w504g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Received antenatal care (w504h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Received delivery care (w504i)

File: INDIA_WOMEN

Received delivery care (w504i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44600
 Invalid: 463022

Received postpartum care (w504j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44600
 Invalid: 463022

Received disease prevention (w504k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44600
 Invalid: 463022

Received medical treatment for self (w504l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44600
 Invalid: 463022

Received treatment for sick child (w504m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Received other service (w504n)

File: INDIA_WOMEN

Received other service (w504n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44599
 Invalid: 463023

Spend enough time with respondent (w505)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44607
 Invalid: 463015

Talk to respondent nicely (w506)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 44607
 Invalid: 463015

Visited health facility (w507)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507339
 Invalid: 283

Type of health facility (w508)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 129035
 Invalid: 378587

Discussed family planning during health facility visit (w509a)

File: INDIA_WOMEN

Discussed family planning during health facility visit (w509a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48465
 Invalid: 459157

Discussed breastfeeding during health facility visit (w509b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed supplementary feeding during health facility visit (w509c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed immunization during health facility visit (w509d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed nutrition during health facility visit (w509e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed disease prevention during health facility visit (w509f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed treatment of health problem during health facility (w509g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed antenatal care during health facility visit (w509h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed delivery care during health facility visit (w509i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed postpartum care during health facility visit (w509j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48463
 Invalid: 459159

Discussed child care during health facility visit (w509k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-151

Valid cases: 48463
 Invalid: 459159

Discussed sanitation/cleanliness during health facility visit (w509l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed oral rehydration during health facility visit (w509m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Discussed other during health facility visit (w509n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48462
 Invalid: 459160

Went for pill supply (w510a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48507
 Invalid: 459115

Went for condom supply (w510b)

File: INDIA_WOMEN

Went for condom supply (w510b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for follow-up for sterilization (w510c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48503
 Invalid: 459119

Went for follow-up for IUD insertion (w510d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for family planning advice (w510e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for other family planning service (w510f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for immunization (w510g)

File: INDIA_WOMEN

Went for immunization (w510g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for antenatal care (w510h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for delivery care (w510i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48506
 Invalid: 459116

Went for postpartum care (w510j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for disease prevention (w510k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for medical treatment for self (w510l)

File: INDIA_WOMEN

Went for medical treatment for self (w510l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48505
 Invalid: 459117

Went for treatment for sick child (w510m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48507
 Invalid: 459115

Went for other (w510n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 48504
 Invalid: 459118

The convenience of the health facility location (w511a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 48511
 Invalid: 459111

Length of time spend towards waiting (w511b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 48510
 Invalid: 459112

Personal manner (courtesy, respect, sensitivity, friendliness) of the physician (w511c)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-99

Valid cases: 48482
Invalid: 459140

The technical skills and quality (thoroughness, carefulness, competence) of the physician (w511d)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-99

Valid cases: 48480
Invalid: 459142

Personal manner (courtesy, respect, sensitivity, friendliness) of nurse (w511e)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-99

Valid cases: 48509
Invalid: 459113

The technical skills and quality (thoroughness, carefulness, competence) of nurse (w511f)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-99

Valid cases: 48509
Invalid: 459113

Personal manner (courtesy, respect, sensitivity, friendliness) of other staff (w511g)

File: INDIA_WOMEN

Overview

Personal manner (courtesy, respect, sensitivity, friendliness) of other staff (w511g)

File: INDIA_WOMEN

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 0-99

Valid cases: 48495
Invalid: 459127

The technical skills and quality (thoroughness, carefulness, competence) of other staff (w511h)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-99

Valid cases: 48508
Invalid: 459114

The explanation of what was done to her (w511i)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-99

Valid cases: 48516
Invalid: 459106

Medical, surgical and diagnostic equipment (w511j)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-99

Valid cases: 48511
Invalid: 459111

General comfort (w511k)

File: INDIA_WOMEN

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-99

Valid cases: 48516
Invalid: 459106

Main reason for not visiting Govt. health facility (w512)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-99

Valid cases: 80657
 Invalid: 426965

Had mensutruation problem (w601)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 390929
 Invalid: 116693

Currently mensutruating (w600)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Mensuturation problem: No periods (w602a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64580
 Invalid: 443042

Mensuturation problem: Painful periods (w602b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64589
 Invalid: 443033

Mensuturation problem: Frequent or short periods (w602c)

File: INDIA_WOMEN

Mensuration problem: Frequent or short periods (w602c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64583
 Invalid: 443039

Mensuration problem: Delayed periods (w602d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64583
 Invalid: 443039

Mensuration problem: Prolonged bleeding (w602e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64578
 Invalid: 443044

Mensuration problem: Excessive bleeding (w602f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64581
 Invalid: 443041

Mensuration problem: Continuous bleeding (w602g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64580
 Invalid: 443042

Mensuration problem: Scanty bleeding (w602h)

File: INDIA_WOMEN

Mensuration problem: Scanty bleeding (w602h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 64585
 Invalid: 443037

Mensuration problem: Inter -menstrual bleeding (w602i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-10

Valid cases: 64577
 Invalid: 443045

Duration of Mensuration problem (w603)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-999

Valid cases: 64593
 Invalid: 443029

Seek treatment for mensuration problem (w604)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 65131
 Invalid: 442491

Went: Government /municipal hospital (w605a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-13

Valid cases: 22210
 Invalid: 485412

Went: Government dispensary (w605b)

File: INDIA_WOMEN

Went: Government dispensary (w605b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-14

Valid cases: 22198
 Invalid: 485424

Went: UHC/UHP/UFWC (w605c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-15

Valid cases: 22198
 Invalid: 485424

Went: CHC/rural hospital (w605d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-16

Valid cases: 22198
 Invalid: 485424

Went: Primary health centre (w605e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-17

Valid cases: 22199
 Invalid: 485423

Went: Sub centre (w605f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-18

Valid cases: 22199
 Invalid: 485423

Went: out reach/ MCP clinic in village (w605g)

File: INDIA_WOMEN

Went: out reach/ MCP clinic in village (w605g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-19

Valid cases: 22198
 Invalid: 485424

Went: NGO/Trust hospital (w605h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-20

Valid cases: 22199
 Invalid: 485423

Went: Government ISM hospital/clinic (w605i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-21

Valid cases: 22198
 Invalid: 485424

Went: Private ISM hospital/clinic (w605j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-22

Valid cases: 22200
 Invalid: 485422

Went: Private hospital/clinic (w605k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-23

Valid cases: 22200
 Invalid: 485422

Went: Chemist/medical shop (w605l)

File: INDIA_WOMEN

Went: Chemist/medical shop (w605l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-24

Valid cases: 22199
 Invalid: 485423

Home remedy (w605m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-25

Valid cases: 22198
 Invalid: 485424

Went: Other (w605n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-26

Valid cases: 22200
 Invalid: 485422

Spoken to Doctor (w606a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-27

Valid cases: 22216
 Invalid: 485406

Spoken to ANM/nurse/LHV (w606b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-28

Valid cases: 22199
 Invalid: 485423

Spoken to Trained dai (w606c)

File: INDIA_WOMEN

Spoken to Trained dai (w606c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-29

Valid cases: 22198
 Invalid: 485424

Spoken to Untrained dai (w606d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-30

Valid cases: 22198
 Invalid: 485424

Spoken to Relative/friends (w606e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-31

Valid cases: 22198
 Invalid: 485424

Spoken to Chemist/medical shop (w606f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-32

Valid cases: 22198
 Invalid: 485424

Spoken to Other (w606g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-33

Valid cases: 22199
 Invalid: 485423

Ever heard of RTI/STI (w607)

File: INDIA_WOMEN

Ever heard of RTI/STI (w607)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

RTI/STI: radio (w608a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217692
 Invalid: 289930

RTI/STI: television (w608b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217691
 Invalid: 289931

RTI/STI: newspapers/books/magazines (w608c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217692
 Invalid: 289930

RTI/STI: slogans/pamphlets/posters/wall hoarding (w608d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217689
 Invalid: 289933

RTI/STI: doctor (w608e)

File: INDIA_WOMEN

RTI/STI: doctor (w608e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217689
 Invalid: 289933

RTI/STI: health workers (w608f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217689
 Invalid: 289933

RTI/STI: schools/teachers (w608g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217689
 Invalid: 289933

RTI/STI: community meetings (w608h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217692
 Invalid: 289930

RTI/STI: friends/relatives (w608i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217693
 Invalid: 289929

RTI/STI: other (w608j)

File: INDIA_WOMEN

RTI/STI: other (w608j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217696
 Invalid: 289926

RTI/STI transmitted: Homosexual intercourse (w609a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-151

Valid cases: 217698
 Invalid: 289924

RTI/STI transmitted: Heterosexual intercourse (w609b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217696
 Invalid: 289926

RTI/STI transmitted: Lack of personal hygiene (w609c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217696
 Invalid: 289926

RTI/STI transmitted: Other (w609d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217697
 Invalid: 289925

RTI/STI transmitted: Do not know (w609e)

File: INDIA_WOMEN

RTI/STI transmitted: Do not know (w609e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 217520
 Invalid: 290102

RTI/STI curable (w610)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 217699
 Invalid: 289923

Infections RTI/STI: Itching over vulva (w611a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI: Boils/ulcers/warts around vulva (w611b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-12

Valid cases: 507616
 Invalid: 6

Infections RTI/STI: Pain in lower abdomen not related to menses (w611c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI: Low backache (w611d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Pain during sexual Intercourse (w611e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Bleeding after sexual Intercourse (w611f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Swelling in the groin (w611g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Frequent/painful passage of urine (w611h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Fever (w611i)

File: INDIA_WOMEN

Infections RTI/STI :Fever (w611i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Some mass coming out of vagina (w611j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Any involuntary escape of urine while coughing or sneezing (w611k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Infections RTI/STI :Swelling lump in breast (w611l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Seek treatment for RTI/STI problem (w611x)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 80492
 Invalid: 427130
 Minimum: 1
 Maximum: 2
 Mean: 1.7
 Standard deviation: 0.4

Went: Government /municipal hospital (w611ya)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21661
 Invalid: 485961
 Minimum: 1
 Maximum: 9

Went: Government dispensary (w611yb)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21658
 Invalid: 485964
 Minimum: 1
 Maximum: 9

Went: UHC/UHP/UFWC (w611yc)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21655
 Invalid: 485967
 Minimum: 1
 Maximum: 9

Went: CHC/rural hospital (w611yd)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21656
 Invalid: 485966
 Minimum: 1
 Maximum: 9

Went: Primary health centre (w611ye)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21656
 Invalid: 485966
 Minimum: 1
 Maximum: 9

Went: Sub centre (w611yf)

File: INDIA_WOMEN

Went: Sub centre (w611yf)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21656
 Invalid: 485966
 Minimum: 1
 Maximum: 9

Went: Out reach/ MCP clinic in village (w611yg)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21656
 Invalid: 485966
 Minimum: 1
 Maximum: 9

Went: NGO/Trust hospital (w611yh)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21656
 Invalid: 485966
 Minimum: 1
 Maximum: 9

Went: Government ISM hospital/clinic (w611yi)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21656
 Invalid: 485966
 Minimum: 1
 Maximum: 9

Went: Private ISM hospital/clinic (w611yj)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 21658
 Invalid: 485964
 Minimum: 1
 Maximum: 9

Went: Private hospital/clinic (w611yk)

File: INDIA_WOMEN

Went: Private hospital/clinic (w611yk)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 21656
Format: numeric	Invalid: 485966
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Went: Chemist/medical shop (w611yl)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 21657
Format: numeric	Invalid: 485965
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Home remedy (w611ym)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 21656
Format: numeric	Invalid: 485966
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Went: Other (w611yn)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 21661
Format: numeric	Invalid: 485961
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Spoken with health personnel (w611z)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 21668
Format: numeric	Invalid: 485954
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Abnormal vaginal discharge (w612)

File: INDIA_WOMEN

Abnormal vaginal discharge (w612)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

Wet or stain under clothes (w613)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 80958
 Invalid: 426664

Color of discharge (w614)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 80958
 Invalid: 426664

Texture of discharge (w615)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 80957
 Invalid: 426665

Odour of discharge (w616)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-22

Valid cases: 80957
 Invalid: 426665

Duration of discharge (w617)

File: INDIA_WOMEN

Duration of discharge (w617)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-999

Valid cases: 80956
 Invalid: 426666

Seek treatment for discharge (w618)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 81022
 Invalid: 426600

Went: Government /municipal hospital (w619a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25113
 Invalid: 482509

Went: Government dispensary (w619b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: UHC/UHP/UFWC (w619c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25110
 Invalid: 482512

Went: CHC/rural hospital (w619d)

File: INDIA_WOMEN

Went: CHC/rural hospital (w619d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25110
 Invalid: 482512

Went: Primary health centre (w619e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: Sub centre (w619f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: out reach/ MCP clinic in village (w619g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: NGO/Trust hospital (w619h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: Government ISM hospital/clinic (w619i)

File: INDIA_WOMEN

Went: Government ISM hospital/clinic (w619i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: Private ISM hospital/clinic (w619j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25109
 Invalid: 482513

Went: Private hospital/clinic (w619k)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25112
 Invalid: 482510

Went: Chemist/medical shop (w619l)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25111
 Invalid: 482511

Home remedy (w619m)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25110
 Invalid: 482512

Went: Other (w619n)

File: INDIA_WOMEN

Went: Other (w619n)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25114
 Invalid: 482508

Vaginal discharge: seek treatment or advised by (w620)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25180
 Invalid: 482442

Ever heard of HIV/AIDS (w621)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 507616
 Invalid: 6

HIV/AIDS: radio (w622a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269301
 Invalid: 238321

HIV/AIDS: television (w622b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269301
 Invalid: 238321

HIV/AIDS: newspapers/books/magazines (w622c)

File: INDIA_WOMEN

HIV/AIDS: newspapers/books/magazines (w622c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269299
 Invalid: 238323

HIV/AIDS: slogans/pamphlets/posters/wall hoarding (w622d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269297
 Invalid: 238325

HIV/AIDS: doctor (w622e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269297
 Invalid: 238325

HIV/AIDS: health workers (w622f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269297
 Invalid: 238325

HIV/AIDS: schools/teachers (w622g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269299
 Invalid: 238323

HIV/AIDS: community meetings (w622h)

File: INDIA_WOMEN

HIV/AIDS: community meetings (w622h)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269299
 Invalid: 238323

HIV/AIDS: friends/relatives (w622i)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269300
 Invalid: 238322

HIV/AIDS: other (w622j)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269298
 Invalid: 238324

HIV/AIDS transmitted: Homosexual intercourse (w623a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269299
 Invalid: 238323

HIV/AIDS transmitted: Heterosexual intercourse (w623b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269302
 Invalid: 238320

HIV/AIDS transmitted: Needles/blades/skin puncture (w623c)

File: INDIA_WOMEN

HIV/AIDS transmitted: Needles/blades/skin puncture (w623c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269303
 Invalid: 238319

HIV/AIDS transmitted: Mother to child (w623d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269302
 Invalid: 238320

HIV/AIDS transmitted: Transfusion of infected blood (w623e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269302
 Invalid: 238320

HIV/AIDS transmitted: other (w623f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269300
 Invalid: 238322

HIV/AIDS transmitted: Do not know (w623g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-8

Valid cases: 269296
 Invalid: 238326

HIV/AIDS: avoid hand shaking (w624a)

File: INDIA_WOMEN

HIV/AIDS: avoid hand shaking (w624a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

HIV/AIDS: avoid hugging (w624b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

HIV/AIDS: avoid kissing (w624c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

HIV/AIDS: avoid sharing clothes (w624d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

HIV/AIDS: avoid sharing utensils (w624e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

HIV/AIDS: avoid stepping in urine/stool (w624f)

File: INDIA_WOMEN

HIV/AIDS: avoid stepping in urine/stool (w624f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

HIV/AIDS: avoid mosquito, flea or bedbugs bites (w624g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269305
 Invalid: 238317

HIV/AIDS: only one sex partner (w625a)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269302
 Invalid: 238320

HIV/AIDS: use condoms during sex (w625b)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269298
 Invalid: 238324

HIV/AIDS: avoid blood transfusions (w625c)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269300
 Invalid: 238322

HIV/AIDS: avoid unsterilized needles and syringes (w625d)

File: INDIA_WOMEN

HIV/AIDS: avoid unsterilized needles and syringes (w625d)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269301
 Invalid: 238321

HIV/AIDS: avoid pregnancy when having HIV (w625e)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269299
 Invalid: 238323

HIV/AIDS: avoid other (w625f)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269298
 Invalid: 238324

HIV/AIDS: avoid - do not know (w625g)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 269298
 Invalid: 238324

HIV/AIDS : CURABLE (w626)

File: INDIA_WOMEN

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 269306
 Invalid: 238316

District in the phase (phase)

File: INDIA_WOMEN

District in the phase (phase)

File: INDIA_WOMEN

Overview

Type: Discrete	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.5
	Standard deviation: 0.5

Sample weight: District (wmnwt)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 11.6
Range: 0.000132-11.61478069	Mean: 1
	Standard deviation: 0.5

Sample weight: State (swmnwt)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 28.2
Range: 0.000118908163968-28.15584554664	Mean: 1
	Standard deviation: 0.9

Sample weight: India (iwmnwt)

File: INDIA_WOMEN

Overview

Type: Continuous	Valid cases: 507622
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 44.5
Range: 0.000133371766819351-44.537221131924	Mean: 1
	Standard deviation: 1.2

State (state)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 35
Range: 1-35	

State name (s_name)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: character	Invalid: 0
Width: 60	

District (dist)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 70
Range: 1-70	Mean: 15.3
	Standard deviation: 13.6

District name (d_name)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: character	Invalid: 0
Width: 60	

PSU code (psu)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 50
Range: 1-50	Mean: 20.4
	Standard deviation: 11.8

Tehsil code (tal)

File: INDIA_HUSBAND

Overview

Tehsil code (tal)

File: INDIA_HUSBAND

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-920

Valid cases: 229144
 Invalid: 101675
 Minimum: 0
 Maximum: 920
 Mean: 52.1
 Standard deviation: 63.8

Serial number of village (srv)

File: INDIA_HUSBAND

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-50

Valid cases: 231088
 Invalid: 99731
 Minimum: 1
 Maximum: 50
 Mean: 14.6
 Standard deviation: 9.2

Date of interview: CMC (icmc)

File: INDIA_HUSBAND

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1225-1260

Valid cases: 330818
 Invalid: 1
 Minimum: 1225
 Maximum: 1260
 Mean: 1243.1
 Standard deviation: 11.2

Serial number of household (srhh)

File: INDIA_HUSBAND

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-2047

Valid cases: 330819
 Invalid: 0
 Minimum: 0
 Maximum: 2047
 Mean: 547.7
 Standard deviation: 321.6

Number of eligible women interviewed (newi)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-5

Valid cases: 330819
 Invalid: 0
 Minimum: 0
 Maximum: 5
 Mean: 1.2
 Standard deviation: 0.6

Number of husband interviewed (nhi)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-5	Mean: 1.1
	Standard deviation: 0.4

Line number of respondent of household schedule (lnrhh)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 2
	Standard deviation: 1.7

Case Identification (hh_pk)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2240
Range: 1-2240	Mean: 565.7
	Standard deviation: 337.5

Line number of husband in household (lineno)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 36
Range: 1-36	Mean: 1.9
	Standard deviation: 2.1

Serial number of husband (srh)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330648
Format: numeric	Invalid: 171
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9998
Range: 0-9998	Mean: 165.8
	Standard deviation: 228.7

Serial number of eligible women (srew)

File: INDIA_HUSBAND

Overview

Type: Continuous
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9998

Valid cases: 317367
 Invalid: 13452
 Minimum: 0
 Maximum: 9998
 Mean: 228.8
 Standard deviation: 310

Place of residence (type)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 330819
 Invalid: 0
 Minimum: 1
 Maximum: 2

Religion' (h114)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 330819
 Invalid: 0
 Minimum: 1
 Maximum: 99

Caste (h115)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 330819
 Invalid: 0
 Minimum: 1
 Maximum: 99

Source of drinking water (h116)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 330819
 Invalid: 0
 Minimum: 1
 Maximum: 99

Type of house (h117)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Type of toilet facility (h118)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Source of lighting (h119)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Type of fuel for cooking (h120)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owning fan (h121a)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owning Radio-Transistor (h121b)

File: INDIA_HUSBAND

Household owing Radio-Transistor (h121b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing Sewing machine (h121c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing Television (h121d)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing Telephone (h121e)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing Bicycle (h121f)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing Motor cycle-scooter (h121g)

File: INDIA_HUSBAND

Household owing Motor cycle-scooter (h121g)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing car-jeep (h121h)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household owing Tractor (h121i)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Household standard of living index (sli)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 3
Range: 1-9	

Line number of husband in HH schedule (hu101)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 36
Range: 1-36	Mean: 1.9
	Standard deviation: 2.1

Line number of wife in HH schedule (hu102)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 329133
Format: numeric	Invalid: 1686
Width: 4	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 2.9
	Standard deviation: 2.1

Age in completed years (hu103)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 10
Decimals: 0	Maximum: 95
Range: 10-95	Mean: 35.7
	Standard deviation: 8.5

Can read and write (hu104)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Years of schooling (hu105)

File: INDIA_HUSBAND

Overview

Type: Continuous	Valid cases: 244816
Format: numeric	Invalid: 86003
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 9.1
	Standard deviation: 4.3

Ever heard of RTI/STI (hu106)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: radio (hu107a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 160832
 Invalid: 169987
 Minimum: 1
 Maximum: 9

RTI/STI: television (hu107b)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 160826
 Invalid: 169993
 Minimum: 1
 Maximum: 9

RTI/STI: newspapers/books/magazines (hu107c)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 160823
 Invalid: 169996
 Minimum: 1
 Maximum: 9

RTI/STI: slogans/pamphlets/posters/wall hoarding (hu107d)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 160823
 Invalid: 169996
 Minimum: 1
 Maximum: 9

RTI/STI: doctor (hu107e)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 160825
 Invalid: 169994
 Minimum: 1
 Maximum: 9

RTI/STI: health workers (hu107f)

File: INDIA_HUSBAND

RTI/STI: health workers (hu107f)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160826
Format: numeric	Invalid: 169993
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: schools/teachers (hu107g)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 161120
Format: numeric	Invalid: 169699
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: community meetings (hu107h)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160822
Format: numeric	Invalid: 169997
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: friends/relatives (hu107i)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160829
Format: numeric	Invalid: 169990
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: other (hu107j)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160822
Format: numeric	Invalid: 169997
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI transmitted: Homosexual intercourse (hu108a)

File: INDIA_HUSBAND

RTI/STI transmitted: Homosexual intercourse (hu108a)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160815
Format: numeric	Invalid: 170004
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI transmitted: Heterosexual intercourse (hu108b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160816
Format: numeric	Invalid: 170003
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI transmitted: Lack of personal hygiene (hu108c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160810
Format: numeric	Invalid: 170009
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI transmitted: Other (hu108d)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160812
Format: numeric	Invalid: 170007
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI transmitted: Do not know (hu108e)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 160773
Format: numeric	Invalid: 170046
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI curable (hu109)

File: INDIA_HUSBAND

RTI/STI curable (hu109)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 159493
Format: numeric	Invalid: 171326
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-99	

RTI/STI: Any discharge from penis (hu110a)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: Any sore/rash/Redness on genital or anal area (hu110b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: Difficulty/ pain while urinating or very frequent urination (hu110c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: Swelling of testis or in groin area (penis) (hu110d)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: Itching/ irritation around genital (hu110e)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

RTI/STI: Seek treatment (hu111)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 25101
Format: numeric	Invalid: 305718
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Went: Government /municipal hospital (hu112a)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9937
Format: numeric	Invalid: 320882
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Went: Government dispensary (hu112b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9934
Format: numeric	Invalid: 320885
Width: 4	Minimum: 1
Decimals: 0	Maximum: 151
Range: 1-151	

Went: UHC/UHP/UFWC (hu112c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9932
Format: numeric	Invalid: 320887
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Went: CHC/rural hospital (hu112d)

File: INDIA_HUSBAND

Went: CHC/rural hospital (hu112d)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-151

Valid cases: 9933
 Invalid: 320886
 Minimum: 1
 Maximum: 151

Went: Primary health centre (hu112e)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Went: Sub centre (hu112f)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Went: NGO/Trust hospital (hu112g)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Went: Private hospital/clinic (hu112h)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Went: Government ISM hospital/clinic (hu112i)

File: INDIA_HUSBAND

Went: Government ISM hospital/clinic (hu112i)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Went: Private ISM hospital/clinic (hu112j)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Went: Chemist/medical shop (hu112k)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9933
 Invalid: 320886
 Minimum: 1
 Maximum: 9

Went: Other (hu112l)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9931
 Invalid: 320888
 Minimum: 1
 Maximum: 9

Spoken to doctor (hu113a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9918
 Invalid: 320901
 Minimum: 1
 Maximum: 9

Spoken to male health worker (hu113b)

File: INDIA_HUSBAND

Spoken to male health worker (hu113b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9917
Format: numeric	Invalid: 320902
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Spoken to traditional healer (hu113c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9931
Format: numeric	Invalid: 320888
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Spoken to relatives/friends (hu113d)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9931
Format: numeric	Invalid: 320888
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Spoken to ISM practioner (hu113e)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9932
Format: numeric	Invalid: 320887
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Home remedy (hu113f)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 9931
Format: numeric	Invalid: 320888
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Spoken to Chemist/medical shop (hu113g)

File: INDIA_HUSBAND

Spoken to Chemist/medical shop (hu113g)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9932
 Invalid: 320887
 Minimum: 1
 Maximum: 9

Spoken to other (hu113h)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 9930
 Invalid: 320889
 Minimum: 1
 Maximum: 9

Discussed RTI/STI problems with wife (hu114)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 25102
 Invalid: 305717
 Minimum: 1
 Maximum: 9

Wife took treatment (hu115)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 11387
 Invalid: 319432
 Minimum: 1
 Maximum: 9

Ever heard of HIV/AIDS (hu116)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 330819
 Invalid: 0
 Minimum: 1
 Maximum: 9

HIV/AIDS: radio (hu117a)

File: INDIA_HUSBAND

HIV/AIDS: radio (hu117a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245042
 Invalid: 85777
 Minimum: 1
 Maximum: 9

HIV/AIDS: television (hu117b)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245043
 Invalid: 85776
 Minimum: 1
 Maximum: 9

HIV/AIDS: newspapers/books/magazines (hu117c)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245043
 Invalid: 85776
 Minimum: 1
 Maximum: 9

HIV/AIDS: slogans/pamphlets/posters/wall hoarding (hu117d)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245042
 Invalid: 85777
 Minimum: 1
 Maximum: 9

HIV/AIDS: doctor (hu117e)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245043
 Invalid: 85776
 Minimum: 1
 Maximum: 9

HIV/AIDS: health workers (hu117f)

File: INDIA_HUSBAND

HIV/AIDS: health workers (hu117f)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245042
 Invalid: 85777
 Minimum: 1
 Maximum: 9

HIV/AIDS: schools/teachers (hu117g)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245042
 Invalid: 85777
 Minimum: 1
 Maximum: 9

HIV/AIDS: community meetings (hu117h)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245042
 Invalid: 85777
 Minimum: 1
 Maximum: 9

HIV/AIDS: friends/relatives (hu117i)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245043
 Invalid: 85776
 Minimum: 1
 Maximum: 9

HIV/AIDS: other (hu117j)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245039
 Invalid: 85780
 Minimum: 1
 Maximum: 9

HIV/AIDS transmitted: Homosexual intercourse (hu118a)

File: INDIA_HUSBAND

HIV/AIDS transmitted: Homosexual intercourse (hu118a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245041
 Invalid: 85778
 Minimum: 1
 Maximum: 9

HIV/AIDS transmitted: Heterosexual intercourse (hu118b)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 245052
 Invalid: 85767
 Minimum: 0
 Maximum: 9

HIV/AIDS transmitted: Needles/blades/skin puncture (hu118c)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245041
 Invalid: 85778
 Minimum: 1
 Maximum: 9

HIV/AIDS transmitted: Mother to child (hu118d)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 245050
 Invalid: 85769
 Minimum: 0
 Maximum: 9

HIV/AIDS transmitted: Transfusion of infected blood (hu118e)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245040
 Invalid: 85779
 Minimum: 1
 Maximum: 9

HIV/AIDS transmitted: other (hu118f)

File: INDIA_HUSBAND

HIV/AIDS transmitted: other (hu118f)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 245050
Format: numeric	Invalid: 85769
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

HIV/AIDS transmitted: Do not know (hu118g)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 245024
Format: numeric	Invalid: 85795
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

HIV/AIDS: avoid hand shaking (hu119a)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 245044
Format: numeric	Invalid: 85775
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

HIV/AIDS: avoid hugging (hu119b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 245044
Format: numeric	Invalid: 85775
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

HIV/AIDS: avoid kissing (hu119c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 245044
Format: numeric	Invalid: 85775
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

HIV/AIDS: avoid sharing clothes (hu119d)

File: INDIA_HUSBAND

HIV/AIDS: avoid sharing clothes (hu119d)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 245044
 Invalid: 85775
 Minimum: 1
 Maximum: 99

HIV/AIDS: avoid sharing utensils (hu119e)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 245044
 Invalid: 85775
 Minimum: 1
 Maximum: 99

HIV/AIDS: avoid stepping in urine/stool (hu119f)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 245044
 Invalid: 85775
 Minimum: 1
 Maximum: 99

HIV/AIDS: avoid mosquito, flea or bedbugs bites (hu119g)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 245043
 Invalid: 85776
 Minimum: 1
 Maximum: 99

HIV/AIDS: only one sex partner (hu120a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 245048
 Invalid: 85771
 Minimum: 0
 Maximum: 9

HIV/AIDS: use condoms during sex (hu120b)

File: INDIA_HUSBAND

HIV/AIDS: use condoms during sex (hu120b)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 245046
 Invalid: 85773
 Minimum: 0
 Maximum: 9

HIV/AIDS: avoid blood transfusions (hu120c)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-9

Valid cases: 245046
 Invalid: 85773
 Minimum: 0
 Maximum: 9

HIV/AIDS: avoid unsterilized needles and syringes (hu120d)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245042
 Invalid: 85777
 Minimum: 1
 Maximum: 9

HIV/AIDS: avoid pregnancy when having HIV (hu120e)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245041
 Invalid: 85778
 Minimum: 1
 Maximum: 9

HIV/AIDS: avoid other (hu120f)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: -2-9

Valid cases: 245040
 Invalid: 85779
 Minimum: -2
 Maximum: 9

HIV/AIDS: avoid - do not know (hu120g)

File: INDIA_HUSBAND

HIV/AIDS: avoid - do not know (hu120g)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 245025
 Invalid: 85794
 Minimum: 1
 Maximum: 9

HIV/AIDS : CURABLE (hu121)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 245057
 Invalid: 85762
 Minimum: 1
 Maximum: 99

Number of sons (hu122a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-14

Valid cases: 330819
 Invalid: 0
 Minimum: 0
 Maximum: 14
 Mean: 1.3
 Standard deviation: 1.1

Number of daughters (hu122b)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-13

Valid cases: 330819
 Invalid: 0
 Minimum: 0
 Maximum: 13
 Mean: 1.2
 Standard deviation: 1.2

Number of children (hu122c)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 0-16

Valid cases: 330819
 Invalid: 0
 Minimum: 0
 Maximum: 16
 Mean: 2.5
 Standard deviation: 1.7

Currently using any family planning method (hu123)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

(hu0124)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 181101
Format: numeric	Invalid: 149718
Width: 4	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	Mean: 1.3
	Standard deviation: 0.5

Current use by method type (hu124)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 181276
Format: numeric	Invalid: 149543
Width: 4	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	

Fear of impotency: Reason not accepting any male method (hu125a)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129610
Format: numeric	Invalid: 201209
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Lack of sexual pleasure: Reason not accepting any male method (hu125b)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129605
Format: numeric	Invalid: 201214
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Fear of method failure: Reason not accepting any male method (hu125c)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129606
Format: numeric	Invalid: 201213
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Fear of operation: Reason not accepting any male method (hu125d)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129614
Format: numeric	Invalid: 201205
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Fear of weakness: Reason not accepting any male method (hu125e)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129622
Format: numeric	Invalid: 201197
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Female methods are popular: Reason not accepting any male method (hu125f)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129627
Format: numeric	Invalid: 201192
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Other: Reason not accepting any male method (hu125g)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 129608
Format: numeric	Invalid: 201211
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Desire for future child (hu126)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 133626
Format: numeric	Invalid: 197193
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Desire for future child (SEX) (hu127)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 87265
Format: numeric	Invalid: 243554
Width: 4	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Waiting time for next child (hu128)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 87404
Format: numeric	Invalid: 243415
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Main reason not using a method (hu129)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 75496
Format: numeric	Invalid: 255323
Width: 4	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	

Intention to use (hu130)

File: INDIA_HUSBAND

Overview

Type: Discrete	Valid cases: 146264
Format: numeric	Invalid: 184555
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Preferred future method (hu131)

File: INDIA_HUSBAND

Preferred future method (hu131)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-16

Valid cases: 74237
 Invalid: 256582
 Minimum: 1
 Maximum: 16

Fear of impotency: Reason not intending any male method (hu132a)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 49786
 Invalid: 281033
 Minimum: 1
 Maximum: 9

Lack of sexual pleasure: Reason not intending any male method (hu132b)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 49792
 Invalid: 281027
 Minimum: 1
 Maximum: 9

Fear of method failure: Reason not intending any male method (hu132c)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-9

Valid cases: 49791
 Invalid: 281028
 Minimum: 1
 Maximum: 9

Fear of operation: Reason not intending any male method (hu132d)

File: INDIA_HUSBAND

Overview

Fear of operation: Reason not intending any male method (hu132d)

File: INDIA_HUSBAND

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 49793
Invalid: 281026
Minimum: 1
Maximum: 9

Fear of weakness: Reason not intending any male method (hu132e)

File: INDIA_HUSBAND

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 49796
Invalid: 281023
Minimum: 1
Maximum: 9

Female methods are popular: Reason not intending any male method (hu132f)

File: INDIA_HUSBAND

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 49797
Invalid: 281022
Minimum: 1
Maximum: 9

Other: Reason not intending any male method (hu132g)

File: INDIA_HUSBAND

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 49817
Invalid: 281002
Minimum: 1
Maximum: 9

Ever heard of NSV (hu133)

File: INDIA_HUSBAND

Overview

Type: Discrete
Format: numeric
Width: 4
Decimals: 0
Range: 1-9

Valid cases: 330819
Invalid: 0
Minimum: 1
Maximum: 9

Opinion about NSV (hu134)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 111136
 Invalid: 219683
 Minimum: 1
 Maximum: 99

Opinion about complication of NSV (hu135)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 111136
 Invalid: 219683
 Minimum: 1
 Maximum: 99

Opinion of NSV about affect sexual performance (hu136)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-99

Valid cases: 111136
 Invalid: 219683
 Minimum: 1
 Maximum: 99

District in the phase (phase)

File: INDIA_HUSBAND

Overview

Type: Discrete
 Format: numeric
 Width: 4
 Decimals: 0
 Range: 1-2

Valid cases: 330819
 Invalid: 0
 Minimum: 1
 Maximum: 2
 Mean: 1.5
 Standard deviation: 0.5

Sample weight: District (hsdwt)

File: INDIA_HUSBAND

Overview

Type: Continuous
 Format: numeric
 Width: 8
 Decimals: 6
 Range: 0.000212-16.190141

Valid cases: 330819
 Invalid: 0
 Minimum: 0
 Maximum: 16.2
 Mean: 1
 Standard deviation: 0.6

Sample weight: India (ihsdwt)
File: INDIA_HUSBAND

Overview	
Type: Continuous	Valid cases: 330819
Format: numeric	Invalid: 0
Width: 8	Minimum: 0
Decimals: 6	Maximum: 69.1
Range: 0.0004350315173476-69.0785453770998	Mean: 1
	Standard deviation: 1.4

State code (state)

File: VILLAGE_NDIA

Overview

Type: Continuous
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-35

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 35
 Mean: 17
 Standard deviation: 9.2

District code (dist)

File: VILLAGE_NDIA

Overview

Type: Continuous
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-70

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 70
 Mean: 15.4
 Standard deviation: 13.6

Tehsil code (tal)

File: VILLAGE_NDIA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-920

Valid cases: 15989
 Invalid: 0
 Minimum: 0
 Maximum: 920
 Mean: 51.4
 Standard deviation: 61.4

PSU code (psu)

File: VILLAGE_NDIA

Overview

Type: Continuous
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-50

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 50
 Mean: 15
 Standard deviation: 9

Serial number of village (srv)

File: VILLAGE_NDIA

Overview

Type: Continuous
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-50

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 50
 Mean: 14.7
 Standard deviation: 9.2

Respondent of village schedule (res)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15987
Format: numeric	Invalid: 2
Width: 1	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Distance to nearest town (in KM) (v101)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 20.4
	Standard deviation: 66.9

Distance to district head quarter (in KM) (v102)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 49.3
	Standard deviation: 72.6

Distance to BUS stand (in KM) (v103a)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 9999
Range: 0-9999	Mean: 49.2
	Standard deviation: 638.1

Distance to Railway station (in KM) (v103b)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 2	Minimum: 0
Decimals: 0	Maximum: 9999
Range: 0-9999	Mean: 120.3
	Standard deviation: 811.6

Is village connected by road to other places (v104)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Primary school : in village (v105aa)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Middle school : in village (v105ab)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Secondary school : in village (v105ac)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Higher secondary school : in village (v105ad)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

College : in village (v105ae)

File: VILLAGE_NDIA

College : in village (v105ae)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Gurujee scheme : in village (v105af)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Madarasa: in village (v105ag)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Distance: Primary school (v105ba)

File: VILLAGE_NDIA

Overview

Type: Continuous
 Format: numeric
 Width: 2
 Decimals: 0
 Range: 0-999

Valid cases: 952
 Invalid: 15037
 Minimum: 0
 Maximum: 999
 Mean: 19.3
 Standard deviation: 124.3

CDS: in village (v106aa)

File: VILLAGE_NDIA

Overview

Type: Discrete
 Format: numeric
 Width: 1
 Decimals: 0
 Range: 1-9

Valid cases: 15989
 Invalid: 0
 Minimum: 1
 Maximum: 9

Sub centre: in village (v106ab)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Distance: Middle school (v105bb)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 6628
Format: numeric	Invalid: 9361
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 34.2
	Standard deviation: 168.3

PHC: in village (v106ac)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Distance: Secondary school (v105bc)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 10896
Format: numeric	Invalid: 5093
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 18.8
	Standard deviation: 106.9

CHC/RH: in village (v106ad)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Distance: Higher secondary school (v105bd)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 13431
Format: numeric	Invalid: 2558
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 23
	Standard deviation: 109.4

Govt dispensary: in village (v106ae)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Distance: College (v105be)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15368
Format: numeric	Invalid: 621
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 36.3
	Standard deviation: 117.2

Distance: Guruji scheme (v105bf)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 12716
Format: numeric	Invalid: 3273
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 433.9
	Standard deviation: 480.3

Govt. hospital: in village (v106af)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Private clinic: in village (v106ag)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Distance: Madarasa (v105bg)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 13141
Format: numeric	Invalid: 2848
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 288.1
	Standard deviation: 433.3

Private hospital: in village (v106ah)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

ISM health facility: in village (v106ai)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of Private doctor (v107a)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2
	Standard deviation: 9.9

Number of Visiting doctor (v107b)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.5
	Standard deviation: 10.3

Number of Unani doctor (v107c)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.3
	Standard deviation: 11.2

Number of Ayurvedic doctor (v107d)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.3
	Standard deviation: 10.5

Number of Homeopathic doctor (v107e)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.5
	Standard deviation: 11.2

Number of Sidha doctor (v107f)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.4
	Standard deviation: 11.2

Number of Traditional healer (v107g)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.8
	Standard deviation: 10.6

Number of Village health guard (v107h)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.6
	Standard deviation: 11.1

Distance of ICDS from village (v106ba)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 3128
Format: numeric	Invalid: 12861
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 133
	Standard deviation: 332.3

Distance of Sub centre from village (v106bb)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 9594
Format: numeric	Invalid: 6395
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 42.4
	Standard deviation: 186.1

Number of Trained birth attendant (v107i)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 1.6
	Standard deviation: 9.7

Number of Dai (v107j)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.3
	Standard deviation: 9.1

Distance of PHC from village (v106bc)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 13214
Format: numeric	Invalid: 2775
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 29.8
	Standard deviation: 139.5

Number of Anganwadi worker (v107k)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.9
	Standard deviation: 10

Distance of CHC/RH from village (v106bd)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15007
Format: numeric	Invalid: 982
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 56
	Standard deviation: 191.2

Number of Other health worker (v107l)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 2.8
	Standard deviation: 15.7

Distance of Govt dispensary from village (v106be)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 14112
Format: numeric	Invalid: 1877
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 68.9
	Standard deviation: 216.2

Distance of Govt. hospital from village (v106bf)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 15233
Format: numeric	Invalid: 756
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 48.1
	Standard deviation: 145.2

Distance of Private clinic from village (v106bg)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 11907
Format: numeric	Invalid: 4082
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 46.3
	Standard deviation: 170.2

Distance of Private hospital from village (v106bh)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 14883
Format: numeric	Invalid: 1106
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 58.7
	Standard deviation: 183.6

Distance of ISM health facility from village (v106bi)

File: VILLAGE_NDIA

Overview

Type: Continuous	Valid cases: 13911
Format: numeric	Invalid: 2078
Width: 2	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 178.9
	Standard deviation: 358.4

ICDS : accessible throughout the year (v106ca)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 3421
Format: numeric	Invalid: 12568
Width: 1	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Sub centre : accessible throughout the year (v106cb)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 9780
Format: numeric	Invalid: 6209
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

PHC : accessible throughout the year (v106cc)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 13264
Format: numeric	Invalid: 2725
Width: 1	Minimum: 1
Decimals: 0	Maximum: 15
Range: 1-15	

CHC/RH : accessible throughout the year (v106cd)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15000
Format: numeric	Invalid: 989
Width: 1	Minimum: 0
Decimals: 0	Maximum: 31
Range: 0-31	

Govt. dispensary : accessible throughout the year (v106ce)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 14071
Format: numeric	Invalid: 1918
Width: 1	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	

Govt. hospital : accessible throughout the year (v106cf)

File: VILLAGE_NDIA

Govt. hospital : accessible throughout the year (v106cf)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15229
Format: numeric	Invalid: 760
Width: 1	Minimum: 1
Decimals: 0	Maximum: 60
Range: 1-60	

Private clinic : accessible throughout the year (v106cg)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 11863
Format: numeric	Invalid: 4126
Width: 1	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	

Private hospital : accessible throughout the year (v106ch)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 14877
Format: numeric	Invalid: 1112
Width: 1	Minimum: 1
Decimals: 0	Maximum: 31
Range: 1-31	

ISM health facility : accessible throughout the year (v106ci)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 13950
Format: numeric	Invalid: 2039
Width: 1	Minimum: 1
Decimals: 0	Maximum: 35
Range: 1-35	

Services for the village: Mobile health clinic (v108a)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Services for the village: Mobile child health clinic (v108b)

File: VILLAGE_NDIA

Services for the village: Mobile child health clinic (v108b)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

Number of visits of Mobile clinic (v109)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15784
Format: numeric	Invalid: 205
Width: 1	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	Mean: 0.3
	Standard deviation: 0.9

(vst)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15989
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	Mean: 1
	Standard deviation: 0.4

Result status of village schedule (vresults)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15950
Format: numeric	Invalid: 39
Width: 1	Minimum: 1
Decimals: 0	Maximum: 9
Range: 1-9	

create_date (create_d)

File: VILLAGE_NDIA

Overview

Type: Discrete	Valid cases: 15970
Format: character	Minimum: NaN
Width: 11	Maximum: NaN

modify_date (modify_d)

File: VILLAGE_NDIA

modify_date (modify_d)

File: VILLAGE_NDIA

Overview

Type: Discrete
Format: character
Width: 11

Valid cases: 15970
Minimum: NaN
Maximum: NaN

serial number (srno)

File: PHC

Overview

Type: Continuous	Valid cases: 9688
Format: numeric	Invalid: 0
Width: 11	Minimum: 1
Decimals: 0	Maximum: 2081
Range: 1-2081	Mean: 353.2
	Standard deviation: 487.8

State name (p1)

File: PHC

Overview

Type: Discrete	Valid cases: 9688
Format: character	Invalid: 0
Width: 11	

Statecode (sc)

File: PHC

Overview

Type: Discrete	Valid cases: 9688
Format: numeric	Invalid: 0
Width: 11	Minimum: 1
Decimals: 0	Maximum: 33
Range: 1-33	

District name (p2)

File: PHC

Overview

Type: Discrete	Valid cases: 9688
Format: character	Invalid: 0
Width: 11	

District code (dc)

File: PHC

Overview

Type: Continuous	Valid cases: 9688
Format: numeric	Invalid: 0
Width: 11	Minimum: 1
Decimals: 0	Maximum: 70
Range: 1-70	Mean: 19.7
	Standard deviation: 16

Tehsil name (p3)

File: PHC

Overview

Tehsil name (p3)

File: PHC

Type: Discrete
 Format: character
 Width: 11

Valid cases: 8065
 Invalid: 0

Tesil code (tc)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32105

Valid cases: 7432
 Invalid: 2256
 Minimum: 0
 Maximum: 32105
 Mean: 1749.2
 Standard deviation: 5835.3

Block name (p4)

File: PHC

Overview

Type: Discrete
 Format: character
 Width: 11

Valid cases: 8541
 Invalid: 0

Block code (bc)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32205

Valid cases: 6953
 Invalid: 2735
 Minimum: 0
 Maximum: 32205
 Mean: 1884
 Standard deviation: 6040.5

functioning year of the PHC (p5)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 9688
 Invalid: 0
 Minimum: 1
 Maximum: 99

functioning year of the PHC from this building (p6)

File: PHC

Overview

functioning year of the PHC from this building (p6)

File: PHC

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 9688
 Invalid: 0
 Minimum: 1
 Maximum: 99

Name of the PHC(village/town) (p7)

File: PHC

Overview

Type: Discrete
 Format: character
 Width: 11

Valid cases: 9666
 Invalid: 0

PHC code (phcc)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32327

Valid cases: 5907
 Invalid: 3781
 Minimum: 0
 Maximum: 32327
 Mean: 2241.1
 Standard deviation: 6527.5

number of villages covered by PHC (p8)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 9688
 Invalid: 0
 Minimum: 1
 Maximum: 99

Population covered by PHC (p9)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 9688
 Invalid: 0
 Minimum: 1
 Maximum: 99

Month (p10a)

File: PHC

Overview

Month (p10a)

File: PHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 9049
 Invalid: 639
 Minimum: 0
 Maximum: 99
 Mean: 4.3
 Standard deviation: 5.3

Year (p10b)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9999

Valid cases: 9206
 Invalid: 482
 Minimum: 0
 Maximum: 9999
 Mean: 1996.5
 Standard deviation: 139.2

distance of the higher level health facility from the PHC (p11a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 9688
 Invalid: 0
 Minimum: 1
 Maximum: 99

type of the higher level health facility (p11b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 9688
 Invalid: 0
 Minimum: 1
 Maximum: 99

Nearest sub-center (KM) (p12)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-118

Valid cases: 9535
 Invalid: 153
 Minimum: 0
 Maximum: 118
 Mean: 3.5
 Standard deviation: 4.1

Farthest sub-center(KM) (p13)

File: PHC

Overview

Type: Continuous	Valid cases: 9512
Format: numeric	Invalid: 176
Width: 11	Minimum: 0
Decimals: 0	Maximum: 140
Range: 0-140	Mean: 19.3
	Standard deviation: 16.2

No. of village in PHC area accessible through out the year (p14)

File: PHC

Overview

Type: Continuous	Valid cases: 9526
Format: numeric	Invalid: 162
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2500
Range: 0-2500	Mean: 31.6
	Standard deviation: 49.5

Total no. of sub-centers attached to the PHC (p15)

File: PHC

Overview

Type: Continuous	Valid cases: 9644
Format: numeric	Invalid: 44
Width: 11	Minimum: 0
Decimals: 0	Maximum: 68
Range: 0-68	Mean: 6.8
	Standard deviation: 6

No. of sub -centers attached to this PHC with its own premises (p16)

File: PHC

Overview

Type: Continuous	Valid cases: 9642
Format: numeric	Invalid: 46
Width: 11	Minimum: 0
Decimals: 0	Maximum: 61
Range: 0-61	Mean: 1.8
	Standard deviation: 2.5

Type of work of the respondent (p17)

File: PHC

Overview

Type: Discrete	Valid cases: 9678
Format: numeric	Invalid: 10
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Date of data collection (p18a)

File: PHC

Overview

Type: Continuous	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 1
Decimals: 0	Maximum: 99
Range: 1-99	Mean: 16.2
	Standard deviation: 9.6

Month of data collection (p18b)

File: PHC

Overview

Type: Continuous	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 5.1
	Standard deviation: 4.6

Year of data collection (p18c)

File: PHC

Overview

Type: Continuous	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 2000
Decimals: 0	Maximum: 9999
Range: 2000-9999	Mean: 2015.3
	Standard deviation: 314.6

Owner ship of the PHC building (p19)

File: PHC

Overview

Type: Discrete	Valid cases: 9677
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Type of PHC building (observed) (p20)

File: PHC

Overview

Type: Discrete	Valid cases: 9677
Format: numeric	Invalid: 11
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Maintenance of the PHC building (p21a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 9675
 Invalid: 13
 Minimum: 0
 Maximum: 6

Years (p21b)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9999

Valid cases: 6356
 Invalid: 3332
 Minimum: 0
 Maximum: 9999
 Mean: 195.8
 Standard deviation: 816.2

Present conition of the building (p22)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 9673
 Invalid: 15
 Minimum: 0
 Maximum: 6

No. of quarter available for Medical Officer (p23a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-11

Valid cases: 9675
 Invalid: 13
 Minimum: 0
 Maximum: 11
 Mean: 0.8
 Standard deviation: 0.9

Quarter occupied by Medical Officer (p23b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 6843
 Invalid: 2845
 Minimum: 0
 Maximum: 3

At least one Medical Officer stay in the PHC compound (p23c)

File: PHC

Overview

Type: Discrete	Valid cases: 6863
Format: numeric	Invalid: 2825
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

No. of quarter available for Health Assistant Male (p24a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.3
	Standard deviation: 0.8

Quarter occupied by Health Assistant Male (p24b)

File: PHC

Overview

Type: Discrete	Valid cases: 5172
Format: numeric	Invalid: 4516
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4
Range: 0-4	

At least one Health Assistant Male stay in the PHC compound (p24c)

File: PHC

Overview

Type: Discrete	Valid cases: 5323
Format: numeric	Invalid: 4365
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

No. of quarter available for Health Assistant Female (p25a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	Mean: 0.2
	Standard deviation: 0.6

Quarter occupied by Health Assistant Female (p25b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 5264
 Invalid: 4424
 Minimum: 0
 Maximum: 2

At least one Health Assistant Female stay in the PHC compound (p25c)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 5396
 Invalid: 4292
 Minimum: 0
 Maximum: 2

No. of quarter available for Nurse/ANM (p26a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-11

Valid cases: 9675
 Invalid: 13
 Minimum: 0
 Maximum: 11
 Mean: 0.6
 Standard deviation: 0.9

Quarter occupied by Nurse/ANM (p26b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 6080
 Invalid: 3608
 Minimum: 0
 Maximum: 8

At least one Nurse/ANM stay in the PHC compound (p26c)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 6155
 Invalid: 3533
 Minimum: 0
 Maximum: 3

No. of quarter available for others (p27a)

File: PHC

Overview

Type: Discrete	Valid cases: 9117
Format: numeric	Invalid: 571
Width: 11	Minimum: 0
Decimals: 0	Maximum: 19
Range: 0-19	Mean: 0.7
	Standard deviation: 1.7

Quarter occupied by others (p27b)

File: PHC

Overview

Type: Discrete	Valid cases: 5524
Format: numeric	Invalid: 4164
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	

At least one others stay in the PHC compound (p27c)

File: PHC

Overview

Type: Discrete	Valid cases: 5519
Format: numeric	Invalid: 4169
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4
Range: 0-4	

Main source of water supply (p28)

File: PHC

Overview

Type: Discrete	Valid cases: 9659
Format: numeric	Invalid: 29
Width: 11	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	

Water supply regular (p29)

File: PHC

Overview

Type: Discrete	Valid cases: 2281
Format: numeric	Invalid: 7407
Width: 11	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Over head tank available (p30)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-9

Valid cases: 733
 Invalid: 8955
 Minimum: 1
 Maximum: 9

Electricity connection available (p31)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 9663
 Invalid: 25
 Minimum: 1
 Maximum: 2

Generator available (p32)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 9658
 Invalid: 30
 Minimum: 1
 Maximum: 2

Telephone facility (p33)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 9662
 Invalid: 26
 Minimum: 1
 Maximum: 2

Any other (p34)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 9634
 Invalid: 54
 Minimum: 1
 Maximum: 2

Type of toilet Toilet-1 (p35a)

File: PHC

Type of toilet Toilet-1 (p35a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 7718
 Invalid: 1970
 Minimum: 0
 Maximum: 2

Type of toilet Toilet-2 (p35b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 5890
 Invalid: 3798
 Minimum: 0
 Maximum: 2

Type of toilet Toilet-3 (p35c)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 3973
 Invalid: 5715
 Minimum: 0
 Maximum: 2

Vehicle available (p36)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 9664
 Invalid: 24
 Minimum: 1
 Maximum: 2

Since when(year) (p37)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-19961

Valid cases: 5127
 Invalid: 4561
 Minimum: 0
 Maximum: 19961
 Mean: 833.2
 Standard deviation: 1278.3

Provision to hire vehicle (p38)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 8438
 Invalid: 1250
 Minimum: 0
 Maximum: 2

Vehicle functional on date of interview (p39)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-2

Valid cases: 3133
 Invalid: 6555
 Minimum: 1
 Maximum: 2

Off road since when (p40)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-72

Valid cases: 775
 Invalid: 8913
 Minimum: 1
 Maximum: 72

PHC driver available for regular duty (p41)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 7833
 Invalid: 1855
 Minimum: 0
 Maximum: 2

PHC driver Available for the emergency duty (p42)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 7835
 Invalid: 1853
 Minimum: 0
 Maximum: 3

Supply of Petrol/diesel (p43)

File: PHC

Supply of Petrol/diesel (p43)

File: PHC

Overview

Type: Discrete	Valid cases: 5259
Format: numeric	Invalid: 4429
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Allocation of money sufficient for repair (p44)

File: PHC

Overview

Type: Discrete	Valid cases: 5257
Format: numeric	Invalid: 4431
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

O.T Available (p45a)

File: PHC

Overview

Type: Discrete	Valid cases: 9676
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized OT (p45b)

File: PHC

Overview

Type: Discrete	Valid cases: 8196
Format: numeric	Invalid: 1492
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Separate generator Available for O.T (p46)

File: PHC

Overview

Type: Discrete	Valid cases: 6755
Format: numeric	Invalid: 2933
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Exhaust fan fixed in the O.T (p47a)

File: PHC

Exhaust fan fixed in the O.T (p47a)

File: PHC

Overview

Type: Discrete	Valid cases: 6355
Format: numeric	Invalid: 3333
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Utilized (p47b)

File: PHC

Overview

Type: Discrete	Valid cases: 5804
Format: numeric	Invalid: 3884
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Fumigation done regularly in O.T (p48)

File: PHC

Overview

Type: Discrete	Valid cases: 6338
Format: numeric	Invalid: 3350
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Labor room/IUD room available (p49a)

File: PHC

Overview

Type: Discrete	Valid cases: 9676
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Utilized (p49b)

File: PHC

Overview

Type: Discrete	Valid cases: 8526
Format: numeric	Invalid: 1162
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Fumigation done regularly in labor room/IUD room (p50)

File: PHC

Fumigation done regularly in labor room/IUD room (p50)

File: PHC

Overview

Type: Discrete	Valid cases: 6745
Format: numeric	Invalid: 2943
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Separate ANC clinic room (p51a)

File: PHC

Overview

Type: Discrete	Valid cases: 9676
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Utilized (p51b)

File: PHC

Overview

Type: Discrete	Valid cases: 8454
Format: numeric	Invalid: 1234
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Dispensing room (p52a)

File: PHC

Overview

Type: Discrete	Valid cases: 9676
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized (p52b)

File: PHC

Overview

Type: Discrete	Valid cases: 9293
Format: numeric	Invalid: 395
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Doctor's room (p53a)

File: PHC

Doctor's room (p53a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 9676
 Invalid: 12
 Minimum: 0
 Maximum: 2

Utilized (p53b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 9486
 Invalid: 202
 Minimum: 0
 Maximum: 3

Store room (p54a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 9676
 Invalid: 12
 Minimum: 0
 Maximum: 2

Utilized (p54b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 9449
 Invalid: 239
 Minimum: 0
 Maximum: 3

Blood test-routine (p55a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 9675
 Invalid: 13
 Minimum: 0
 Maximum: 2

Utilized (p55b)

File: PHC

Utilized (p55b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 8774
 Invalid: 914
 Minimum: 0
 Maximum: 3

Blood test-VDRL (p56a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 9675
 Invalid: 13
 Minimum: 0
 Maximum: 3

Utilized (p56b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 7969
 Invalid: 1719
 Minimum: 0
 Maximum: 3

Urine test (p57a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 9676
 Invalid: 12
 Minimum: 0
 Maximum: 3

Utilized (p57b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 8575
 Invalid: 1113
 Minimum: 0
 Maximum: 3

Stool test (p58a)

File: PHC

Stool test (p58a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 9676
 Invalid: 12
 Minimum: 0
 Maximum: 3

Utilized (p58b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 8204
 Invalid: 1484
 Minimum: 0
 Maximum: 6

No. of beds Available (p59)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-222

Valid cases: 9676
 Invalid: 12
 Minimum: 0
 Maximum: 222
 Mean: 3.7
 Standard deviation: 4.5

Bed-sheets or blankets Available as per norms (p60)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-30

Valid cases: 9540
 Invalid: 148
 Minimum: 0
 Maximum: 30

Sanctioned post for Medical officer (Male) (p61a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-18

Valid cases: 9676
 Invalid: 12
 Minimum: 0
 Maximum: 18
 Mean: 1.5
 Standard deviation: 0.7

Regular post for Medical officer (Male) (p61b)

File: PHC

Overview

Type: Discrete	Valid cases: 9595
Format: numeric	Invalid: 93
Width: 11	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	Mean: 1.1
	Standard deviation: 1

Position is vacant for Medical officer (Male) (p61c)

File: PHC

Overview

Type: Continuous	Valid cases: 6222
Format: numeric	Invalid: 3466
Width: 11	Minimum: 0
Decimals: 0	Maximum: 420
Range: 0-420	Mean: 18.7
	Standard deviation: 36.4

Sanctioned post for Medical officer (Female) (p62a)

File: PHC

Overview

Type: Continuous	Valid cases: 8921
Format: numeric	Invalid: 767
Width: 11	Minimum: 0
Decimals: 0	Maximum: 684
Range: 0-684	Mean: 1.3
	Standard deviation: 11

Regular post for Medical officer (Female) (p62b)

File: PHC

Overview

Type: Discrete	Valid cases: 7880
Format: numeric	Invalid: 1808
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-5	Mean: 0.2
	Standard deviation: 0.4

Position is vacant for Medical officer (Female) (p62c)

File: PHC

Overview

Type: Continuous	Valid cases: 4263
Format: numeric	Invalid: 5425
Width: 11	Minimum: 0
Decimals: 0	Maximum: 396
Range: 0-396	Mean: 3
	Standard deviation: 17.5

Doctor appointed on contracts or temporary (p63)

File: PHC

Overview

Type: Discrete	Valid cases: 5094
Format: numeric	Invalid: 4594
Width: 11	Minimum: 0
Decimals: 0	Maximum: 240
Range: 0-240	

No. of Male Doctor appointed on contract (p64a)

File: PHC

Overview

Type: Discrete	Valid cases: 4407
Format: numeric	Invalid: 5281
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4
Range: 0-4	Mean: 0.6
	Standard deviation: 0.8

No. of Female Doctor appointed on contract (p64b)

File: PHC

Overview

Type: Discrete	Valid cases: 4397
Format: numeric	Invalid: 5291
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	Mean: 0.1
	Standard deviation: 0.2

Training of medical officer during last 3 years for Sterilization (tubectomy) (p65)

File: PHC

Overview

Type: Continuous	Valid cases: 9664
Format: numeric	Invalid: 24
Width: 11	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 0.2
	Standard deviation: 0.8

Training of medical officer during last 3 years for No scalpel vasectomy (p66)

File: PHC

Overview

Training of medical officer during last 3 years for No scalpel vasectomy (p66)

File: PHC

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-7

Valid cases: 9665
Invalid: 23
Minimum: 0
Maximum: 7
Mean: 0.1
Standard deviation: 0.5

Training of medical officer during last 3 years for MTP (p67)

File: PHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-14

Valid cases: 9666
Invalid: 22
Minimum: 0
Maximum: 14
Mean: 0.2
Standard deviation: 0.5

Training of medical officer during last 3 years for RCH integrated training (p68)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-65

Valid cases: 9670
Invalid: 18
Minimum: 0
Maximum: 65
Mean: 0.6
Standard deviation: 1.5

No. of Health Educator/Pharmacist Sanctioned (p69a)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-45

Valid cases: 9676
Invalid: 12
Minimum: 0
Maximum: 45
Mean: 0.8
Standard deviation: 0.8

No. of Health Educator/Pharmacist Filled (p69b)

File: PHC

Overview

No. of Health Educator/Pharmacist Filled (p69b)

File: PHC

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-16

Valid cases: 7937
 Invalid: 1751
 Minimum: 0
 Maximum: 16
 Mean: 0.8
 Standard deviation: 0.5

No. of Compounder post Sanctioned (p70a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 9671
 Invalid: 17
 Minimum: 0
 Maximum: 8
 Mean: 0.3
 Standard deviation: 0.6

No. of Compounder post Filled (p70b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 7793
 Invalid: 1895
 Minimum: 0
 Maximum: 6
 Mean: 0.3
 Standard deviation: 0.5

No. of Lab. technician post Sanctioned (p71a)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 9675
 Invalid: 13
 Minimum: 0
 Maximum: 4
 Mean: 0.5
 Standard deviation: 0.5

No. of Lab. technician post Filled (p71b)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 8320
 Invalid: 1368
 Minimum: 0
 Maximum: 4
 Mean: 0.5
 Standard deviation: 0.5

No. of Class III staff Sanctioned (p72a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 80
Range: 0-80	Mean: 1.8
	Standard deviation: 5.3

No. of Class III staff Filled (p72b)

File: PHC

Overview

Type: Continuous	Valid cases: 8848
Format: numeric	Invalid: 840
Width: 11	Minimum: 0
Decimals: 0	Maximum: 74
Range: 0-74	Mean: 2.1
	Standard deviation: 5.3

No. of Driver Sanctioned (p73a)

File: PHC

Overview

Type: Continuous	Valid cases: 9672
Format: numeric	Invalid: 16
Width: 11	Minimum: 0
Decimals: 0	Maximum: 51
Range: 0-51	Mean: 0.6
	Standard deviation: 1.9

No. of Driver Filled (p73b)

File: PHC

Overview

Type: Discrete	Valid cases: 7343
Format: numeric	Invalid: 2345
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 0.3
	Standard deviation: 0.5

No. of Class IV staff Sanctioned (p74a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 28
Range: 0-28	Mean: 2.4
	Standard deviation: 2

No. of Class IV staff Filled (p74b)

File: PHC

Overview

Type: Continuous	Valid cases: 9522
Format: numeric	Invalid: 166
Width: 11	Minimum: 0
Decimals: 0	Maximum: 26
Range: 0-26	Mean: 2.3
	Standard deviation: 1.8

No. of Other (specify)Sanctioned (p75a)

File: PHC

Overview

Type: Continuous	Valid cases: 9666
Format: numeric	Invalid: 22
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 0.5
	Standard deviation: 1.2

No. of Other (specify)Filled (p75b)

File: PHC

Overview

Type: Continuous	Valid cases: 7008
Format: numeric	Invalid: 2680
Width: 11	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 0.4
	Standard deviation: 1.2

No. of Public health nurse/staff nurse/mid wives Sanctioned (p76a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 62
Range: 0-62	Mean: 1
	Standard deviation: 3

No. of Public health nurse/staff nurse/mid wives Filled (p76b)

File: PHC

Overview

Type: Continuous	Valid cases: 7544
Format: numeric	Invalid: 2144
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 1.3
	Standard deviation: 3.4

No. of Public health nurse/staff nurse/mid wives trained for IUD (p76c)

File: PHC

Overview

Type: Continuous	Valid cases: 5815
Format: numeric	Invalid: 3873
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 1.2
	Standard deviation: 3.4

No. of Public health nurse/staff nurse/mid wives trained for UIP (p76d)

File: PHC

Overview

Type: Continuous	Valid cases: 5815
Format: numeric	Invalid: 3873
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 1.1
	Standard deviation: 3.3

No. of Public health nurse/staff nurse/mid wives trained for CDC/ORT (p76e)

File: PHC

Overview

Type: Continuous	Valid cases: 5814
Format: numeric	Invalid: 3874
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 1
	Standard deviation: 3.2

No. of Public health nurse/staff nurse/mid wives trained for ARI (p76f)

File: PHC

Overview

Type: Continuous	Valid cases: 5814
Format: numeric	Invalid: 3874
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 0.8
	Standard deviation: 2.9

No. of Public health nurse/staff nurse/mid wives trained for CSSM (p76g)

File: PHC

No. of Public health nurse/staff nurse/mid wives trained for CSSM (p76g)

File: PHC

Overview

Type: Continuous	Valid cases: 5813
Format: numeric	Invalid: 3875
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 0.9
	Standard deviation: 3.3

No. of Public health nurse/staff nurse/mid wives trained for RCH (p76h)

File: PHC

Overview

Type: Continuous	Valid cases: 5814
Format: numeric	Invalid: 3874
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 1
	Standard deviation: 3.2

No. of Public health nurse/staff nurse/mid wives trained for Sexuality transmitted infection (p76i)

File: PHC

Overview

Type: Continuous	Valid cases: 5812
Format: numeric	Invalid: 3876
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 1
	Standard deviation: 3.2

No. of Public health nurse/staff nurse/mid wives trained for Blood pressure checking (p76j)

File: PHC

Overview

Type: Continuous	Valid cases: 5814
Format: numeric	Invalid: 3874
Width: 11	Minimum: 0
Decimals: 0	Maximum: 54
Range: 0-54	Mean: 0.8
	Standard deviation: 3

No. of Health Asistant Male Sanctioned (p77a)

File: PHC

Overview

No. of Health Assistant Male Sanctioned (p77a)

File: PHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32

Valid cases: 9673
 Invalid: 15
 Minimum: 0
 Maximum: 32
 Mean: 1
 Standard deviation: 1.7

No. of Health Assistant Male Filled (p77b)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-22

Valid cases: 8157
 Invalid: 1531
 Minimum: 0
 Maximum: 22
 Mean: 0.9
 Standard deviation: 1.5

No. of Health Assistant Male trained for IUD (p77c)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-20

Valid cases: 6367
 Invalid: 3321
 Minimum: 0
 Maximum: 20
 Mean: 0.1
 Standard deviation: 0.7

No. of Health Assistant Male trained for UIP (p77d)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-14

Valid cases: 6367
 Invalid: 3321
 Minimum: 0
 Maximum: 14
 Mean: 0.6
 Standard deviation: 1.3

No. of Health Assistant Male trained for CDC/ORT (p77e)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-14

Valid cases: 6367
 Invalid: 3321
 Minimum: 0
 Maximum: 14
 Mean: 0.5
 Standard deviation: 1.2

No. of Health Assistant Male trained for ARI (p77f)

File: PHC

Overview

Type: Discrete	Valid cases: 6367
Format: numeric	Invalid: 3321
Width: 11	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0-15	Mean: 0.3
	Standard deviation: 0.8

No. of Health Assistant Male trained for CSSM (p77g)

File: PHC

Overview

Type: Discrete	Valid cases: 6367
Format: numeric	Invalid: 3321
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-14	Mean: 0.3
	Standard deviation: 0.9

No. of Health Assistant Male trained for RCH (p77h)

File: PHC

Overview

Type: Discrete	Valid cases: 6367
Format: numeric	Invalid: 3321
Width: 11	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	Mean: 0.6
	Standard deviation: 1.2

No. of Health Assistant Male trained for Sexuality transmitted infection (p77i)

File: PHC

Overview

Type: Discrete	Valid cases: 6366
Format: numeric	Invalid: 3322
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-14	Mean: 0.5
	Standard deviation: 1.2

No. of Health Assistant Male trained for Blood pressure checking (p77j)

File: PHC

Overview

No. of Health Assistant Male trained for Blood pressure checking (p77j)

File: PHC

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-14

Valid cases: 6369
Invalid: 3319
Minimum: 0
Maximum: 14
Mean: 0.2
Standard deviation: 0.8

No. of Health Asistant female Sanctioned (p78a)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-42

Valid cases: 9672
Invalid: 16
Minimum: 0
Maximum: 42
Mean: 0.9
Standard deviation: 1.8

No. of Health Assistant female Filled (p78b)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-40

Valid cases: 8317
Invalid: 1371
Minimum: 0
Maximum: 40
Mean: 0.9
Standard deviation: 1.9

No. of Health Assistant female trained for IUD (p78c)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-27

Valid cases: 6318
Invalid: 3370
Minimum: 0
Maximum: 27
Mean: 0.8
Standard deviation: 1.8

No. of Health Assistant female trained for UIP (p78d)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-34

Valid cases: 6317
Invalid: 3371
Minimum: 0
Maximum: 34
Mean: 0.8
Standard deviation: 1.9

No. of Health Assistant female trained for CDC/ORT (p78e)

File: PHC

Overview

Type: Continuous	Valid cases: 6317
Format: numeric	Invalid: 3371
Width: 11	Minimum: 0
Decimals: 0	Maximum: 27
Range: 0-27	Mean: 0.8
	Standard deviation: 1.9

No. of Health Assistant female trained for ARI (p78f)

File: PHC

Overview

Type: Continuous	Valid cases: 6317
Format: numeric	Invalid: 3371
Width: 11	Minimum: 0
Decimals: 0	Maximum: 27
Range: 0-27	Mean: 0.7
	Standard deviation: 1.8

No. of Health Assistant female trained for CSSM (p78g)

File: PHC

Overview

Type: Continuous	Valid cases: 6317
Format: numeric	Invalid: 3371
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 0.8
	Standard deviation: 1.8

No. of Health Assistant female trained for RCH (p78h)

File: PHC

Overview

Type: Continuous	Valid cases: 6317
Format: numeric	Invalid: 3371
Width: 11	Minimum: 0
Decimals: 0	Maximum: 27
Range: 0-27	Mean: 0.9
	Standard deviation: 1.8

No. of Health Assistant female trained for Sexuality transmitted infection (p78i)

File: PHC

Overview

No. of Health Assistant female trained for Sexuality transmitted infection (p78i)

File: PHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-27

Valid cases: 6317
 Invalid: 3371
 Minimum: 0
 Maximum: 27
 Mean: 0.8
 Standard deviation: 1.8

No. of Health Assistant female trained for Blood pressure checking (p78j)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-27

Valid cases: 6316
 Invalid: 3372
 Minimum: 0
 Maximum: 27
 Mean: 0.7
 Standard deviation: 1.8

No. of MPW male Sanctioned (p79a)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-46

Valid cases: 9674
 Invalid: 14
 Minimum: 0
 Maximum: 46
 Mean: 1.2
 Standard deviation: 2.9

No. of MPW male Filled (p79b)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32

Valid cases: 7429
 Invalid: 2259
 Minimum: 0
 Maximum: 32
 Mean: 1
 Standard deviation: 2.3

No. of MPW male trained for IUD (p79c)

File: PHC

Overview

No. of MPW male trained for IUD (p79c)

File: PHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32

Valid cases: 5731
 Invalid: 3957
 Minimum: 0
 Maximum: 32
 Mean: 0.1
 Standard deviation: 1

No. of MPW male trained for UIP (p79d)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-24

Valid cases: 5731
 Invalid: 3957
 Minimum: 0
 Maximum: 24
 Mean: 0.6
 Standard deviation: 1.7

No. of MPW male trained for CDC/ORT (p79e)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-24

Valid cases: 5731
 Invalid: 3957
 Minimum: 0
 Maximum: 24
 Mean: 0.6
 Standard deviation: 1.7

No. of MPW male trained for ARI (p79f)

File: PHC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-16

Valid cases: 5731
 Invalid: 3957
 Minimum: 0
 Maximum: 16
 Mean: 0.6
 Standard deviation: 1.5

No. of MPW male trained for CSSM (p79g)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-24

Valid cases: 5730
 Invalid: 3958
 Minimum: 0
 Maximum: 24
 Mean: 0.5
 Standard deviation: 1.5

No. of MPW male trained for RCH (p79h)

File: PHC

Overview

Type: Continuous	Valid cases: 5731
Format: numeric	Invalid: 3957
Width: 11	Minimum: 0
Decimals: 0	Maximum: 32
Range: 0-32	Mean: 0.7
	Standard deviation: 1.7

No. of MPW male trained for Sexuality transmitted infection (p79i)

File: PHC

Overview

Type: Continuous	Valid cases: 5730
Format: numeric	Invalid: 3958
Width: 11	Minimum: 0
Decimals: 0	Maximum: 28
Range: 0-28	Mean: 0.6
	Standard deviation: 1.6

No. of MPW male trained for Blood pressure checking (p79j)

File: PHC

Overview

Type: Continuous	Valid cases: 5733
Format: numeric	Invalid: 3955
Width: 11	Minimum: 0
Decimals: 0	Maximum: 32
Range: 0-32	Mean: 0.5
	Standard deviation: 1.6

No. of MPW female Sanctioned (p80a)

File: PHC

Overview

Type: Continuous	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 51
Range: 0-51	Mean: 2.2
	Standard deviation: 5.5

No. of MPW female Filled (p80b)

File: PHC

Overview

Type: Continuous	Valid cases: 8213
Format: numeric	Invalid: 1475
Width: 11	Minimum: 0
Decimals: 0	Maximum: 51
Range: 0-51	Mean: 2.4
	Standard deviation: 5.7

No. of MPW female trained for IUD (p80c)

File: PHC

Overview

Type: Continuous	Valid cases: 6970
Format: numeric	Invalid: 2718
Width: 11	Minimum: 0
Decimals: 0	Maximum: 47
Range: 0-47	Mean: 1.8
	Standard deviation: 5.5

No. of MPW female trained for UIP (p80d)

File: PHC

Overview

Type: Continuous	Valid cases: 6970
Format: numeric	Invalid: 2718
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 2.2
	Standard deviation: 5.7

No. of MPW female trained for CDC/ORT (p80e)

File: PHC

Overview

Type: Continuous	Valid cases: 6969
Format: numeric	Invalid: 2719
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 2.1
	Standard deviation: 5.5

No. of MPW female trained for ARI (p80f)

File: PHC

Overview

Type: Continuous	Valid cases: 6969
Format: numeric	Invalid: 2719
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 1.9
	Standard deviation: 5.2

No. of MPW female trained for CSSM (p80g)

File: PHC

Overview

Type: Continuous	Valid cases: 6971
Format: numeric	Invalid: 2717
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 2.1
	Standard deviation: 5.6

No. of MPW female trained for RCH (p80h)

File: PHC

Overview

Type: Continuous	Valid cases: 6973
Format: numeric	Invalid: 2715
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 2.1
	Standard deviation: 5.2

No. of MPW female trained for Sexuality transmitted infection (p80i)

File: PHC

Overview

Type: Continuous	Valid cases: 6972
Format: numeric	Invalid: 2716
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 1.9
	Standard deviation: 5.2

No. of MPW female trained for Blood pressure checking (p80j)

File: PHC

Overview

Type: Continuous	Valid cases: 6971
Format: numeric	Invalid: 2717
Width: 11	Minimum: 0
Decimals: 0	Maximum: 41
Range: 0-41	Mean: 1.9
	Standard deviation: 5.2

No. of others Sanctioned (p81a)

File: PHC

Overview

Type: Continuous	Valid cases: 9052
Format: numeric	Invalid: 636
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 0.3
	Standard deviation: 1

No. of others Filled (p81b)

File: PHC

Overview

No. of others Filled (p81b)

File: PHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-35

Valid cases: 6453
 Invalid: 3235
 Minimum: 0
 Maximum: 35
 Mean: 0.4
 Standard deviation: 1

No. of others trained for IUD (p81c)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-35

Valid cases: 4417
 Invalid: 5271
 Minimum: 0
 Maximum: 35
 Mean: 0.2
 Standard deviation: 0.9

No. of others trained for UIP (p81d)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-35

Valid cases: 4417
 Invalid: 5271
 Minimum: 0
 Maximum: 35
 Mean: 0.3
 Standard deviation: 1

No. of others trained for CDC/ORT (p81e)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-35

Valid cases: 4416
 Invalid: 5272
 Minimum: 0
 Maximum: 35
 Mean: 0.3
 Standard deviation: 1

No. of others trained for ARI (p81f)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-35

Valid cases: 4417
 Invalid: 5271
 Minimum: 0
 Maximum: 35
 Mean: 0.3
 Standard deviation: 1

No. of others trained for CSSM (p81g)

File: PHC

Overview

Type: Continuous	Valid cases: 4418
Format: numeric	Invalid: 5270
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 0.3
	Standard deviation: 1

No. of others trained for RCH (p81h)

File: PHC

Overview

Type: Continuous	Valid cases: 4418
Format: numeric	Invalid: 5270
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 0.4
	Standard deviation: 1

No. of others trained for Sexuality transmitted infection (p81i)

File: PHC

Overview

Type: Continuous	Valid cases: 4418
Format: numeric	Invalid: 5270
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 0.3
	Standard deviation: 1

No. of others trained for Blood pressure checking (p81j)

File: PHC

Overview

Type: Continuous	Valid cases: 4418
Format: numeric	Invalid: 5270
Width: 11	Minimum: 0
Decimals: 0	Maximum: 35
Range: 0-35	Mean: 0.3
	Standard deviation: 1

No. of X-ray machine Available (p82a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	Mean: 0
	Standard deviation: 0.2

No. of X-ray machine Functioning (p82b)

File: PHC

Overview

Type: Discrete	Valid cases: 4147
Format: numeric	Invalid: 5541
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	Mean: 0.1
	Standard deviation: 0.2

No. of Examination table Available (p83a)

File: PHC

Overview

Type: Continuous	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 59
Range: 0-59	Mean: 1.3
	Standard deviation: 1.5

No. of Examination table Functioning (p83b)

File: PHC

Overview

Type: Continuous	Valid cases: 8904
Format: numeric	Invalid: 784
Width: 11	Minimum: 0
Decimals: 0	Maximum: 59
Range: 0-59	Mean: 1.4
	Standard deviation: 1.4

No. of Weighing machine (infant) Available (p84a)

File: PHC

Overview

Type: Continuous	Valid cases: 9671
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 45
Range: 0-45	Mean: 0.9
	Standard deviation: 1.2

No. of Weighing machine (infant) Functioning (p84b)

File: PHC

Overview

Type: Continuous	Valid cases: 7558
Format: numeric	Invalid: 2130
Width: 11	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 1
	Standard deviation: 1.3

No. of Weighing machine (adult) Available (p85a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 1.2
	Standard deviation: 1.4

No. of Weighing machine (adult) Functioning (p85b)

File: PHC

Overview

Type: Continuous	Valid cases: 8482
Format: numeric	Invalid: 1206
Width: 11	Minimum: 0
Decimals: 0	Maximum: 40
Range: 0-40	Mean: 1.1
	Standard deviation: 1.2

No. of B.P instrument Available (p86a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 33
Range: 0-33	Mean: 1.8
	Standard deviation: 2

No. of B.P instrument Functioning (p86b)

File: PHC

Overview

Type: Continuous	Valid cases: 9286
Format: numeric	Invalid: 402
Width: 11	Minimum: 0
Decimals: 0	Maximum: 32
Range: 0-32	Mean: 1.2
	Standard deviation: 1.3

No. of Stethoscope Available (p87a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 28
Range: 0-28	Mean: 1.2
	Standard deviation: 1.6

No. of Stethoscope Functioning (p87b)

File: PHC

Overview

Type: Discrete	Valid cases: 8496
Format: numeric	Invalid: 1192
Width: 11	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	Mean: 1.1
	Standard deviation: 1.2

No. of Autoclave Available (p88a)

File: PHC

Overview

Type: Discrete	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 17
Range: 0-17	Mean: 1.1
	Standard deviation: 1.3

No. of Autoclave Functioning (p88b)

File: PHC

Overview

Type: Discrete	Valid cases: 8133
Format: numeric	Invalid: 1555
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-14	Mean: 1
	Standard deviation: 1.1

No. of Steam sterilize drum Available (p89a)

File: PHC

Overview

Type: Continuous	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 45
Range: 0-45	Mean: 2.3
	Standard deviation: 3.6

No. of Steam sterilize drum Functioning (p89b)

File: PHC

Overview

Type: Continuous	Valid cases: 8434
Format: numeric	Invalid: 1254
Width: 11	Minimum: 0
Decimals: 0	Maximum: 45
Range: 0-45	Mean: 2.2
	Standard deviation: 3.3

No. of MTP suction aspirators Available (p90a)

File: PHC

Overview

Type: Continuous	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 39
Range: 0-39	Mean: 0.4
	Standard deviation: 1

No. of MTP suction aspirators Functioning (p90b)

File: PHC

Overview

Type: Continuous	Valid cases: 5443
Format: numeric	Invalid: 4245
Width: 11	Minimum: 0
Decimals: 0	Maximum: 39
Range: 0-39	Mean: 0.4
	Standard deviation: 0.9

No. of Microscope & Lab. equipment Available (p91a)

File: PHC

Overview

Type: Continuous	Valid cases: 9671
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 261
Range: 0-261	Mean: 1
	Standard deviation: 3.7

No. of Microscope & Lab. equipment Functioning (p91b)

File: PHC

Overview

Type: Continuous	Valid cases: 7452
Format: numeric	Invalid: 2236
Width: 11	Minimum: 0
Decimals: 0	Maximum: 261
Range: 0-261	Mean: 1.1
	Standard deviation: 4

No. of Oxygen cylinder Available (p92a)

File: PHC

Overview

Type: Continuous	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 58
Range: 0-58	Mean: 0.8
	Standard deviation: 1.4

No. of Oxygen cylinder Functioning (p92b)

File: PHC

Overview

Type: Continuous	Valid cases: 6914
Format: numeric	Invalid: 2774
Width: 11	Minimum: 0
Decimals: 0	Maximum: 23
Range: 0-23	Mean: 0.8
	Standard deviation: 1.2

No. of Labor room equipments Available (p93a)

File: PHC

Overview

Type: Continuous	Valid cases: 9671
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 150
Range: 0-150	Mean: 1
	Standard deviation: 3.1

No. of Labor room equipments Functioning (p93b)

File: PHC

Overview

Type: Continuous	Valid cases: 6712
Format: numeric	Invalid: 2976
Width: 11	Minimum: 0
Decimals: 0	Maximum: 150
Range: 0-150	Mean: 1.3
	Standard deviation: 3.4

No. of Labor room table Available (p94a)

File: PHC

Overview

Type: Continuous	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 44
Range: 0-44	Mean: 0.7
	Standard deviation: 1

No. of Labor room table Functioning (p94b)

File: PHC

Overview

Type: Continuous	Valid cases: 7092
Format: numeric	Invalid: 2596
Width: 11	Minimum: 0
Decimals: 0	Maximum: 44
Range: 0-44	Mean: 0.9
	Standard deviation: 1

No. of O.T table Available (p95a)

File: PHC

Overview

Type: Discrete	Valid cases: 9671
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 20
Range: 0-20	Mean: 0.5
	Standard deviation: 0.8

No. of O.T table Functioning (p95b)

File: PHC

Overview

Type: Discrete	Valid cases: 6065
Format: numeric	Invalid: 3623
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.8
	Standard deviation: 0.9

No. of ILR 300 Available (p96a)

File: PHC

Overview

Type: Discrete	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 8
Range: 0-8	Mean: 0.1
	Standard deviation: 0.5

No. of ILR 300 Functioning (p96b)

File: PHC

Overview

Type: Discrete	Valid cases: 4388
Format: numeric	Invalid: 5300
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 0.2
	Standard deviation: 0.5

Thermometer available in ILR 300 (p96c)

File: PHC

Overview

Type: Discrete	Valid cases: 4542
Format: numeric	Invalid: 5146
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.3
	Standard deviation: 0.6

No. of ILR 140Available (p97a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 7
Range: 0-7	Mean: 0.5
	Standard deviation: 0.6

No. of ILR 140Functioning (p97b)

File: PHC

Overview

Type: Discrete	Valid cases: 6696
Format: numeric	Invalid: 2992
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-14	Mean: 0.7
	Standard deviation: 0.6

Thermometer available in ILR 140 (p97c)

File: PHC

Overview

Type: Discrete	Valid cases: 6786
Format: numeric	Invalid: 2902
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.8
	Standard deviation: 0.6

No. of Deep freezer 300Available (p98a)

File: PHC

Overview

Type: Discrete	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	Mean: 0.1
	Standard deviation: 0.4

No. of Deep freezer 300Functioning (p98b)

File: PHC

Overview

Type: Discrete	Valid cases: 4639
Format: numeric	Invalid: 5049
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.2
	Standard deviation: 0.5

Thermometer available in deep freezer 300 (p98c)

File: PHC

Overview

Type: Discrete	Valid cases: 4790
Format: numeric	Invalid: 4898
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.3
	Standard deviation: 0.6

No. of Deep freezer 140 Available (p99a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	Mean: 0.5
	Standard deviation: 0.7

No. of Deep freezer 140 Functioning (p99b)

File: PHC

Overview

Type: Discrete	Valid cases: 6601
Format: numeric	Invalid: 3087
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 0.7
	Standard deviation: 0.6

Thermometer available in Deep freezer 140 (p99c)

File: PHC

Overview

Type: Discrete	Valid cases: 6698
Format: numeric	Invalid: 2990
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10
Range: 0-10	Mean: 0.8
	Standard deviation: 0.6

No. of Refrigerator Available (p100a)

File: PHC

Overview

Type: Discrete	Valid cases: 9675
Format: numeric	Invalid: 13
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	Mean: 0.2
	Standard deviation: 0.5

No. of Refrigerator Functioning (p100b)

File: PHC

Overview

Type: Discrete	Valid cases: 4912
Format: numeric	Invalid: 4776
Width: 11	Minimum: 0
Decimals: 0	Maximum: 13
Range: 0-13	Mean: 0.2
	Standard deviation: 0.5

No. of Cold Box Available (p101a)

File: PHC

Overview

Type: Continuous	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 273
Range: 0-273	Mean: 1.3
	Standard deviation: 4.8

No. of Cold Box Functioning (p101b)

File: PHC

Overview

Type: Continuous	Valid cases: 6732
Format: numeric	Invalid: 2956
Width: 11	Minimum: 0
Decimals: 0	Maximum: 413
Range: 0-413	Mean: 2.3
	Standard deviation: 7.8

No. of Vaccine/day carrier Available (p102a)

File: PHC

Overview

Type: Continuous	Valid cases: 9671
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 521
Range: 0-521	Mean: 22.4
	Standard deviation: 41.2

No. of Vaccine/day carrier Functioning (p102b)

File: PHC

Overview

Type: Continuous	Valid cases: 7872
Format: numeric	Invalid: 1816
Width: 11	Minimum: 0
Decimals: 0	Maximum: 521
Range: 0-521	Mean: 31.1
	Standard deviation: 47.5

Thermometer functioning (p103)

File: PHC

Overview

Type: Discrete	Valid cases: 6818
Format: numeric	Invalid: 2870
Width: 11	Minimum: 0
Decimals: 0	Maximum: 345
Range: 0-345	

Thermometer kept in ILR (p104)

File: PHC

Overview

Type: Discrete	Valid cases: 6790
Format: numeric	Invalid: 2898
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Daily temperature chart maintained (p105)

File: PHC

Overview

Type: Discrete	Valid cases: 6789
Format: numeric	Invalid: 2899
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

No. of times Temperature out of range from 2 to 8 degree during the last one week (p106)

File: PHC

Overview

Type: Continuous	Valid cases: 6596
Format: numeric	Invalid: 3092
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 0.3
	Standard deviation: 1.1

Needles are adequate (p107)

File: PHC

Overview

Type: Discrete	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Syringes are adequate (p108)

File: PHC

Overview

Type: Discrete	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Syringes are autoclaved or not (p109)

File: PHC

Overview

Type: Discrete	Valid cases: 9667
Format: numeric	Invalid: 21
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Are disposable items used (p110)

File: PHC

Overview

Type: Discrete	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-5	

How are they destroyed after use (p111)

File: PHC

Overview

Type: Discrete	Valid cases: 8986
Format: numeric	Invalid: 702
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6
Range: 0-6	

Supplied Kits A Drugs (sub-center) (p112)

File: PHC

Overview

Type: Discrete	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-5	

Supplied Kits B Drugs (sub-center) (p113)

File: PHC

Supplied Kits B Drugs (sub-center) (p113)

File: PHC

Overview

Type: Discrete	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Kit C equipments (Sub-center) (p114)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Supplied Kits D equipments (PHC) (p115a)

File: PHC

Overview

Type: Discrete	Valid cases: 9671
Format: numeric	Invalid: 17
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Kits D equipments (PHC) (p115b)

File: PHC

Overview

Type: Discrete	Valid cases: 8630
Format: numeric	Invalid: 1058
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Kit G IUD insertion (PHC) (p116a)

File: PHC

Overview

Type: Discrete	Valid cases: 9672
Format: numeric	Invalid: 16
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Kit G IUD insertion (PHC) (p116b)

File: PHC

Utilized Kit G IUD insertion (PHC) (p116b)

File: PHC

Overview

Type: Discrete	Valid cases: 9139
Format: numeric	Invalid: 549
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Kit Normal delivery kit (PHC) (p117a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Kit Normal delivery kit (PHC) (p117b)

File: PHC

Overview

Type: Discrete	Valid cases: 9038
Format: numeric	Invalid: 650
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Kit of Essential obstetric care drugs (PHC) (p118a)

File: PHC

Overview

Type: Discrete	Valid cases: 9673
Format: numeric	Invalid: 15
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Kit of Essential obstetric care drugs (PHC) (p118b)

File: PHC

Overview

Type: Discrete	Valid cases: 8590
Format: numeric	Invalid: 1098
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Infant resuscitation bag with mask (p119a)

File: PHC

Supplied Infant resuscitation bag with mask (p119a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Infant resuscitation bag with mask (p119b)

File: PHC

Overview

Type: Discrete	Valid cases: 8349
Format: numeric	Invalid: 1339
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Weighing machine (p120a)

File: PHC

Overview

Type: Discrete	Valid cases: 9676
Format: numeric	Invalid: 12
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Weighing machine (p120b)

File: PHC

Overview

Type: Discrete	Valid cases: 8886
Format: numeric	Invalid: 802
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Paddle operated suction machine (p121a)

File: PHC

Overview

Type: Discrete	Valid cases: 9674
Format: numeric	Invalid: 14
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Utilized Paddle operated suction machine (p121b)

File: PHC

Utilized Paddle operated suction machine (p121b)

File: PHC

Overview

Type: Discrete	Valid cases: 8519
Format: numeric	Invalid: 1169
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Mounted lamp with 200 w bulb (warming device) (p122a)

File: PHC

Overview

Type: Discrete	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Utilized Mounted lamp with 200 w bulb (warming device) (p122b)

File: PHC

Overview

Type: Discrete	Valid cases: 8170
Format: numeric	Invalid: 1518
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Supplied Baby bassinet (p123a)

File: PHC

Overview

Type: Discrete	Valid cases: 9670
Format: numeric	Invalid: 18
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Utilized Baby bassinet (p123b)

File: PHC

Overview

Type: Discrete	Valid cases: 8289
Format: numeric	Invalid: 1399
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

Quantity of the stock of Lubricated Nirodh Piece (p124a)

File: PHC

Quantity of the stock of Lubricated Nirodh Piece (p124a)

File: PHC

Overview

Type: Continuous	Valid cases: 9331
Format: numeric	Invalid: 357
Width: 11	Minimum: 0
Decimals: 0	Maximum: 174000
Range: 0-174000	Mean: 3330.4
	Standard deviation: 9154.3

Nirodh Supply is regular (p124b)

File: PHC

Overview

Type: Discrete	Valid cases: 9307
Format: numeric	Invalid: 381
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of Nirodh is sufficient for the next months requirement (p124c)

File: PHC

Overview

Type: Discrete	Valid cases: 8323
Format: numeric	Invalid: 1365
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Nirodh Out of stock during the last one month (p124d)

File: PHC

Overview

Type: Discrete	Valid cases: 9306
Format: numeric	Invalid: 382
Width: 11	Minimum: 0
Decimals: 0	Maximum: 42
Range: 0-42	

Quantity of the stock of Oral pills cycles (p125a)

File: PHC

Overview

Type: Continuous	Valid cases: 9322
Format: numeric	Invalid: 366
Width: 11	Minimum: 0
Decimals: 0	Maximum: 58200
Range: 0-58200	Mean: 461.3
	Standard deviation: 1652.6

Oral pills Supply is regular (p125b)

File: PHC

Overview

Type: Discrete	Valid cases: 9295
Format: numeric	Invalid: 393
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of Oral pills is sufficient for the next months requirement (p125c)

File: PHC

Overview

Type: Discrete	Valid cases: 8288
Format: numeric	Invalid: 1400
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Oral pills Out of stock during the last one month (p125d)

File: PHC

Overview

Type: Discrete	Valid cases: 9294
Format: numeric	Invalid: 394
Width: 11	Minimum: 0
Decimals: 0	Maximum: 9
Range: 0-9	

Quantity of the stock of IUDs (p126a)

File: PHC

Overview

Type: Continuous	Valid cases: 9321
Format: numeric	Invalid: 367
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6000
Range: 0-6000	Mean: 73.3
	Standard deviation: 233.6

IUDs Supply is regular (p126b)

File: PHC

Overview

Type: Discrete	Valid cases: 9295
Format: numeric	Invalid: 393
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of IUDs is sufficient for the next months requirement (p126c)

File: PHC

Overview

Type: Discrete	Valid cases: 8221
Format: numeric	Invalid: 1467
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

IUDs Out of stock during the last one month (p126d)

File: PHC

Overview

Type: Discrete	Valid cases: 9292
Format: numeric	Invalid: 396
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-14	

Quantity of the stock of BCG vaccine (p127a)

File: PHC

Overview

Type: Continuous	Valid cases: 8942
Format: numeric	Invalid: 746
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14800
Range: 0-14800	Mean: 76.4
	Standard deviation: 344.8

BCG vaccine Supply is regular (p127b)

File: PHC

Overview

Type: Discrete	Valid cases: 8774
Format: numeric	Invalid: 914
Width: 11	Minimum: -2
Decimals: 0	Maximum: 2
Range: -2-2	

Available quantity of BCG vaccine is sufficient for the next months requirement (p127c)

File: PHC

Overview

Type: Discrete	Valid cases: 7653
Format: numeric	Invalid: 2035
Width: 11	Minimum: -2
Decimals: 0	Maximum: 2
Range: -2-2	

BCG vaccine Out of stock during the last one month (p127d)

File: PHC

Overview

Type: Discrete	Valid cases: 8770
Format: numeric	Invalid: 918
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of the stock of DPT vaccine (p128a)

File: PHC

Overview

Type: Continuous	Valid cases: 8943
Format: numeric	Invalid: 745
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30000
Range: 0-30000	Mean: 146.2
	Standard deviation: 605.7

DPT vaccine Supply is regular (p128b)

File: PHC

Overview

Type: Discrete	Valid cases: 8775
Format: numeric	Invalid: 913
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of DPT vaccine is sufficient for the next months requirement (p128c)

File: PHC

Overview

Type: Discrete	Valid cases: 7709
Format: numeric	Invalid: 1979
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6655
Range: 0-6655	

DPT vaccine Out of stock during the last one month (p128d)

File: PHC

Overview

Type: Discrete	Valid cases: 8768
Format: numeric	Invalid: 920
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of the stock of OPV (vial or ampule) vaccine (p129a)

File: PHC

Overview

Type: Continuous	Valid cases: 8944
Format: numeric	Invalid: 744
Width: 11	Minimum: 0
Decimals: 0	Maximum: 137000
Range: 0-137000	Mean: 323.9
	Standard deviation: 2624.7

OPV vaccine Supply is regular (p129b)

File: PHC

Overview

Type: Discrete	Valid cases: 8776
Format: numeric	Invalid: 912
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of OPV vaccine is sufficient for the next months requirement (p129c)

File: PHC

Overview

Type: Discrete	Valid cases: 7748
Format: numeric	Invalid: 1940
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

OPV vaccine Out of stock during the last one month (p129d)

File: PHC

Overview

Type: Discrete	Valid cases: 8772
Format: numeric	Invalid: 916
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of the stock of Measles vaccine (p130a)

File: PHC

Overview

Type: Continuous	Valid cases: 8944
Format: numeric	Invalid: 744
Width: 11	Minimum: 0
Decimals: 0	Maximum: 10000
Range: 0-10000	Mean: 83.5
	Standard deviation: 334.6

Measles vaccine Supply is regular (p130b)

File: PHC

Overview

Type: Discrete	Valid cases: 8774
Format: numeric	Invalid: 914
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of Measles vaccine is sufficient for the next months requirement (p130c)

File: PHC

Overview

Type: Discrete	Valid cases: 7724
Format: numeric	Invalid: 1964
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Measles vaccine Out of stock during the last one month (p130d)

File: PHC

Overview

Type: Discrete	Valid cases: 8772
Format: numeric	Invalid: 916
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	

Quantity of the stock of DT vaccine (p131a)

File: PHC

Overview

Type: Continuous	Valid cases: 8944
Format: numeric	Invalid: 744
Width: 11	Minimum: 0
Decimals: 0	Maximum: 9090
Range: 0-9090	Mean: 64.8
	Standard deviation: 265.8

DT vaccine Supply is regular (p131b)

File: PHC

Overview

Type: Discrete	Valid cases: 8775
Format: numeric	Invalid: 913
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of DT vaccine is sufficient for the next months requirement (p131c)

File: PHC

Overview

Type: Discrete	Valid cases: 7326
Format: numeric	Invalid: 2362
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

DT vaccine Out of stock during the last one month (p131d)

File: PHC

Overview

Type: Discrete	Valid cases: 8770
Format: numeric	Invalid: 918
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of the stock of TT vaccine (p132a)

File: PHC

Overview

Type: Continuous	Valid cases: 8946
Format: numeric	Invalid: 742
Width: 11	Minimum: 0
Decimals: 0	Maximum: 80000
Range: 0-80000	Mean: 184.2
	Standard deviation: 1046.5

TT vaccine Supply is regular (p132b)

File: PHC

Overview

Type: Discrete	Valid cases: 8777
Format: numeric	Invalid: 911
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of TT vaccine is sufficient for the next months requirement (p132c)

File: PHC

Overview

Type: Discrete	Valid cases: 7738
Format: numeric	Invalid: 1950
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

TT vaccine Out of stock during the last one month (p132d)

File: PHC

Overview

Type: Discrete	Valid cases: 8774
Format: numeric	Invalid: 914
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of stock IFA Tab.(Large) (p133a)

File: PHC

Overview

Type: Continuous	Valid cases: 9302
Format: numeric	Invalid: 386
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1180450
Range: 0-1180450	Mean: 5206.1
	Standard deviation: 30324.6

IFA Tab.(Large) Supply is regular (p133b)

File: PHC

Overview

Type: Discrete	Valid cases: 9282
Format: numeric	Invalid: 406
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of IFA Tab.(Large) is sufficient for the next months requirement (p133c)

File: PHC

Overview

Type: Discrete	Valid cases: 8396
Format: numeric	Invalid: 1292
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

IFA Tab.(Large) Out of stock during the last one month (p133d)

File: PHC

Overview

Type: Discrete	Valid cases: 9283
Format: numeric	Invalid: 405
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of stock IFA Tab.(Small) (p134a)

File: PHC

Overview

Type: Continuous	Valid cases: 9297
Format: numeric	Invalid: 391
Width: 11	Minimum: 0
Decimals: 0	Maximum: 9000000
Range: 0-9000000	Mean: 6606
	Standard deviation: 128679.9

IFA Tab.(small) Supply is regular (p134b)

File: PHC

Overview

Type: Discrete	Valid cases: 9277
Format: numeric	Invalid: 411
Width: 11	Minimum: 0
Decimals: 0	Maximum: 11
Range: 0-11	

Available quantity of IFA Tab.(small) is sufficient for the next months requirement (p134c)

File: PHC

Overview

Type: Discrete	Valid cases: 8231
Format: numeric	Invalid: 1457
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

IFA Tab.(small) Out of stock during the last one month (p134d)

File: PHC

Overview

Type: Discrete	Valid cases: 9278
Format: numeric	Invalid: 410
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of stock of bottles Vitamine A solution (p135a)

File: PHC

Overview

Type: Continuous	Valid cases: 9308
Format: numeric	Invalid: 380
Width: 11	Minimum: 0
Decimals: 0	Maximum: 23485
Range: 0-23485	Mean: 38.2
	Standard deviation: 466

Vitamine A solution Supply is regular (p135b)

File: PHC

Overview

Type: Discrete	Valid cases: 9281
Format: numeric	Invalid: 407
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of Vitamine A solution is sufficient for the next months requirement (p135c)

File: PHC

Overview

Type: Discrete	Valid cases: 8134
Format: numeric	Invalid: 1554
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Vitamine A solution Out of stock during the last one month (p135d)

File: PHC

Overview

Type: Discrete	Valid cases: 9280
Format: numeric	Invalid: 408
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Quantity of stock of Number of ORS packet (p136a)

File: PHC

Overview

Type: Continuous	Valid cases: 9382
Format: numeric	Invalid: 306
Width: 11	Minimum: 0
Decimals: 0	Maximum: 116250
Range: 0-116250	Mean: 377.6
	Standard deviation: 1906.2

ORS packet Supply is regular (p136b)

File: PHC

Overview

Type: Discrete	Valid cases: 9356
Format: numeric	Invalid: 332
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2
Range: 0-2	

Available quantity of ORS packet is sufficient for the next months requirement (p136c)

File: PHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 8399
Invalid: 1289
Minimum: 0
Maximum: 2

ORS packet Out of stock during the last one month (p136d)

File: PHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 9357
Invalid: 331
Minimum: 0
Maximum: 2

Quantity of stock of Contramaxazol tablets (p137a)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-370000

Valid cases: 9383
Invalid: 305
Minimum: 0
Maximum: 370000
Mean: 2471.6
Standard deviation: 7847.9

Contramaxazol tablets Supply is regular (p137b)

File: PHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 9359
Invalid: 329
Minimum: 0
Maximum: 2

Available quantity of Contamaxazol tablets is sufficient for the next months requirement (p137c)

File: PHC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 8573
Invalid: 1115
Minimum: 0
Maximum: 2

contramaxazol tabletsOut of stock during the last one month (p137d)

File: PHC

Overview

Type: Discrete	Valid cases: 9360
Format: numeric	Invalid: 328
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

OPV send for testing in last 3 month (p138)

File: PHC

Overview

Type: Discrete	Valid cases: 9628
Format: numeric	Invalid: 60
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5
Range: 0-5	

What was the result (p139)

File: PHC

Overview

Type: Discrete	Valid cases: 4145
Format: numeric	Invalid: 5543
Width: 11	Minimum: 0
Decimals: 0	Maximum: 3
Range: 0-3	

No. of Deliveries conducted at the PHC during last 3 months (p140)

File: PHC

Overview

Type: Continuous	Valid cases: 9644
Format: numeric	Invalid: 44
Width: 11	Minimum: 0
Decimals: 0	Maximum: 24911
Range: 0-24911	Mean: 32.9
	Standard deviation: 329.4

No. Of new born babies weighed during last 3 months (p141a)

File: PHC

Overview

Type: Continuous	Valid cases: 9639
Format: numeric	Invalid: 49
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4097
Range: 0-4097	Mean: 26.5
	Standard deviation: 88.1

No. Of low birth weight babies during last 3 months (p141b)

File: PHC

Overview

Type: Continuous	Valid cases: 8111
Format: numeric	Invalid: 1577
Width: 11	Minimum: 0
Decimals: 0	Maximum: 677
Range: 0-677	Mean: 2.3
	Standard deviation: 14.2

Neo-natal care treated at PHC (p141c)

File: PHC

Overview

Type: Continuous	Valid cases: 8861
Format: numeric	Invalid: 827
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1804
Range: 0-1804	Mean: 5.7
	Standard deviation: 46

Neo-natal care referred to FRU/DH (p141d)

File: PHC

Overview

Type: Continuous	Valid cases: 8877
Format: numeric	Invalid: 811
Width: 11	Minimum: 0
Decimals: 0	Maximum: 180
Range: 0-180	Mean: 0.7
	Standard deviation: 4.5

No. of children under 5 with Pneumonia treated at PHC (p142a)

File: PHC

Overview

Type: Continuous	Valid cases: 9640
Format: numeric	Invalid: 48
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2419
Range: 0-2419	Mean: 22.7
	Standard deviation: 71.1

No. of children under 5 with Pneumonia referred to FRU/DH (p142b)

File: PHC

Overview

No. of children under 5 with Pneumonia referred to FRU/DH (p142b)

File: PHC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-759

Valid cases: 9636
Invalid: 52
Minimum: 0
Maximum: 759
Mean: 1.5
Standard deviation: 11.2

No. of children under 5 with acute diarrhoeal diseases treated at PHC (p143a)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-4191

Valid cases: 9641
Invalid: 47
Minimum: 0
Maximum: 4191
Mean: 35.4
Standard deviation: 89.7

No. of children under 5 with acute diarrhoeal diseases referred to FRU/DH (p143b)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-845

Valid cases: 9632
Invalid: 56
Minimum: 0
Maximum: 845
Mean: 1.3
Standard deviation: 12.1

No. of male sterilizations Conventional vasectomy (p144a)

File: PHC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-210

Valid cases: 9647
Invalid: 41
Minimum: 0
Maximum: 210
Mean: 0.2
Standard deviation: 3.5

No. of male sterilizations No-Scalpel Vasectomy (p144b)

File: PHC

Overview

No. of male sterilizations No-Scalpel Vasectomy (p144b)

File: PHC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-144

Valid cases: 9643
 Invalid: 45
 Minimum: 0
 Maximum: 144
 Mean: 0.6
 Standard deviation: 4.4

No. Of female Sterilizations Abdominal (p145a)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1093

Valid cases: 9636
 Invalid: 52
 Minimum: 0
 Maximum: 1093
 Mean: 14.8
 Standard deviation: 50.7

No. Of female Sterilizations Laparoscopic (p145b)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99999

Valid cases: 9641
 Invalid: 47
 Minimum: 0
 Maximum: 99999
 Mean: 22
 Standard deviation: 1019.1

No. Of IUD insertions done (p146)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1600

Valid cases: 9588
 Invalid: 100
 Minimum: 0
 Maximum: 1600
 Mean: 25.1
 Standard deviation: 76.8

No. Of medical termination of pregnancy (p147)

File: PHC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-1086

Valid cases: 9618
 Invalid: 70
 Minimum: 0
 Maximum: 1086
 Mean: 2.1
 Standard deviation: 27.5

No. Of patients attended in OPD in last 3 month (p148)

File: PHC

Overview

Type: Continuous	Valid cases: 9644
Format: numeric	Invalid: 44
Width: 11	Minimum: 0
Decimals: 0	Maximum: 46902
Range: 0-46902	Mean: 2346
	Standard deviation: 3122.7

No. Of lab. Tests in last 3 months (p149)

File: PHC

Overview

Type: Continuous	Valid cases: 9328
Format: numeric	Invalid: 360
Width: 11	Minimum: 0
Decimals: 0	Maximum: 24387
Range: 0-24387	Mean: 327.4
	Standard deviation: 816.4

No. Of X-ray done in last 3 months (p150)

File: PHC

Overview

Type: Continuous	Valid cases: 9315
Format: numeric	Invalid: 373
Width: 11	Minimum: 0
Decimals: 0	Maximum: 797
Range: 0-797	Mean: 1
	Standard deviation: 14.8

No. Of patients attended in IPD in last 3 months (p151)

File: PHC

Overview

Type: Continuous	Valid cases: 9640
Format: numeric	Invalid: 48
Width: 11	Minimum: 0
Decimals: 0	Maximum: 9000
Range: 0-9000	Mean: 26.7
	Standard deviation: 119.5

problem of Manpower (p152a)

File: PHC

Overview

Type: Discrete	Valid cases: 6688
Format: numeric	Invalid: 3000
Width: 11	Minimum: 0
Decimals: 0	Maximum: 14
Range: 0-14	Mean: 1.2
	Standard deviation: 1.4

Problem of Infrastructure (p152b)

File: PHC

Overview

Type: Continuous	Valid cases: 6859
Format: numeric	Invalid: 2829
Width: 11	Minimum: 0
Decimals: 0	Maximum: 38
Range: 0-38	Mean: 1.9
	Standard deviation: 3.1

problem of Supply model (p152c)

File: PHC

Overview

Type: Discrete	Valid cases: 5299
Format: numeric	Invalid: 4389
Width: 11	Minimum: 0
Decimals: 0	Maximum: 16
Range: 0-16	Mean: 2.5
	Standard deviation: 2.6

Problem of Vehicle (p152d)

File: PHC

Overview

Type: Discrete	Valid cases: 6209
Format: numeric	Invalid: 3479
Width: 11	Minimum: 0
Decimals: 0	Maximum: 15
Range: 0-15	Mean: 2.3
	Standard deviation: 2

Any other specific Problem (p152e)

File: PHC

Overview

Type: Continuous	Valid cases: 4908
Format: numeric	Invalid: 4780
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 2.9
	Standard deviation: 5

serial number (srno)

File: SC

Overview

Type: Continuous	Valid cases: 18385
Format: numeric	Invalid: 0
Width: 11	Minimum: 1
Decimals: 0	Maximum: 4350
Range: 1-4350	Mean: 699.6
	Standard deviation: 1064.6

state name (s1)

File: SC

Overview

Type: Discrete	Valid cases: 18332
Format: character	Invalid: 0
Width: 11	

State code (sc)

File: SC

Overview

Type: Discrete	Valid cases: 18385
Format: numeric	Invalid: 0
Width: 11	
Decimals: 0	
Range: 1-33	

District name (s2)

File: SC

Overview

Type: Discrete	Valid cases: 18332
Format: character	Invalid: 0
Width: 11	

District code (dc)

File: SC

Overview

Type: Continuous	Valid cases: 18385
Format: numeric	Invalid: 0
Width: 11	Minimum: 1
Decimals: 0	Maximum: 70
Range: 1-70	Mean: 20
	Standard deviation: 16.2

Tehsil name (s3)

File: SC

Overview

Tehsil name (s3)

File: SC

Type: Discrete
 Format: character
 Width: 11

Valid cases: 15959
 Invalid: 0

Tehsil code (tc)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32107

Valid cases: 13716
 Invalid: 4669
 Minimum: 0
 Maximum: 32107
 Mean: 1815.5
 Standard deviation: 5927.6

Block name (s4a)

File: SC

Overview

Type: Discrete
 Format: character
 Width: 11

Valid cases: 18338
 Invalid: 0

Block code (bc)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32205

Valid cases: 12559
 Invalid: 5826
 Minimum: 0
 Maximum: 32205
 Mean: 1996.7
 Standard deviation: 6192.6

name of Sub centre (s4b)

File: SC

Overview

Type: Discrete
 Format: character
 Width: 11

Valid cases: 18337
 Invalid: 0

Sub centre code (scc)

File: SC

Overview

Sub centre code (scc)

File: SC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32452

Valid cases: 13764
 Invalid: 4621
 Minimum: 0
 Maximum: 32452
 Mean: 1881.3
 Standard deviation: 5989.5

functioning year of the sub centre (s5a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 1-99

Valid cases: 18385
 Invalid: 0

SC functioning from this building (Year) (s5b)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-19995

Valid cases: 17705
 Invalid: 680
 Minimum: 0
 Maximum: 19995
 Mean: 2087.9
 Standard deviation: 895.5

Name of PHC where SC is attached (s6)

File: SC

Overview

Type: Discrete
 Format: character
 Width: 11

Valid cases: 18221
 Invalid: 0

PHC code (phcc)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-53321

Valid cases: 13732
 Invalid: 4653
 Minimum: 0
 Maximum: 53321
 Mean: 2073.4
 Standard deviation: 6837.3

No. of villages covered by Sub centre (s7)

File: SC

No. of villages covered by Sub centre (s7)

File: SC

Overview

Type: Continuous	Valid cases: 18250
Format: numeric	Invalid: 135
Width: 11	Minimum: 0
Decimals: 0	Maximum: 480
Range: 0-480	Mean: 5.4
	Standard deviation: 5.5

Month (s8a)

File: SC

Overview

Type: Continuous	Valid cases: 17692
Format: numeric	Invalid: 693
Width: 11	Minimum: 0
Decimals: 0	Maximum: 88
Range: 0-88	Mean: 5
	Standard deviation: 7.3

Year (s8b)

File: SC

Overview

Type: Continuous	Valid cases: 17919
Format: numeric	Invalid: 466
Width: 11	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 2026.2
	Standard deviation: 455.6

Distance between PHC & SC (s9)

File: SC

Overview

Type: Continuous	Valid cases: 18125
Format: numeric	Invalid: 260
Width: 11	Minimum: 0
Decimals: 0	Maximum: 202
Range: 0-202	Mean: 8.5
	Standard deviation: 8.5

Distance between SC and (Other than SC village) (s10)

File: SC

Overview

Type: Continuous	Valid cases: 9445
Format: numeric	Invalid: 8940
Width: 11	Minimum: 0
Decimals: 0	Maximum: 74
Range: 0-74	Mean: 4.1
	Standard deviation: 5.3

Nearest village under SC(km) (s11)

File: SC

Overview

Type: Continuous	Valid cases: 17326
Format: numeric	Invalid: 1059
Width: 11	Minimum: 0
Decimals: 0	Maximum: 62
Range: 0-62	Mean: 2
	Standard deviation: 2.4

Farthest village under SC(km) (s12)

File: SC

Overview

Type: Continuous	Valid cases: 17603
Format: numeric	Invalid: 782
Width: 11	Minimum: 0
Decimals: 0	Maximum: 68
Range: 0-68	Mean: 6.2
	Standard deviation: 5

No. of villages in SC accessible through out the year (s13)

File: SC

Overview

Type: Continuous	Valid cases: 18275
Format: numeric	Invalid: 110
Width: 11	Minimum: 0
Decimals: 0	Maximum: 267
Range: 0-267	Mean: 5.1
	Standard deviation: 4.9

Designation of the Respondent (s14)

File: SC

Overview

Type: Continuous	Valid cases: 18328
Format: numeric	Invalid: 57
Width: 11	Minimum: 0
Decimals: 0	Maximum: 123
Range: 0-123	Mean: 2
	Standard deviation: 1.1

Date (s15a)

File: SC

Overview

Type: Continuous	Valid cases: 18363
Format: numeric	Invalid: 22
Width: 11	Minimum: 0
Decimals: 0	Maximum: 31
Range: 0-31	Mean: 16.1
	Standard deviation: 9

Month (s15b)

File: SC

Overview

Type: Continuous	Valid cases: 18365
Format: numeric	Invalid: 20
Width: 11	Minimum: 0
Decimals: 0	Maximum: 26
Range: 0-26	Mean: 5
	Standard deviation: 2.8

Year (s15c)

File: SC

Overview

Type: Continuous	Valid cases: 18365
Format: numeric	Invalid: 20
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5003
Range: 0-5003	Mean: 1996
	Standard deviation: 120.7

Where is SC functioning (s16)

File: SC

Overview

Type: Discrete	Valid cases: 18330
Format: numeric	Invalid: 55
Width: 11	
Decimals: 0	
Range: 1-5	

where is ANM staying (s17)

File: SC

Overview

Type: Discrete	Valid cases: 18346
Format: numeric	Invalid: 39
Width: 11	
Decimals: 0	
Range: 0-5	

Main source of water supply (s18)

File: SC

Overview

Type: Discrete	Valid cases: 12122
Format: numeric	Invalid: 6263
Width: 11	
Decimals: 0	
Range: 0-4	

Electricity available (s19)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 12124
 Invalid: 6261

Toilet available (s20)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 12124
 Invalid: 6261

Main mode of transportation ANM uses (s21)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 18294
 Invalid: 91

No. of health worker male sanction post (s22a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 18310
 Invalid: 75

No. of health worker female sanction post (s22b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-15

Valid cases: 18373
 Invalid: 12

No. of health worker male post in position (s23a)

File: SC

No. of health worker male post in position (s23a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 17658
 Invalid: 727

No. of health worker female post in position (s23b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-15

Valid cases: 18069
 Invalid: 316

No. of part time voluntary worker male sanction post (s24a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 18272
 Invalid: 113

No. of part time voluntary worker female sanction post (s24b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-14

Valid cases: 18270
 Invalid: 115

No. of part time voluntary worker male post in position (s25a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 13819
 Invalid: 4566

No. of part time voluntary worker female post in position (s25b)

File: SC

No. of part time voluntary worker female post in position (s25b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 15168
 Invalid: 3217

No. of contractual health worker male sanction post (s26a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 9814
 Invalid: 8571

No. of contractual health worker female sanction post (s26b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18203
 Invalid: 182

No. of contractual health worker male post in position (s27a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 8989
 Invalid: 9396

No. of contractual health worker female post in position (s27b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 13904
 Invalid: 4481

Female health worker received training for IUD insertion (s28a)

File: SC

Female health worker received training for IUD insertion (s28a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18248
 Invalid: 137

Male health worker received training for IUD insertion (s28b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 12342
 Invalid: 6043

Female health worker received training for CDD (s29a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18247
 Invalid: 138

Male health worker received training for CDD (s29b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 12346
 Invalid: 6039

Female health worker received training for UIP (s30a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18243
 Invalid: 142

Male health worker received training for UIP (s30b)

File: SC

Male health worker received training for UIP (s30b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 12350
 Invalid: 6035

Female health worker received training for CSSM (s31a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18245
 Invalid: 140

Male health worker received training for CSSM (s31b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 12338
 Invalid: 6047

Female health worker received training for RCH (s32a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18246
 Invalid: 139

Male health worker received training for RCH (s32b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 12407
 Invalid: 5978

Female health worker received training for ARI (s33a)

File: SC

Female health worker received training for ARI (s33a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18235
 Invalid: 150

Male health worker received training for ARI (s33b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9

Valid cases: 12341
 Invalid: 6044

Number of examination table available (s34a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 18356
 Invalid: 29

Number of examination table functioning (s34b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5

Valid cases: 14040
 Invalid: 4345

Number of infant weighing machine available (s35a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-15

Valid cases: 18248
 Invalid: 137

Number of infant weighing machine functioning (s35b)

File: SC

Number of infant weighing machine functioning (s35b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 16215
 Invalid: 2170

Number of adult weighing machine available (s36a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5

Valid cases: 18356
 Invalid: 29

Number of adult weighing machine functioning (s36b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 15200
 Invalid: 3185

Number of BP instrument available (s37a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-10

Valid cases: 18354
 Invalid: 31

Number of BP instrument functioning (s37b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 15905
 Invalid: 2480

Number of Stethoscope available (s38a)

File: SC

Number of Stethoschope available (s38a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-11

Valid cases: 18354
 Invalid: 31

Number of Stethoschopefunctioning (s38b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 12666
 Invalid: 5719

Number of Pressure cooker available (s39a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 18247
 Invalid: 138

Number of Pressure cooker functioning (s39b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-4

Valid cases: 15401
 Invalid: 2984

Number of Hemoglobinometer available (s40a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-30

Valid cases: 18355
 Invalid: 30
 Minimum: 0
 Maximum: 30
 Mean: 0.4
 Standard deviation: 0.6

Number of Hemoglobinometer functioning (s40b)

File: SC

Overview

Type: Continuous	Valid cases: 11504
Format: numeric	Invalid: 6881
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 0.5
	Standard deviation: 0.7

Number of Reagent strip for urine test available (s41a)

File: SC

Overview

Type: Continuous	Valid cases: 18350
Format: numeric	Invalid: 35
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1300
Range: 0-1300	Mean: 5.7
	Standard deviation: 34

Number of Reagent strip for urine test functioning (s41b)

File: SC

Overview

Type: Continuous	Valid cases: 9121
Format: numeric	Invalid: 9264
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1300
Range: 0-1300	Mean: 11.1
	Standard deviation: 47.4

Number of Speculum available (s42a)

File: SC

Overview

Type: Continuous	Valid cases: 18355
Format: numeric	Invalid: 30
Width: 11	Minimum: 0
Decimals: 0	Maximum: 25
Range: 0-25	Mean: 1.1
	Standard deviation: 1

Number of Speculum functioning (s42b)

File: SC

Overview

Type: Continuous	Valid cases: 16483
Format: numeric	Invalid: 1902
Width: 11	Minimum: 0
Decimals: 0	Maximum: 25
Range: 0-25	Mean: 1.2
	Standard deviation: 1

Number of Stove available (s43a)

File: SC

Overview

Type: Continuous	Valid cases: 18248
Format: numeric	Invalid: 137
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30
Range: 0-30	Mean: 1.1
	Standard deviation: 0.8

Number of Stove functioning (s43b)

File: SC

Overview

Type: Discrete	Valid cases: 16915
Format: numeric	Invalid: 1470
Width: 11	
Decimals: 0	
Range: 0-9	

Number of Almirah available (s44a)

File: SC

Overview

Type: Discrete	Valid cases: 18248
Format: numeric	Invalid: 137
Width: 11	
Decimals: 0	
Range: 0-7	

Number of Almirah in used (s44b)

File: SC

Overview

Type: Discrete	Valid cases: 13428
Format: numeric	Invalid: 4957
Width: 11	
Decimals: 0	
Range: 0-6	

Number of Medicine chest available (s45a)

File: SC

Overview

Type: Continuous	Valid cases: 18352
Format: numeric	Invalid: 33
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1510
Range: 0-1510	Mean: 0.6
	Standard deviation: 17.4

Number of Medicine chest in used (s45b)

File: SC

Overview

Type: Continuous	Valid cases: 9797
Format: numeric	Invalid: 8588
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1510
Range: 0-1510	Mean: 1.1
	Standard deviation: 23.8

Number of other equipment available (s46a)

File: SC

Overview

Type: Continuous	Valid cases: 18332
Format: numeric	Invalid: 53
Width: 11	Minimum: 0
Decimals: 0	Maximum: 77
Range: 0-77	Mean: 1.4
	Standard deviation: 3

Number of other equipment in used (s46b)

File: SC

Overview

Type: Continuous	Valid cases: 12352
Format: numeric	Invalid: 6033
Width: 11	Minimum: 0
Decimals: 0	Maximum: 77
Range: 0-77	Mean: 1.9
	Standard deviation: 3.2

vacine day carrier available (s47)

File: SC

Overview

Type: Discrete	Valid cases: 18251
Format: numeric	Invalid: 134
Width: 11	
Decimals: 0	
Range: 0-2	

vacine day carrier it is being utilized (s48)

File: SC

Overview

Type: Discrete	Valid cases: 18252
Format: numeric	Invalid: 133
Width: 11	
Decimals: 0	
Range: 0-2	

ANM received any contingency to purchase kerosine (s49)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18351
 Invalid: 34

quantaty of kerosene in liters (s50)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-125

Valid cases: 12474
 Invalid: 5911
 Minimum: 0
 Maximum: 125
 Mean: 6.8
 Standard deviation: 7.8

In which month receive any contingency (s51a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 12189
 Invalid: 6196
 Minimum: 0
 Maximum: 99
 Mean: 4.6
 Standard deviation: 6.3

In which year receive any contingency (s51b)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-9999

Valid cases: 12438
 Invalid: 5947
 Minimum: 0
 Maximum: 9999
 Mean: 1609.3
 Standard deviation: 850.1

Number of needle available on the day of visit (s52a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-24002

Valid cases: 18200
 Invalid: 185
 Minimum: 0
 Maximum: 24002
 Mean: 68.1
 Standard deviation: 210.1

Adequacy of needle for next month (s52b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 17892
 Invalid: 493

Number of Syringes available on the day of visit (s53a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2016

Valid cases: 18230
 Invalid: 155
 Minimum: 0
 Maximum: 2016
 Mean: 46.5
 Standard deviation: 76.8

Adequacy of syringes for next month (s53b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-50

Valid cases: 17928
 Invalid: 457

Number of immunization card available on the day of visit (s54a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6084

Valid cases: 18198
 Invalid: 187
 Minimum: 0
 Maximum: 6084
 Mean: 86.5
 Standard deviation: 120.3

Adequacy of maternal health card for next month (s54b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 17785
 Invalid: 600

Number of reagent stipe available on the day of visit (s55a)

File: SC

Overview

Type: Continuous	Valid cases: 18314
Format: numeric	Invalid: 71
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2920
Range: 0-2920	Mean: 8.2
	Standard deviation: 42.9

adequacy of reagent stipe for next month (s55b)

File: SC

Overview

Type: Discrete	Valid cases: 13584
Format: numeric	Invalid: 4801
Width: 11	
Decimals: 0	
Range: 0-35	

Quantaty of kerosesne in liters (s56a)

File: SC

Overview

Type: Continuous	Valid cases: 18317
Format: numeric	Invalid: 68
Width: 11	Minimum: 0
Decimals: 0	Maximum: 2511
Range: 0-2511	Mean: 1.1
	Standard deviation: 18.8

Adequacy of kerosene (s56b)

File: SC

Overview

Type: Discrete	Valid cases: 12963
Format: numeric	Invalid: 5422
Width: 11	
Decimals: 0	
Range: 0-5	

Eligible couple register are supplied (s57)

File: SC

Overview

Type: Discrete	Valid cases: 18223
Format: numeric	Invalid: 162
Width: 11	
Decimals: 0	
Range: 0-2	

supply of register is adequate for next month (s58)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 16340
 Invalid: 2045

supply of maternal and child care record (s59)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18222
 Invalid: 163

supply of maternal and child care record is adequate for next six month (s60)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 15069
 Invalid: 3316

Number of lubricated nirod pice available on the day of visit (s61a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-46500

Valid cases: 18206
 Invalid: 179
 Minimum: 0
 Maximum: 46500
 Mean: 667.7
 Standard deviation: 1565.8

regular supply of condom (s61b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18305
 Invalid: 80

Available quantity of condom is sufficient for next months requirement (s61c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16387
Invalid: 1998

condom experienced stock out during last one month (s61d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-23

Valid cases: 18303
Invalid: 82

Number of oral pill cycle available on the day of visit (s62a)

File: SC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-34101

Valid cases: 18310
Invalid: 75
Minimum: 0
Maximum: 34101
Mean: 95.8
Standard deviation: 345.6

regular supply of Oral pills (s62b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18300
Invalid: 85

Available quantity of Oral pills is sufficient for next months requirement (s62c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16546
Invalid: 1839

Oral pills experienced stock out during last one month (s62d)

File: SC

Overview

Type: Discrete	Valid cases: 18296
Format: numeric	Invalid: 89
Width: 11	
Decimals: 0	
Range: 0-2	

Number of IUDs available on the day of visit (s63a)

File: SC

Overview

Type: Continuous	Valid cases: 18206
Format: numeric	Invalid: 179
Width: 11	Minimum: 0
Decimals: 0	Maximum: 20040
Range: 0-20040	Mean: 13.1
	Standard deviation: 152.3

regular supply of IUDs (s63b)

File: SC

Overview

Type: Discrete	Valid cases: 18303
Format: numeric	Invalid: 82
Width: 11	
Decimals: 0	
Range: 0-2	

Available quantaty of IUDs is sufficint for next months requirement (s63c)

File: SC

Overview

Type: Discrete	Valid cases: 16330
Format: numeric	Invalid: 2055
Width: 11	
Decimals: 0	
Range: 0-3	

IUDs experienced stock out during last one month (s63d)

File: SC

Overview

Type: Discrete	Valid cases: 18294
Format: numeric	Invalid: 91
Width: 11	
Decimals: 0	
Range: 0-3	

Number of IFA large strips available on the day of visit (s64a)

File: SC

Overview

Type: Continuous	Valid cases: 18209
Format: numeric	Invalid: 176
Width: 11	Minimum: 0
Decimals: 0	Maximum: 82060
Range: 0-82060	Mean: 2512
	Standard deviation: 5761.4

regular supply of IFA large strips (s64b)

File: SC

Overview

Type: Discrete	Valid cases: 18309
Format: numeric	Invalid: 76
Width: 11	
Decimals: 0	
Range: 0-2	

Available quantaty of IFA large is sufficint for next months requirement (s64c)

File: SC

Overview

Type: Discrete	Valid cases: 17420
Format: numeric	Invalid: 965
Width: 11	
Decimals: 0	
Range: 0-11	

IFA large experienced stock out during last one month (s64d)

File: SC

Overview

Type: Discrete	Valid cases: 18301
Format: numeric	Invalid: 84
Width: 11	
Decimals: 0	
Range: 0-3	

Number of IFA small strips available on the day of visit (s65a)

File: SC

Overview

Type: Continuous	Valid cases: 18208
Format: numeric	Invalid: 177
Width: 11	Minimum: 0
Decimals: 0	Maximum: 201000
Range: 0-201000	Mean: 2275.8
	Standard deviation: 5766.4

regular supply of IFA small strips (s65b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18309
 Invalid: 76

Available quantaty of IFA small is sufficint for next months requirement (s65c)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 17238
 Invalid: 1147

IFA small experienced stock out during last one month (s65d)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 18300
 Invalid: 85

Number of vitamin A solution bottle available on the day of visit (s66a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-23000

Valid cases: 18183
 Invalid: 202
 Minimum: 0
 Maximum: 23000
 Mean: 10.5
 Standard deviation: 193.2

regular supply of Vitamin A solution bottle (s66b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18309
 Invalid: 76

Available quantity of Vitamin A solution bottle is sufficient for next months requirement (s66c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16928
Invalid: 1457

Vitamin A solution bottle experienced stock out during last one month (s66d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18301
Invalid: 84

Number of ORS packet available on the day of visit (s67a)

File: SC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-26000

Valid cases: 18206
Invalid: 179
Minimum: 0
Maximum: 26000
Mean: 130.8
Standard deviation: 339.7

regular supply of ORS packet (s67b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18308
Invalid: 77

Available quantity of ORS packet is sufficient for next months requirement (s67c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16980
Invalid: 1405

ORS packet experienced stock out during last one month (s67d)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18301
 Invalid: 84

Number of cotrimaxazol tablets available on the day of visit (s68a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-36000

Valid cases: 18309
 Invalid: 76
 Minimum: 0
 Maximum: 36000
 Mean: 635.7
 Standard deviation: 947.7

regular supply of contrimaxazole tablets (s68b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18309
 Invalid: 76

Available quantaty of contrimaxazole tablets is sufficint for next months requirement (s68c)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 16832
 Invalid: 1553

Contrimaxazol tablets experienced stock out during last one month (s68d)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18300
 Invalid: 85

Number of disposal Delivery kit available on the day of visit (s69a)

File: SC

Overview

Type: Continuous	Valid cases: 18309
Format: numeric	Invalid: 76
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1500
Range: 0-1500	Mean: 17.1
	Standard deviation: 56

regular supply of DDK (s69b)

File: SC

Overview

Type: Discrete	Valid cases: 18294
Format: numeric	Invalid: 91
Width: 11	
Decimals: 0	
Range: 0-2	

Available quantaty of DDK is sufficint for next months requirement (s69c)

File: SC

Overview

Type: Discrete	Valid cases: 16179
Format: numeric	Invalid: 2206
Width: 11	
Decimals: 0	
Range: 0-2	

DDK experienced stock out during last one month (s69d)

File: SC

Overview

Type: Discrete	Valid cases: 18290
Format: numeric	Invalid: 95
Width: 11	
Decimals: 0	
Range: 0-2	

Quentaty of the stock of methelergotrine tablet(0.25mg) available on the day of visit (s70a)

File: SC

Overview

Type: Continuous	Valid cases: 18305
Format: numeric	Invalid: 80
Width: 11	Minimum: 0
Decimals: 0	Maximum: 18000
Range: 0-18000	Mean: 320.3
	Standard deviation: 524.9

regular supply of Metheleregotriner tablet(0.25mg) (s70b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18292
 Invalid: 93

Available quantity of Methelergometrine tablets(0.25mg) is sufficient for next months requirement (s70c)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 16537
 Invalid: 1848

Methelergometrine tablet (0.25mg)experienced stock out during last one month (s70d)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18289
 Invalid: 96

Quantity of the stock of Paracetamol tablet(500mg) available on the day of visit (s71a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-32000

Valid cases: 18306
 Invalid: 79
 Minimum: 0
 Maximum: 32000
 Mean: 513.1
 Standard deviation: 1015.7

regular supply of Paracetamol tablet(500mg) (s71b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18289
 Invalid: 96

Available quantaty of Paracetamol tablets(500mg) is sufficint for next months requirement (s71c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16677
Invalid: 1708

Paracetamol(500mg) tablet experienced stock out during last one month (s71d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-3

Valid cases: 18288
Invalid: 97

Quentaty of the stock of methelergotrine ampule (0.2mg/ml) available on the day of visit (s72a)

File: SC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-3500

Valid cases: 18306
Invalid: 79
Minimum: 0
Maximum: 3500
Mean: 9.9
Standard deviation: 49.5

regular supply of Metheleregotrine ampule (0.2mg/ml) (s72b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-14

Valid cases: 18291
Invalid: 94

Available quantaty of Methelergometrine ampule (0.2mg/ml) is sufficint for next months requirement (s72c)

File: SC

Overview

Available quantity of Methelergometrine ampule (0.2mg/ml) is sufficient for next months requirement (s72c)

File: SC

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 15777
Invalid: 2608

Methelergometrine ampule (0.2mg/ml) experienced stock out during last one month (s72d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18288
Invalid: 97

Quantity of the stock of mebendazole tablets (100mg) available on the day of visit (s73a)

File: SC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-13000

Valid cases: 18306
Invalid: 79
Minimum: 0
Maximum: 13000
Mean: 225.5
Standard deviation: 348

regular supply of Mebendazole tablet (100mg) (s73b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18290
Invalid: 95

Available quantity of Mebendazole tablet (100mg) is sufficient for next months requirement (s73c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16740
Invalid: 1645

Methelergometrine ampule tablet (100mg) experienced stock out during last one month (s73d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18291
Invalid: 94

Number of dicylomine tablet (10mg) available on the day of visit (s74a)

File: SC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-12186

Valid cases: 18301
Invalid: 84
Minimum: 0
Maximum: 12186
Mean: 133.3
Standard deviation: 255.1

regular supply of Dicylomine tablet (10mg) (s74b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18292
Invalid: 93

Available quantaty of Dicyclomine tablet (10mg) is sufficint for next months requirement (s74c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16213
Invalid: 2172

Dycyclomine tablet (10mg) experienced stock out during last one month (s74d)

File: SC

Overview

Dicyclomine tablet (10mg)experienced stock out during last one month (s74d)

File: SC

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-25

Valid cases: 18291
 Invalid: 94

Number of Chloramphenicol eye ointment applicap (250mg) available on the day of visit (s75a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-71810

Valid cases: 18179
 Invalid: 206
 Minimum: 0
 Maximum: 71810
 Mean: 274.4
 Standard deviation: 852.9

regular supply of chloramphenicol eye oinment applicap (250mg) (s75b)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 18291
 Invalid: 94

Available quantaty of chloramphenicol eye oinment applicap (250mg) is sufficint for next months requirement (s75c)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-2

Valid cases: 16599
 Invalid: 1786

Chloramphenicol eye oinment applicap (250mg)experienced stock out during last one month (s75d)

File: SC

Overview

Chloramphenicol eye ointment applicator (250mg) experienced stock out during last one month (s75d)

File: SC

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18290
Invalid: 95

Number of Ointment povidone iodine tube (5%) available on the day of visit (s76a)

File: SC

Overview

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-3500

Valid cases: 18179
Invalid: 206
Minimum: 0
Maximum: 3500
Mean: 5
Standard deviation: 39.1

regular supply of ointment povidone iodine tube (5%) (s76b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-4

Valid cases: 18290
Invalid: 95

Available quantity of Ointment povidone iodine tube (5%) is sufficient for next months requirement (s76c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 15996
Invalid: 2389

Ointment povidone iodine (5%) experienced stock out during last one month (s76d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18229
Invalid: 156

Number of Cetrimide powder packet (125gm) available on the day of visit (s77a)

File: SC

Overview

Type: Continuous	Valid cases: 18243
Format: numeric	Invalid: 142
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1800
Range: 0-1800	Mean: 2.8
	Standard deviation: 21.4

regular supply of Centrimide powder packet (125gm) (s77b)

File: SC

Overview

Type: Discrete	Valid cases: 18225
Format: numeric	Invalid: 160
Width: 11	
Decimals: 0	
Range: 0-2	

Available quantaty of Centrimide powder packet (125gm) is sufficint for next months requirement (s77c)

File: SC

Overview

Type: Discrete	Valid cases: 15225
Format: numeric	Invalid: 3160
Width: 11	
Decimals: 0	
Range: 0-2	

Centrimide powder packet (125gm)experienced stock out during last one month (s77d)

File: SC

Overview

Type: Discrete	Valid cases: 18226
Format: numeric	Invalid: 159
Width: 11	
Decimals: 0	
Range: 0-2	

Number of Absorbent cotton roll available on the day of visit (s78a)

File: SC

Overview

Number of Absorbent cotton roll available on the day of visit (s78a)

File: SC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-6100

Valid cases: 18241
Invalid: 144
Minimum: 0
Maximum: 6100
Mean: 6
Standard deviation: 76.2

regular supply of Absorbent cotton roll (s78b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18241
Invalid: 144

Available quantity of Absorbent cotton roll is sufficient for next months requirement (s78c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16032
Invalid: 2353

Absorbent cotton roll experienced stock out during last one month (s78d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18228
Invalid: 157

Number of cotton bandage roll(4cm width 4meter length) available on the day of visit (s79a)

File: SC

Overview

Number of cotton bandage roll(4cm width 4meter length) available on the day of visit (s79a)

File: SC

Type: Continuous
Format: numeric
Width: 11
Decimals: 0
Range: 0-11212

Valid cases: 18119
Invalid: 266
Minimum: 0
Maximum: 11212
Mean: 26.6
Standard deviation: 103.1

regular supply of cotton bandage roll (s79b)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 18290
Invalid: 95

Available quantaty of cotton bandage roll (s79c)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-2

Valid cases: 16265
Invalid: 2120

Cotton bandage roll experienced stock out during last one month (s79d)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-4

Valid cases: 18266
Invalid: 119

kit A drug received (s80a)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-8

Valid cases: 18187
Invalid: 198

Date of receipt (last received) (s80b)

File: SC

Overview

Type: Continuous	Valid cases: 14379
Format: numeric	Invalid: 4006
Width: 11	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 1912.8
	Standard deviation: 755.7

kit A drug utilized by SC (s80c)

File: SC

Overview

Type: Discrete	Valid cases: 18133
Format: numeric	Invalid: 252
Width: 11	
Decimals: 0	
Range: 0-3	

kit B drug received (s81a)

File: SC

Overview

Type: Discrete	Valid cases: 18186
Format: numeric	Invalid: 199
Width: 11	
Decimals: 0	
Range: 0-8	

Date of receipt (last received) (s81b)

File: SC

Overview

Type: Continuous	Valid cases: 14245
Format: numeric	Invalid: 4140
Width: 11	Minimum: 0
Decimals: 0	Maximum: 8888
Range: 0-8888	Mean: 1901.9
	Standard deviation: 817.1

kit B drug utilized by SC (s81c)

File: SC

Overview

Type: Discrete	Valid cases: 17940
Format: numeric	Invalid: 445
Width: 11	
Decimals: 0	
Range: 0-5	

kit C equipment received (s82a)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-8

Valid cases: 18319
 Invalid: 66

Date of receipt (last received) (s82b)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-37632

Valid cases: 12068
 Invalid: 6317
 Minimum: 0
 Maximum: 37632
 Mean: 959.7
 Standard deviation: 2163.1

kit C Equipment utilized by SC (s82c)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-6

Valid cases: 10081
 Invalid: 8304

Develop plan for SC to this year (s83)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-12

Valid cases: 18193
 Invalid: 192

Total number of Home visited (Last two week from survey) (s84)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-5400

Valid cases: 18150
 Invalid: 235
 Minimum: 0
 Maximum: 5400
 Mean: 167.7
 Standard deviation: 214.4

Total number of Antenatal cases registered (s85)

File: SC

Overview

Type: Continuous	Valid cases: 18147
Format: numeric	Invalid: 238
Width: 11	Minimum: 0
Decimals: 0	Maximum: 965
Range: 0-965	Mean: 35.5
	Standard deviation: 30.4

No. Of women provided ANC (s86)

File: SC

Overview

Type: Continuous	Valid cases: 18145
Format: numeric	Invalid: 240
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4231
Range: 0-4231	Mean: 41.7
	Standard deviation: 68

No. Of women visited during PNC (s87)

File: SC

Overview

Type: Continuous	Valid cases: 18146
Format: numeric	Invalid: 239
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1310
Range: 0-1310	Mean: 26.4
	Standard deviation: 29.2

No. Of infant immunized (s88)

File: SC

Overview

Type: Continuous	Valid cases: 18144
Format: numeric	Invalid: 241
Width: 11	Minimum: 0
Decimals: 0	Maximum: 9096
Range: 0-9096	Mean: 65.6
	Standard deviation: 101.7

No. Of children Immunization (s89)

File: SC

Overview

Type: Continuous	Valid cases: 18311
Format: numeric	Invalid: 74
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5200
Range: 0-5200	Mean: 53.6
	Standard deviation: 82.4

No. Of children treated for ARI & diarrhea (s90)

File: SC

Overview

Type: Continuous	Valid cases: 18304
Format: numeric	Invalid: 81
Width: 11	Minimum: 0
Decimals: 0	Maximum: 5960
Range: 0-5960	Mean: 26.3
	Standard deviation: 65

No. Of OP packets distributed (s91)

File: SC

Overview

Type: Continuous	Valid cases: 18308
Format: numeric	Invalid: 77
Width: 11	Minimum: 0
Decimals: 0	Maximum: 6200
Range: 0-6200	Mean: 75.3
	Standard deviation: 119.6

No. Of condoms distributed (s92)

File: SC

Overview

Type: Continuous	Valid cases: 18144
Format: numeric	Invalid: 241
Width: 11	Minimum: 0
Decimals: 0	Maximum: 30760
Range: 0-30760	Mean: 798.9
	Standard deviation: 1047.6

No. Of Dai/AWW meeting organized /attended (s93)

File: SC

Overview

Type: Continuous	Valid cases: 18143
Format: numeric	Invalid: 242
Width: 11	Minimum: 0
Decimals: 0	Maximum: 1962
Range: 0-1962	Mean: 8.8
	Standard deviation: 28.8

Total No. Of health cases attended/treated minor ailments (s94)

File: SC

Overview

Type: Continuous	Valid cases: 18296
Format: numeric	Invalid: 89
Width: 11	Minimum: 0
Decimals: 0	Maximum: 4500
Range: 0-4500	Mean: 190.8
	Standard deviation: 246.6

No. Of delivery conducted by ANM in SC or Home (s95)

File: SC

Overview

Type: Continuous	Valid cases: 18341
Format: numeric	Invalid: 44
Width: 11	Minimum: 0
Decimals: 0	Maximum: 900
Range: 0-900	Mean: 11.8
	Standard deviation: 19.3

No. Of IUD inserted by ANM (s96)

File: SC

Overview

Type: Continuous	Valid cases: 18309
Format: numeric	Invalid: 76
Width: 11	Minimum: 0
Decimals: 0	Maximum: 291
Range: 0-291	Mean: 8.6
	Standard deviation: 10.9

Do you have fixed service days (s97)

File: SC

Overview

Type: Discrete	Valid cases: 18187
Format: numeric	Invalid: 198
Width: 11	
Decimals: 0	
Range: 0-4	

Fixed No. of days Immunization care (Village 1) (s98a)

File: SC

Overview

Type: Continuous	Valid cases: 14129
Format: numeric	Invalid: 4256
Width: 11	Minimum: 0
Decimals: 0	Maximum: 782728
Range: 0-782728	Mean: 70.2
	Standard deviation: 6584.9

Fixed No. of days ANC care (Village 1) (s98b)

File: SC

Overview

Type: Continuous	Valid cases: 13889
Format: numeric	Invalid: 4496
Width: 11	Minimum: 0
Decimals: 0	Maximum: 822
Range: 0-822	Mean: 15.8
	Standard deviation: 28.8

Fixed No. of days Immunization care (Village 2) (s99a)

File: SC

Overview

Type: Continuous	Valid cases: 12535
Format: numeric	Invalid: 5850
Width: 11	Minimum: 0
Decimals: 0	Maximum: 332
Range: 0-332	Mean: 15.3
	Standard deviation: 27.1

Fixed No. of days ANC care (Village 2) (s99b)

File: SC

Overview

Type: Continuous	Valid cases: 12313
Format: numeric	Invalid: 6072
Width: 11	Minimum: 0
Decimals: 0	Maximum: 332
Range: 0-332	Mean: 16
	Standard deviation: 28.2

Fixed No. of days Immunization care (Village 3) (s100a)

File: SC

Overview

Type: Continuous	Valid cases: 10838
Format: numeric	Invalid: 7547
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 16.1
	Standard deviation: 28.3

Fixed No. of days ANC care (Village 3) (s100b)

File: SC

Overview

Type: Continuous	Valid cases: 10670
Format: numeric	Invalid: 7715
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 16.7
	Standard deviation: 29.1

Fixed No. of days Immunization care (Village 4) (s101a)

File: SC

Overview

Type: Continuous	Valid cases: 8472
Format: numeric	Invalid: 9913
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 18.8
	Standard deviation: 32.3

Fixed No. of days ANC care (Village 4) (s101b)

File: SC

Overview

Type: Continuous	Valid cases: 8358
Format: numeric	Invalid: 10027
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 19.3
	Standard deviation: 32.9

Fixed No. of days Immunization care (Village 5) (s102a)

File: SC

Overview

Type: Continuous	Valid cases: 6814
Format: numeric	Invalid: 11571
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 22.7
	Standard deviation: 36.5

Fixed No. of days ANC care (Village 5) (s102b)

File: SC

Overview

Type: Continuous	Valid cases: 6740
Format: numeric	Invalid: 11645
Width: 11	Minimum: 0
Decimals: 0	Maximum: 99
Range: 0-99	Mean: 22.9
	Standard deviation: 36.8

Fixed No. of days Immunization care (subcentre head quarter) (s103a)

File: SC

Overview

Type: Continuous	Valid cases: 14112
Format: numeric	Invalid: 4273
Width: 11	Minimum: 0
Decimals: 0	Maximum: 332
Range: 0-332	Mean: 16.1
	Standard deviation: 27.7

ANC care (subcentre head quarter) (s103b)

File: SC

Overview

ANC care (subcentre head quarter) (s103b)

File: SC

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-332

Valid cases: 13941
 Invalid: 4444
 Minimum: 0
 Maximum: 332
 Mean: 17.8
 Standard deviation: 29.1

Fixed travel allowance (s104)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 18240
 Invalid: 145

ANM has received TA during last three month (s105)

File: SC

Overview

Type: Discrete
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-3

Valid cases: 12556
 Invalid: 5829

Month of received the last TA (s106a)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-99

Valid cases: 8742
 Invalid: 9643
 Minimum: 0
 Maximum: 99
 Mean: 2.8
 Standard deviation: 10.4

Year of received the last TA (s106b)

File: SC

Overview

Type: Continuous
 Format: numeric
 Width: 11
 Decimals: 0
 Range: 0-20001

Valid cases: 8901
 Invalid: 9484
 Minimum: 0
 Maximum: 20001
 Mean: 772.3
 Standard deviation: 1286.7

Cleanliness status of SC Building (s107)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-4

Valid cases: 18287
Invalid: 98

Cleanliness status Sub Center premises (s108)

File: SC

Overview

Type: Discrete
Format: numeric
Width: 11
Decimals: 0
Range: 0-4

Valid cases: 17602
Invalid: 783

