

India - Social Consumption : Health, NSS 71st Round : Jan - June 2014

**National Sample Survey Office - M/o Statistics and Programme
Implementation(MOSPI),Government of India (GOI)**

Report generated on: December 22, 2015

Visit our data catalog at: <http://nada.vm-host.net/index.php>

Overview

Identification

ID NUMBER

DDI-IND-MOSPI-NSSO-71Rnd-Sch25pt0-Jan-June-2014

Version

VERSION DESCRIPTION

V1.0; Re-organised anonymised dataset for public distribution.

PRODUCTION DATE

2015-07-27

Overview

ABSTRACT

The survey on health aimed to generate basic quantitative information on the health sector. A vital component is the information relevant to the determination of the prevalence rate of morbidity among various age-sex groups in different regions of the country. Further, measurement of the extent of use of health services provided by the Government was an indispensable part of the exercise. Special attention was given to hospitalisation, or medical care received as in-patient of medical institutions. The ailments for which such medical care was sought, the extent of use of Government hospitals, and the expenditure incurred on treatment received from public and private sectors, were all to be investigated by the survey. Break-up of expenditure by various heads had to be estimated for expenses on medical care received both as in-patient and otherwise.

For the first time in an NSS health survey, the data collected would enable assessment of the role of alternative schools of medicine in respect of prevalence of use, cost of treatment and type of ailments covered. Besides, the survey would ascertain the extent of use of private and public hospitals for childbirth, the cost incurred, and the extent of receipt of pre-natal and post-natal care by women who undergo childbirth. Finally, information on certain aspects of the condition of the 60-plus population was obtained which had a bearing on their state of health, economic independence, and degree of isolation. For most important parameters, the survey provided estimates separately for males and females.

Apart from the prevalence of ailments, the emphasis of the health survey in this round, as in earlier NSS surveys, was on the propensity of the population to seek health care from the public sector, together with the expenditure incurred by households for availing health care services from the public and private sectors. The extent of use of AYUSH and cost of treatment by AYUSH studied for the first time from an NSS survey of health.

KIND OF DATA

Sample survey data [ssd]

UNITS OF ANALYSIS

Randomly selected households based on sampling procedure and members of the household

Scope

NOTES

Descriptions of blocks appearing in Sch. 25.0, NSS 71st Round

The schedule on health (Schedule 25.0) for the 71st round consists of 13 blocks. The different blocks of the schedule are:

Block 0: Descriptive identification of sample household

Block 1: Identification of sample household

Block 2: Particulars of field operations

Block 3: Household characteristics

Block 4: Demographic particulars of household members

Block 5 : Particulars of former household members who died during the last 365 days

Block 6 : Particulars of medical treatment received as in-patient of a medical institution during the last 365 days

Block 7 : Expenses incurred during the last 365 days for treatment of members as in-patient of medical institution

Block 8 : Particulars of spells of ailment of household members during the last 15 days (including hospitalisation)

Block 9 : Expenses incurred during the last 15 days for treatment of members (not as an in-patient of medical institution)

Block 10 : Particulars of economic independence and state of health of persons aged 60 years and above

Block 11 : Particulars of pre-natal and post-natal care for women of age 15-49 years during the last 365 days

Block 12 : Remarks by investigator

Block 13 : Comments by supervisory officer(s)

Coverage

GEOGRAPHIC COVERAGE

The survey will cover the whole of the Indian Union.

UNIVERSE

The survey used the interview method of data collection from a sample of randomly selected households and members of the household.

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

| Name | Affiliation |
|-------------------------------|--|
| National Sample Survey Office | M/o Statistics and Programme Implementation(MOSPI),Government of India (GOI) |

OTHER PRODUCER(S)

| Name | Affiliation | Role |
|---------------------------------|-------------------------------|--|
| Survey Design Research Division | National Sample Survey Office | Questionnaire Design, Sampling methodology, Survey Reports Questionnaire Design, Sampling methodology, Survey Reports Questionnaire Design, Sampling methodology, Survey Reports |

| Name | Affiliation | Role |
|---------------------------|--|------------------------------|
| Field Operations Division | National Sample Survey Office | Field Work |
| Data Processing Division | National Sample Survey Office | Data Processing |
| Computer Centre | M/o Statistics and Programme Implementation(MOSPI),Government of India (GOI) | Tabulation and Dissemination |

FUNDING

| Name | Abbreviation | Role |
|--|--------------|------|
| M/o Statistics & Programme Implementation, GOI | MOSPI | |

OTHER ACKNOWLEDGEMENTS

| Name | Affiliation | Role |
|-------------------------------------|-------------|------------------------------|
| Governing council and Working Group | GOI | Finalisation of survey study |

Metadata Production

METADATA PRODUCED BY

| Name | Abbreviation | Affiliation | Role |
|-----------------|--------------|---|----------------------------|
| Computer Centre | MOSPI, CC | M/O Statistics & Programme Implementation | Documentation of the study |

DATE OF METADATA PRODUCTION

2015-07-27

DDI DOCUMENT VERSION

Version 1.0(Feb 2015)

DDI DOCUMENT ID

DDI-IND-MOSPI-NSSO-71Rnd-Sch25pt0-Jan-June-2014

Sampling

Sampling Procedure

1.4 Sample Design

1.4.1 Outline of sample design: A stratified multi-stage design has been adopted for the 71st round survey. The first stage units (FSU) will be the census villages (Panchayat wards in case of Kerala) in the rural sector and Urban Frame Survey (UFS) blocks in the urban sector. The ultimate stage units (USU) will be households in both the sectors. In the case of large FSUs, one intermediate stage of sampling will be the selection of two hamlet-groups (hgs)/ sub-blocks (sbs) from each rural/ urban FSU.

1.4.2 Sampling Frame for First Stage Units: For the rural sector, the list of 2011 census villages (henceforth the term 'village' would mean Panchayat wards for Kerala) will constitute the sampling frame. However, if 2011 census list is not available, then 2001 census villages updated by excluding the villages urbanised and including the towns de-urbanised after 2001 census will constitute the sampling frame. For the urban sector, the latest updated list of UFS blocks (phase 2007-12) will be considered as the sampling frame.

1.4.3 Stratification: Each district will be a stratum. Within each district of a State/UT, generally speaking, two basic strata will be formed: (i) rural stratum comprising of all rural areas of the district and (ii) urban stratum comprising of all the urban areas of the district. However, within the urban areas of a district, if there are one or more towns with population 1 lakh or more as per Census 2011, each of them will form a separate basic stratum and the remaining urban areas of the district will be considered as another basic stratum.

1.4.3.1 Special stratum in the rural sector: There are some villages in Nagaland and Andaman & Nicobar Islands which are difficult to access. As in earlier rounds, a special stratum will be formed at State/UT level comprising these villages in the two State/UTs.

1.4.4 Sub-stratification:

1.4.4.1 Rural sector: If 'r' be the sample size allocated for a rural stratum, the number of sub-strata formed will be 'r/2'. The villages within a district as per frame will be first arranged in ascending order of population. Then sub-strata 1 to 'r/2' will be demarcated in such a way that each sub-stratum will comprise a group of villages of the arranged frame and have more or less equal population.

1.4.4.2 Urban sector: If 'u' be the sample size allocated for an urban stratum, the number of sub-strata formed will be 'u/2'. For all strata, if $u/2 > 1$, implying formation of 2 or more sub-strata, all the UFS blocks within the stratum will be first arranged in ascending order of total number of households in the UFS Blocks as per UFS phase 2007-12. Then sub-strata 1 to 'u/2' will be demarcated in such a way that each sub-stratum will have more or less equal number of households.

1.4.5 Total sample size (FSUs): About 8300 FSUs will be surveyed for the central sample at all-India level. State wise allocation of sample FSUs is given in Table-1, page A-22.

1.4.6 Allocation of total sample to States and UTs: The total number of sample FSUs will be allocated to the States and UTs in proportion to population as per Census 2011 subject to a minimum sample allocation to each State/UT. While doing so, the resource availability in terms of number of field investigators as well as the comparability with previous round of survey on the same subjects will be kept in view.

1.4.7 Allocation of State/ UT level sample to rural and urban sectors: State/UT level sample size will be allocated between two sectors in proportion to population as per Census 2011 with double weightage to urban sector subject to the restriction that urban sample size for bigger states like Maharashtra, Tamil Nadu etc. should not exceed the rural sample size. A minimum of 16 FSUs (minimum 8 each for rural and urban sector separately) will be allocated to each State/ UT.

1.4.8 Allocation to strata: Within each sector of a State/ UT, the respective sample size will be allocated to the different strata in proportion to the population as per Census 2011. Stratum level allocation will be adjusted to multiples of 2 with a minimum sample size of 2.

For special strata in the rural areas of Nagaland and A & N Islands, 4 FSUs will be allocated to each.

1.4.9 Allocation to sub-strata: Allocation for each sub-stratum will be 2 in both rural and urban sectors.

1.4.10 Selection of FSUs:

For the rural sector, from each stratum/sub-stratum, required number of sample villages will be selected by Probability Proportional to Size With Replacement (PPSWR), size being the population of the village as per Census 2011.

For the urban sector, from each stratum/sub-stratum, FSUs will be selected by Probability Proportional to Size With Replacement (PPSWR), size being the number of households of the UFS Blocks.

Both rural and urban samples are to be drawn in the form of two independent sub-samples and equal number of samples will be allocated among the two sub rounds.

1.4.11 Selection of hamlet-groups/ sub-blocks - important steps

1.4.11.1 Proper identification of the FSU boundaries: The first task of the field investigators is to ascertain the exact boundaries of the sample FSU as per its identification particulars given in the sample list. For urban samples, the boundaries of each FSU may be identified by referring to the map for the UFS Phase 2007-12.

1.4.11.2 Criterion for hamlet-group/ sub-block formation: After identification of the boundaries of the FSU, it is to be determined whether listing will be done in the whole sample FSU or not. In case the approximate present population of the selected FSU is found to be 1200 or more, it will be divided into a suitable number (say, D) of 'hamlet-groups' in the rural sector and 'sub-blocks' in the urban sector by more or less equalising the population as stated below.

approximate present population of the sample FSU no. of hg's/sb's to be formed

less than 1200 (no hamlet-groups/sub-blocks) 1
 1200 to 1799 3
 1800 to 2399 4
 2400 to 2999 5
 3000 to 3599 6
and so on .

For rural areas of Himachal Pradesh, Sikkim, Uttarakhand (except four districts Dehradun, Nainital, Hardwar and Udham Singh Nagar), Punch, Rajouri, Udhampur, Reasi, Doda, Kishtwar, Ramban, Leh (Ladakh), Kargil districts of Jammu and Kashmir and Idukki district of Kerala, the number of hamlet-groups will be formed as follows:

approximate present population of the sample village no. of hg's to be formed

less than 600 (no hamlet-groups) 1
 600 to 899 3
 900 to 1199 4
 1200 to 1499 5
 1500 to 1799 6
and so on .

1.4.11.3 Formation and selection of hamlet-groups/ sub-blocks: In case hamlet-groups/ sub-blocks are to be formed in the sample FSU, the same should be done by more or less equalizing population. Note that while doing so, it is to be ensured that the hamlet-groups/ sub-blocks formed are clearly identifiable in terms of physical landmarks.

Two hamlet-groups (hg)/ sub-blocks (sb) will be selected from a large FSU wherever hamlet-groups/ sub-blocks have been formed in the following manner - one hg/ sb with maximum percentage share of population will always be selected and termed as hg/ sb 1; one more hg/ sb will be selected from the remaining hg's/ sb's by simple random sampling (SRS) and termed as hg/ sb 2. Listing and selection of the households will be done independently in the two selected hamlet-groups/ sub-blocks. The FSUs without hg/ sb formation will be treated as sample hg/ sb number 1. It is to be noted that if more than one hg/ sb have same maximum percentage share of population, the one among them which is listed first in block 4.2 of schedule 0.0 will be treated as hg/ sb 1.

1.5 Listing of households: Having determined the hamlet-groups/ sub-blocks, i.e. area(s) to be considered for listing, the next step is to list all the households (including those found to be temporarily locked after ascertaining the temporariness of locking of households through local enquiry). The hamlet-group/ sub-block with hg/sb number 1 will be considered for listing first, to be followed by the listing of households of the hg/sb number 2.

1.6 Formation of second stage strata and allocation of households:

1.6.1 All the households listed in the selected FSU/ hamlet-group/ sub-block will be stratified into three second stage strata (SSS) for both Schedule 25.0 and 25.2. Composition of the SSS and number of households to be surveyed from different SSS for the two schedules of enquiry will be as follows:

Deviations from Sample Design

There was no deviation from the original sampling design.

Questionnaires

Overview

There are 13 blocks in this schedule.

Data Collection

Data Collection Dates

| Start | End | Cycle |
|--------------|------------|--------------|
| 2014-01-01 | 2014-06-01 | N/A |

Data Collection Mode

Face-to-face [f2f]

Data Processing

No content available

Data Appraisal

No content available

File Description

Variable List

Block 1 and 2 - Identification of sample household

| | |
|--------------|-------------------|
| Content | |
| Cases | 65932 |
| Variable(s) | 39 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|-----|--------------------|---|----------|-----------|----------|
| V1 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V2 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V3 | Vill_Blk_Slno | FSU Serial No. | discrete | character | |
| V4 | Round | Round | discrete | character | |
| V5 | Schedule | Schedule | discrete | character | |
| V6 | Sample | Sample | discrete | character | |
| V7 | Sector | Sector | discrete | character | |
| V8 | State_Region | 'State-Region' | discrete | character | |
| V9 | State | State | discrete | character | |
| V10 | State_District | 'State-District' | discrete | character | |
| V11 | Stratum | Stratum | discrete | character | |
| V12 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V13 | SubRound | Sub-Round | discrete | character | |
| V14 | SubSample | Sub-Sample | discrete | character | |
| V15 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V16 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V17 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V18 | Hhold_no | Sample hhld. No. | discrete | character | |
| V19 | Level | 'Level 1-block 1 and block 2' | discrete | character | |
| V20 | Informant_Slno | Informant Sl.No. | discrete | character | |
| V21 | Resp_Code | Response Code | discrete | character | |
| V22 | Survey_Code | Survey Code | discrete | character | |
| V23 | Substn_Code | Substitution Code | discrete | character | |
| V24 | b2q1aii | Employee-code | discrete | character | |
| V25 | b2q1aii2 | 'Employee-code' | discrete | character | |
| V26 | b2q1bii | 'Employee-code' | discrete | character | |
| V27 | Survey_Date | 'Date of Survey' | discrete | character | |
| V28 | Despatch_Date | 'Date of Despatch' | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|-----|---------------|--|----------|-----------|----------|
| V29 | TimeToCanvass | 'Time to canvass(mins.)' | discrete | character | |
| V30 | b2inv | 'No-of-investigators-FI-ASO-in-the-team' | discrete | character | |
| V31 | b2remarks1 | 'Remarks-in-block-12' | discrete | character | |
| V32 | b2remarks2 | 'Remarks-in-block-12' | discrete | character | |
| V33 | b2remarks3 | 'Remarks-elsewhere-in-Sch' | discrete | character | |
| V34 | b2remarks4 | 'Remarks-elsewhere-in-Sch' | discrete | character | |
| V35 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V36 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V37 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V38 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V39 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 3 - Household Characteristics

Content
 Cases 65932
 Variable(s) 36
 Structure Type:
 Keys: ()
 Version
 Producer
 Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|-----|--------------------|---|----------|-----------|----------|
| V40 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V41 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V42 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V43 | Round | Round | discrete | character | |
| V44 | Schedule | Schedule | discrete | character | |
| V45 | Sample | Sample | discrete | character | |
| V46 | Sector | Sector | discrete | character | |
| V47 | State_Region | 'State-Region' | discrete | character | |
| V48 | State | State | discrete | character | |
| V49 | State_District | 'State-District' | discrete | character | |
| V50 | Stratum | Stratum | discrete | character | |
| V51 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V52 | SubRound | Sub-Round | discrete | character | |
| V53 | SubSample | Sub-Sample | discrete | character | |
| V54 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V55 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V56 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V57 | Hhold_no | Sample hhold. No. | discrete | character | |
| V58 | Level | 'Level 2-block 3' | discrete | character | |
| V59 | b3_q1 | Household size | discrete | character | |
| V60 | b3_q2 | NIC-2008 five digit code | discrete | character | |
| V61 | b3_q3 | NCO-2004 three digit code | discrete | character | |
| V62 | b3_q5 | Religion | discrete | character | |
| V63 | b3_q6 | Social group | discrete | character | |
| V64 | b3_q7 | Type of latrine | discrete | character | |
| V65 | b3_q8 | Type of drainage | discrete | character | |
| V66 | b3_q9 | Major source of drinking water | discrete | character | |
| V67 | b3_q10 | Primary source of energy for cooking | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|-----|-----------|--|----------|-----------|----------|
| V68 | b3_q11 | Amount of medical insurance premium (Rs.) | contin | numeric | |
| V69 | b3_q12 | Household usual consumer expenditure (Rs.) | contin | numeric | |
| V70 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V71 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V72 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V73 | HH_type | Household type with sector | discrete | character | |
| V74 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V75 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 4 - demographic particulars of household members

Content
Cases 333104
Variable(s) 38
Structure Type:
Keys: ()
Version
Producer
Missing Data

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V76 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V77 | CentreCodeRndShift | Centre code,Round and Shift | discrete | character | |
| V78 | Vill_Blk_Slno | FSU Serial No. | discrete | character | |
| V79 | Round | Round | discrete | character | |
| V80 | Schedule | Schedule | discrete | character | |
| V81 | Sample | Sample | discrete | character | |
| V82 | Sector | Sector | discrete | character | |
| V83 | State_Region | 'State-Region' | discrete | character | |
| V84 | State | State | discrete | character | |
| V85 | State_District | 'State-District' | discrete | character | |
| V86 | Stratum | Stratum | discrete | character | |
| V87 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V88 | SubRound | Sub-Round | discrete | character | |
| V89 | SubSample | Sub-Sample | discrete | character | |
| V90 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V91 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V92 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V93 | Hhold_no | Sample hhld. No. | discrete | character | |
| V94 | Level | 'Level 4-block 4' | discrete | character | |
| V95 | b4_q1 | Person serial no. | discrete | character | |
| V96 | b4_q3 | Relation to head | discrete | character | |
| V97 | b4_q4 | Sex | discrete | character | |
| V98 | b4_q5 | Age(yrs) | discrete | character | |
| V99 | b4_q6 | Marital status | discrete | character | |
| V100 | b4_q7 | General education | discrete | character | |
| V101 | b4_q8 | Whether resident of students' hostel | discrete | character | |
| V102 | b4_q9 | During last 365 days-whether hospitalised | discrete | character | |
| V103 | b4_q10 | No. of times hospitalised | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|-----------|-------------|--|-------------|---------------|-----------------|
| V104 | b4_q11 | Whether suffering from any chronic ailment | discrete | character | |
| V105 | b4_q12 | Whether suffering from any other ailment in last 15 days | discrete | character | |
| V106 | b4_q13 | Whether suffering from any other ailment on the day before date of survey | discrete | character | |
| V107 | b4_q14 | Whether covered by any scheme for health expenditure support | discrete | character | |
| V108 | b4_q15 | Reporting by (self/proxy) | discrete | character | |
| V109 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V110 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V111 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V112 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V113 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 5 - particulars of former household members who died during the last 365 days

| | |
|--------------|-------------------|
| Content | |
| Cases | 2395 |
| Variable(s) | 32 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V114 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V115 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V116 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V117 | Round | Round | discrete | character | |
| V118 | Schedule | Schedule | discrete | character | |
| V119 | Sample | Sample | discrete | character | |
| V120 | Sector | Sector | discrete | character | |
| V121 | State_Region | 'State-Region' | discrete | character | |
| V122 | State | State | discrete | character | |
| V123 | State_District | 'State-District' | discrete | character | |
| V124 | Stratum | Stratum | discrete | character | |
| V125 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V126 | SubRound | Sub-Round | discrete | character | |
| V127 | SubSample | Sub-Sample | discrete | character | |
| V128 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V129 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V130 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V131 | Hhold_no | Sample hhld. No. | discrete | character | |
| V132 | Level | 'Level 3-block 5' | discrete | character | |
| V133 | b5_q1 | Person serial no. | discrete | character | |
| V134 | b5_q3 | Sex | discrete | character | |
| V135 | b5_q4 | Age at death(years) | discrete | character | |
| V136 | b5_q5 | Whether medical attention received before death(yes/no) ? | discrete | character | |
| V137 | b5_q6 | Whether hospitalised(yes/no) | discrete | character | |
| V138 | b5_q7 | If 1 in col. 6, no. of times hospitalised | discrete | character | |
| V139 | b5_q8 | Whether pregnant any time during last 365 days(yes/no) | discrete | character | |
| V140 | b5_q9 | If 1 in col. 8, time of death | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|-----------|-------------|--|-------------|---------------|-----------------|
| V141 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V142 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V143 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V144 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V145 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 6 - particulars of medical treatment received as in-patient of a medical institution during the last 365 days

| | |
|--------------|-------------------|
| Content | |
| Cases | 57456 |
| Variable(s) | 46 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V146 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V147 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V148 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V149 | Round | Round | discrete | character | |
| V150 | Schedule | Schedule | discrete | character | |
| V151 | Sample | Sample | discrete | character | |
| V152 | Sector | Sector | discrete | character | |
| V153 | State_Region | 'State-Region' | discrete | character | |
| V154 | State | State | discrete | character | |
| V155 | State_District | 'State-District' | discrete | character | |
| V156 | Stratum | Stratum | discrete | character | |
| V157 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V158 | SubRound | Sub-Round | discrete | character | |
| V159 | SubSample | Sub-Sample | discrete | character | |
| V160 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V161 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V162 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V163 | Hhold_no | Sample hhld. No. | discrete | character | |
| V164 | Level | 'Level 5-block 6' | discrete | character | |
| V165 | b6_q1 | Srl. no. of the hospitalisation case | discrete | character | |
| V166 | b6_q2 | Srl. no. of member hospitalised | discrete | character | |
| V167 | b6_q3 | Age(years) | discrete | character | |
| V168 | b6_q4 | Nature of ailment | discrete | character | |
| V169 | b6_q5 | Nature of treatment | discrete | character | |
| V170 | b6_q6 | Level of care | discrete | character | |
| V171 | b6_q7 | Type of ward | discrete | character | |
| V172 | b6_q8 | When admitted | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|------|-----------|--|----------|-----------|----------|
| V173 | b6_q9 | When discharged | discrete | character | |
| V174 | b6_q10 | Duration of stay in hospital (days) | contin | numeric | |
| V175 | b6_q11 | Surgery | discrete | character | |
| V176 | b6_q12 | Medicine | discrete | character | |
| V177 | b6_q13 | X-ray/ ECG/ EEG/ Scan | discrete | character | |
| V178 | b6_q14 | Other diagnostic tests | discrete | character | |
| V179 | b6_q15 | Treated before hospitalisation | discrete | character | |
| V180 | b6_q16 | nature of treatment | discrete | character | |
| V181 | b6_q17 | level of care | discrete | character | |
| V182 | b6_q18 | duration of treatment (days) | contin | numeric | |
| V183 | b6_q19 | Treatment continued after discharge? | discrete | character | |
| V184 | b6_q20 | nature of treatment | discrete | character | |
| V185 | b6_q21 | level of care | discrete | character | |
| V186 | b6_q22 | duration of treatment (days) | contin | numeric | |
| V187 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V188 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V189 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V190 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V191 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 7 - expenses incurred during the last 365 days for treatment of members as in-patient of medical institution

| | |
|--------------|-------------------|
| Content | |
| Cases | 57456 |
| Variable(s) | 42 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V192 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V193 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V194 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V195 | Round | Round | discrete | character | |
| V196 | Schedule | Schedule | discrete | character | |
| V197 | Sample | Sample | discrete | character | |
| V198 | Sector | Sector | discrete | character | |
| V199 | State_Region | 'State-Region' | discrete | character | |
| V200 | State | State | discrete | character | |
| V201 | State_District | 'State-District' | discrete | character | |
| V202 | Stratum | Stratum | discrete | character | |
| V203 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V204 | SubRound | Sub-Round | discrete | character | |
| V205 | SubSample | Sub-Sample | discrete | character | |
| V206 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V207 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V208 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V209 | Hhold_no | Sample hhld. No. | discrete | character | |
| V210 | Level | 'Level 6-block 7' | discrete | character | |
| V211 | b7_q1 | Srl. no. of hospitalisation case | discrete | character | |
| V212 | b7_q2 | Srl. no. of member hospitalised | discrete | character | |
| V213 | b7_q3 | Age (years) | discrete | character | |
| V214 | b7_q4 | Whether any medical service provided free | discrete | character | |
| V215 | b7_q5 | Package component (Rs.) | contin | numeric | |
| V216 | b7_q6 | Doctor surgeon fee (Rs.) | contin | numeric | |
| V217 | b7_q7 | Medicines (Rs.) | contin | numeric | |
| V218 | b7_q8 | Diagonistic tests (Rs.) | contin | numeric | |

| ID | Name | Label | Type | Format | Question |
|------|-----------|--|----------|-----------|----------|
| V219 | b7_q9 | Bed charges (Rs.) | contin | numeric | |
| V220 | b7_q10 | Other medical expenses (Rs.) | contin | numeric | |
| V221 | b7_q11 | Medical expenditure (Rs.) | contin | numeric | |
| V222 | b7_q12 | Transport for patient (Rs.) | contin | numeric | |
| V223 | b7_q13 | Other non-medical expenses (Rs.) | contin | numeric | |
| V224 | b7_q14 | Expenditure (Rs.) | contin | numeric | |
| V225 | b7_q15 | Total amount reimbursed by medical insurance (Rs.) | contin | numeric | |
| V226 | b7_q16 | Major source of finance | discrete | character | |
| V227 | b7_q17 | 2nd most important source of finance | discrete | character | |
| V228 | b7_q18 | Place of hospitalisation | discrete | character | |
| V229 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V230 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V231 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V232 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V233 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 8 - particulars of spells of ailment of household members during the last 15 days (including hospitalisation)

| | |
|--------------|-------------------|
| Content | |
| Cases | 37282 |
| Variable(s) | 42 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V234 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V235 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V236 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V237 | Round | Round | discrete | character | |
| V238 | Schedule | Schedule | discrete | character | |
| V239 | Sample | Sample | discrete | character | |
| V240 | Sector | Sector | discrete | character | |
| V241 | State_Region | 'State-Region' | discrete | character | |
| V242 | State | State | discrete | character | |
| V243 | State_District | 'State-District' | discrete | character | |
| V244 | Stratum | Stratum | discrete | character | |
| V245 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V246 | SubRound | Sub-Round | discrete | character | |
| V247 | SubSample | Sub-Sample | discrete | character | |
| V248 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V249 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V250 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V251 | Hhold_no | Sample hhld. No. | discrete | character | |
| V252 | Level | 'Level 7-block 8' | discrete | character | |
| V253 | b8_q1 | Srl. no. of spell of ailment | discrete | character | |
| V254 | b8_q2 | Srl. no. of member reporting ailment | discrete | character | |
| V255 | b8_q3 | Age (years) | discrete | character | |
| V256 | b8_q4 | No. of days within the ref. period - ill | discrete | character | |
| V257 | b8_q5 | No. of days within the ref. period - on restricted activity | discrete | character | |
| V258 | b8_q6 | No. of days within the ref. period - confined to bed | discrete | character | |
| V259 | b8_q7 | Nature of ailment | discrete | character | |
| V260 | b8_q8 | Whether chornic | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|------|-----------|--|----------|-----------|----------|
| V261 | b8_q9 | Status of ailment | discrete | character | |
| V262 | b8_q10 | Total duration of ailment (days) | discrete | character | |
| V263 | b8_q11 | Nature of treatment | discrete | character | |
| V264 | b8_q12 | Whether hospitalised | discrete | character | |
| V265 | b8_q13 | Whether treatment taken on medical advice | discrete | character | |
| V266 | b8_q14 | Level of care | discrete | character | |
| V267 | b8_q15 | Reason for not availing Govt. sources | discrete | character | |
| V268 | b8_q16 | Reason for not seeking medical advice | discrete | character | |
| V269 | b8_q17 | Whom consulted | discrete | character | |
| V270 | b8_q18 | Loss of household income (Rs.) | contin | numeric | |
| V271 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V272 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V273 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V274 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V275 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 9 - expenses incurred during the last 15 days for treatment of members (not as in-patient of medical institution)

| | |
|--------------|-------------------|
| Content | |
| Cases | 33911 |
| Variable(s) | 45 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V276 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V277 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V278 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V279 | Round | Round | discrete | character | |
| V280 | Schedule | Schedule | discrete | character | |
| V281 | Sample | Sample | discrete | character | |
| V282 | Sector | Sector | discrete | character | |
| V283 | State_Region | 'State-Region' | discrete | character | |
| V284 | State | State | discrete | character | |
| V285 | State_District | 'State-District' | discrete | character | |
| V286 | Stratum | Stratum | discrete | character | |
| V287 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V288 | SubRound | Sub-Round | discrete | character | |
| V289 | SubSample | Sub-Sample | discrete | character | |
| V290 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V291 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V292 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V293 | Hhold_no | Sample hhld. No. | discrete | character | |
| V294 | Level | 'Level 8-block 9' | discrete | character | |
| V295 | b9_q1 | Srl. no. of ailing member | discrete | character | |
| V296 | b9_q2 | Age (years) | discrete | character | |
| V297 | b9_q3 | Whether any medical advice provided free | discrete | character | |
| V298 | b9_q4 | Surgery | discrete | character | |
| V299 | b9_q5 | Medicine received (AYUSH) | discrete | character | |
| V300 | b9_q6 | Medicine received other than AYUSH | discrete | character | |
| V301 | b9_q7 | X-ray/ ECG/ EEG/ Scan | discrete | character | |
| V302 | b9_q8 | Other diagnostic tests | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|------|-----------|--|----------|-----------|----------|
| V303 | b9_q9 | Doctor surgeon fee (Rs.) | contin | numeric | |
| V304 | b9_q10 | Medicines (Rs.): AYUSH | contin | numeric | |
| V305 | b9_q11 | Medicines (Rs.): Other than AYUSH | contin | numeric | |
| V306 | b9_q12 | Diagonistic tests (Rs.) | contin | numeric | |
| V307 | b9_q13 | Other medical expenses (Rs.) | contin | numeric | |
| V308 | b9_q14 | Medical expenditure (Rs.): total | contin | numeric | |
| V309 | b9_q15 | Transport for patient (Rs.) | contin | numeric | |
| V310 | b9_q16 | Other non-medical expenses (Rs.) | contin | numeric | |
| V311 | b9_q17 | Expenditure (Rs.): Total | contin | numeric | |
| V312 | b9_q18 | Total amount reimbursed by medical insurance (Rs.) | contin | numeric | |
| V313 | b9_q19 | Major source of finance for expenses | discrete | character | |
| V314 | b9_q20 | 2nd most important source of finance for expenses | discrete | character | |
| V315 | b9_q21 | Place of treatment (state code) | discrete | character | |
| V316 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V317 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V318 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V319 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V320 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 10 - particulars of economic independence and state of health of persons aged 60 years and above

| | |
|--------------|-------------------|
| Content | |
| Cases | 27245 |
| Variable(s) | 36 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V321 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V322 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V323 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V324 | Round | Round | discrete | character | |
| V325 | Schedule | Schedule | discrete | character | |
| V326 | Sample | Sample | discrete | character | |
| V327 | Sector | Sector | discrete | character | |
| V328 | State_Region | 'State-Region' | discrete | character | |
| V329 | State | State | discrete | character | |
| V330 | State_District | 'State-District' | discrete | character | |
| V331 | Stratum | Stratum | discrete | character | |
| V332 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V333 | SubRound | Sub-Round | discrete | character | |
| V334 | SubSample | Sub-Sample | discrete | character | |
| V335 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V336 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V337 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V338 | Hhold_no | Sample hhld. No. | discrete | character | |
| V339 | Level | 'Level 9-block 10' | discrete | character | |
| V340 | b10_q1 | Srl. no. of member | discrete | character | |
| V341 | b10_q2 | Age (years) | contin | numeric | |
| V342 | b10_q3 | No. of sons living | discrete | numeric | |
| V343 | b10_q4 | No. of daughters living | discrete | numeric | |
| V344 | b10_q5 | State of economic independence | discrete | numeric | |
| V345 | b10_q6 | No. of Dependents | discrete | numeric | |
| V346 | b10_q7 | Person financially supporting aged person | discrete | character | |
| V347 | b10_q8 | Living arrangement | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|-----------|-------------|--|-------------|---------------|-----------------|
| V348 | b10_q9 | Physical mobility | discrete | character | |
| V349 | b10_q10 | Person helping | discrete | character | |
| V350 | b10_q11 | Own perception-current state of health | discrete | character | |
| V351 | b10_q12 | Own perception- change in state of health | discrete | character | |
| V352 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V353 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V354 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V355 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V356 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |

Block 11 - particulars of pre-natal and post-natal care for women of age 15-49 years during the last 365 days

| | |
|--------------|-------------------|
| Content | |
| Cases | 88790 |
| Variable(s) | 38 |
| Structure | Type: Keys: () |
| Version | |
| Producer | |
| Missing Data | |

Variables

| ID | Name | Label | Type | Format | Question |
|------|--------------------|---|----------|-----------|----------|
| V357 | HHID | 'Primary key - unique identifier for a household' | discrete | character | |
| V358 | CentreCodeRndShift | Centre code, Round and Shift | discrete | character | |
| V359 | Vill_BlK_Slno | FSU Serial No. | discrete | character | |
| V360 | Round | Round | discrete | character | |
| V361 | Schedule | Schedule | discrete | character | |
| V362 | Sample | Sample | discrete | character | |
| V363 | Sector | Sector | discrete | character | |
| V364 | State_Region | 'State-Region' | discrete | character | |
| V365 | State | State | discrete | character | |
| V366 | State_District | 'State-District' | discrete | character | |
| V367 | Stratum | Stratum | discrete | character | |
| V368 | SubStratumNo | Sub-Stratum-no | discrete | character | |
| V369 | SubRound | Sub-Round | discrete | character | |
| V370 | SubSample | Sub-Sample | discrete | character | |
| V371 | FODSubRegion | FOD-Sub-Region | discrete | character | |
| V372 | HG_SubBlkNo | Hamlet group/Sub-block no. | discrete | character | |
| V373 | Second_Stratum | Second-Stage-Stratum-no | discrete | character | |
| V374 | Hhold_no | Sample hhld. No. | discrete | character | |
| V375 | Level | 'Level 10-block 11' | discrete | character | |
| V376 | b11_q1 | Srl. no. of member | discrete | character | |
| V377 | b11_q2 | Age(years) | discrete | character | |
| V378 | b11_q3 | Whether pregnant any time in last 365 days | discrete | character | |
| V379 | b11_q4 | Srl. no. of pregnancy | discrete | character | |
| V380 | b11_q5 | Whether received tetanus vaccine | discrete | character | |
| V381 | b11_q6 | Whether taken IFA during pregnancy | discrete | character | |
| V382 | b11_q7 | Whether any other prenatal care received | discrete | character | |
| V383 | b11_q8 | Nature of prenatal care | discrete | character | |

| ID | Name | Label | Type | Format | Question |
|------|-----------|--|----------|-----------|----------|
| V384 | b11_q9 | Total expenditure incurred on pre natal care (Rs.) | contin | numeric | |
| V385 | b11_q10 | Outcome of pregnancy | discrete | character | |
| V386 | b11_q11 | Place of delivery / abortion | discrete | character | |
| V387 | b11_q12 | Whether any post natal care received | discrete | character | |
| V388 | b11_q13 | Nature of post natal care | discrete | character | |
| V389 | b11_q14 | Expenditure incurred on post natal care (Rs.) | contin | numeric | |
| V390 | NSS | number of first stage units surveyed within a substratum for the sub-sample | discrete | numeric | |
| V391 | NSC | number of first stage units surveyed within a substratum for sub-sample combined | discrete | numeric | |
| V392 | MLT | weight or multiplier within a substratum for the sub-sample | contin | numeric | |
| V393 | Weight_SS | Final weight for sub-sample wise estimates | contin | numeric | |
| V394 | Weight_SC | Final weight for sub-sample combined estimates | contin | numeric | |